





ACTIVE INGREDIENT:

TRICHLORO -s- TRIAZINETRIONE-100%

(Trichloroisocyanuric Acid, Dry)

(Contains 89% Available Chlorine Minimum)

COARSE

RECEIVED

WARNING!

OXIDIZING MATERIAL.

MAY BE FATAL IF SWALLOWED.

CONTACT WITH COMBUSTIBLE A

CONTACT WITH COMBUSTIBLE MATTER MAY CAUSE FIRE OR DECOMPOSITION. MAY CAUSE IRRITATION OF SKIN, EYES, NOSE AND THROAT.

DUST MAY BE HARMFUL IF INHALED.

MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES.

DECOMPOSES AT 350-475°F WITH LIBERATION OF HEAT AND HARMFUL GASES.

Avoid contact with oil, grease, other combustible matter.

Avoid contact with skin and eyes.

Avoid breathing dust.

Wear safety goggles, dust respirator and protective clothing when handling. Store in cool, dry well-ventilated area.

Keep container tightly closed when not in use.

Protect from moisture contamination.

Keep away from open flames, heaters, other heat sources.

Do not re-use drum liner. Destroy when empty.

Do not take internally.

Keep out of reach of children.

For Repackaging or Reformulating Disinfectants, Sanitizers, Fungicides, and Algicides as tablets, briquettes, sticks or other compressed form only. Not to be reformulated or repackaged in powder or granular form.

EPA Reg. No. 230-47 AA EPA Est. 230-WV-1

NET WEIGHT 350 POUNDS (158.76 KGS.)

Made in U. S. A.

Printed in U. S. A.

33-43-330W 7/75

- IN CASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.
- IN CASE OF FIRE OR SUSTAINED DECOMPOSITION: If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

Refer to FMC technical bulletin for further information on CDB storage and handling.

FMC Corporation

Industrial Chemical Division Philadelphia PA 19103

CDB-FMC TRADEMARK