CDB-90

ACTIVE INCREDIENT

ACCEPTEDRICHLORO-S-TRIAZINETRIONE --- 100%

AUG 28 1975

(Trichloroisocyanuric Acid)

CONTAINS 90% AVAILABLE CHLORINE

MEDIUM

ED 230-

DANGER!

KEEP OUT OF REACH OF CHILDREN

OXIDIZING MATERIAL. MAY BE FATAL IF SWALLOWED.

CONTACT WITH COMBUSTIBLE MATTER MAY CAUSE FIRE OR DECOMPOSITION.

MAY CAUSE EYE DAMAGE, PROTECT EYES WHEN HANDLING.

MAY CAUSE IRRITATION TO SKIN, EYES, NOSE AND THROAT.

MAY CAUSE BURNS TO BROKEN SKIN. AVOID CONTACT WITH SKIN, NOSE AND THROAT.

DUST MAY BE HARMFUL IF INHALED. DO NOT BREATHE DUST.

MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES.

DECOMPOSES AT 350-475°F WITH LIBERATION OF HARMFUL GASES.

Do not get in eyes or on the skin.

Wear safety goggles, dust respirator and protective clothing when handling.

Store in cool, dry, well-ventilated area.

Keep container tightly closed when not in use.

Protect from moisture contamination.

Do not re-use drum liner. Destroy when empty.

Avoid contact with oil, grease, other combustible matter.

Keep out of reach of children.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

For Repackaging Or Reformulating Disinfectants, Sanitizers, Fungicides, And Algicides

EPA Reg. No. 230-58 AA

EPA Est. No. 230 WVO1

NET WEIGHT

POUNDS

KGS

IN CASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

IN CASE OF DECOMPOSITION: If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

IF TAKEN INTERNALLY: Feed gruel or cooked cereal followed by olive oil or cooking oil. Call a physician.

Refer to FMC technical bulletin for further information on CDB Clearon storage and handling.

FMC CORPORATION INDUSTRIAL CHEMICAL DIVISION NEW YORK, N. Y.

Made in U.S.A.

Printed in U.S.A.