CDB-90

Dry Chlor:nated Compound

MEDIUM

Keep out of reach of children.

DANGER!

Oxidizing material.

∠ stay be fatal it swallowed. May cause eye damage. Protect eyes when handling.

Contact with combustible matter may cause fire or decomposition.

May cause irritation of skin, eyes, nose and throat.

Dust may be harmful if inhaled. Moisture contamination may liberate irritating and hazardous chlorinecontaining gases.

Decomposes at 350-475°F with liberation of heat and harmful gases.



FMC Corporation Industrial Chemical Group 2000 Market Street Philadelphia, Pennsylvania 19103 Active Ingredient: Trichloro-s- Triazinetrione-99.4% (Trichloroisocyanuric Acid, Dry) Inert Ingredients 0.6%

(Contains 89% Available Chlorine Minimum)

EPA Reg. No. 230-58-AA EPA Est. 230-WV-1

Avoid contact with oil, grease, other combustible matter.

Avoid contact with skin and eyes. Avoid breathing dust.

Wear safety goggles, dust respirator and protective clothing when handling.

Store in cool, dry, well-ventilated area.

Keep container tightly closed when not in use

Protect from moisture contamination.

Keep away from open flames, heaters, other heat sources.

Do not re-use drum liner. Destroy when empty. Do not take internally.

For Repackaging or Reformulating Disinfectants. Sanitizers, Fungicides, and Algicides.

.

IN CASE OF PERSONAL CONTACT: Remove excess material and lush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

23-57

Net weight 300 Pounds

IN CASE OF FIRE OR SUSTAINED DECOMPO-SITION: If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

IF TAKEN INTERNALLY Feed gruel or cooked cereal followed by olive oil or cooking oil. Call a physician.

Refer to FMC technical bulletin for further information on CDB storage and handling.



334-3349\V 9/81

К-267

FM 22.

(136.08 kg)

1~L

CDB-ENC TRADEMARK

Made in U.S.A. Printed In U.S.A.