

WARNING!

OXIDIZING MATERIAL. MAY BE FATAL IF SWALLOWED. CONTACT WITH COMBUSTIBLE MATTER MAY CAUSE FIRE OR DECOMPOSITION. MAY CAUSE IRRITATION OF SKIN, EYES, NOSE AND THROAT. DUST MAY BE HARMFUL IF INHALED. MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 350-475 F WITH LIBERATION OF HEAT AND HARMFUL GASES.

Avoid contact with oil, grease, other combustible matter.	IN CA
Avoid contact with skin and eyes.	ar
Avoid breathing dust.	mi
Wear safety goggles, dust respirator and protective clothing when handling.	ta
Store in cool, dry, well-ventilated area.	IN CA
Keep container tightly closed when not in use.	sil
Protect from moisture contamination.	ar
Keep away from open flames, heaters, other heat sources.	
Do not re-use drum liner. Destroy when empty.	Refer
Do not take internally.	CDB s
Keep out of reach of children.	

For Manufacturing, Repackaging, or Processing Use Only

USDA Reg. No. 230-59

NET WEIGHT. POUNDS

Made in U.S.A.

965

Printed in U.S.A.



100% TRICHLORO - TRIAZINETRIONE Trichloroisocyanuric Acid



ASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 ninutes. For eyes, get medical attention. Clean conaminated clothing before re-use.

ASE OF FIRE OR SUSTAINED DECOMPOSITION: If posible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

to FMC technical bulletin for further information on storage and handling.



FMC CORPORATION INORGANIC CHEMICALS DIVISION NEW YORK, N. Y.