



CDB-63

ACTIVE INGREDIENT:

SODIUM DICHLORO-s-TRIAZINETRIONE — 100%
(Sodium Dichloroisocyanurate)

GRANULAR

WARNING!

OXIDIZING MATERIAL.
MAY BE FATAL IF SWALLOWED.
CONTACT WITH COMBUSTIBLE MATTER MAY CAUSE FIRE OR DECOMPOSITION.
MAY CAUSE IRRITATION OF SKIN, EYES, NOSE AND THROAT.
DUST MAY BE HARMFUL IF INHALED.
MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES.
DECOMPOSES AT 350-475°F WITH LIBERATION OF HEAT AND HARMFUL GASES.

Avoid contact with oil, grease, other combustible matter.
Avoid contact with skin and eyes.
Avoid breathing dust.
Store in cool, dry, well-ventilated area.
Keep container tightly closed when not in use.
Protect from moisture contamination.
Keep away from open flames, heaters, other heat sources.
Do not take internally.
Keep out of reach of children.

ACCEPTED
Sept 15, 1967
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 230-00 SUBJECT
TO ATTACHED COMMENTS.

IN CASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

IN CASE OF FIRE OR SUSTAINED DECOMPOSITION: If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

Refer to FMC technical bulletin for further information on CDB storage and handling.

For Manufacturing, Repackaging, or Processing Use Only

USDA Reg. No. 230

NET WEIGHT _____ POUNDS

Made in U.S.A.

965

Printed in U.S.A.



FMC CORPORATION
INORGANIC CHEMICALS DIVISION
NEW YORK, N. Y.