# ΠG CORPORATION

## CDB-59

#### ACTIVE INGREDIENT:

### POTASSIUM DICHLORO-S-TRIAZINETRIONE ---- 100%

(Potassium Dichloroisocyanura ÄCČEPTED

POWDER



#### OXIDIZING MATERIAL.

UNDER THE FEDERAL INSECTICING FUNGICIDE AND RODENTICIDE T FOR ECONOMIC POISON, RESISTER ED UNDER NO 720 25000, CT MAY BE FATAL IF SWALLOWED. TO ATTACHED COMM CONTACT WITH COMBUSTIBLE MATTER MAY CAUSE FIRE OR MAY CAUSE IRRITATION OF SKIN, EYES, NOSE AND THROAT. DUST MAY BE HARMFUL IF INHALED. MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS

40

CHLORINE-CONTAINING GASES.

DECOMPOSES AT 350-475 F WITH LIBERATION OF HEAT AND HARMFUL GASES.

Avoid contact with oil, grease, other combustible matter.

Avoid contact with skin and eyes.

Avoid breathing dust.

Store in cool, dry, well-ventilated area.

Keep container tightly closed when not in use.

Protect from moisture contamination.

Keep away from open flames, heaters, other heat sources.

Do not take internally.

Keep out of reach of children.

For Manufacturing, Repackaging, or Processing Use Only

USDA Reg. No. 230 NET WEIGHT, POUNDS Made In U.S.A. 965 Printed in U.S.A.

IN CASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

Sep 15 1967

IN CASE OF FIRE OR SUSTAINED DECOMPOSITION: If persible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

Refer to FMC technical bulletin for further information on CDB storage and handling.

FMC CORPORATION

INORGANIC CHEMICALS DIVISION

NEW YORK, N.Y.