



POTASSIUM DICHLORO-s-TRIAZINETRIONE ----- 100% (Potassium Dichloroisocyanurate)

WARNING!

OXIDIZING MATERIAL. MAY BE FATAL IF SV (ED. CONTACT WITH COMBGE IBLE MATTER MAY CAUSE FIRE OR DECOMPOSITION. MAY CAUSE IRRITATION OF SKIN, EYES, NOSE AND THROAT. DUST MAY BE HARMFUL IF INHALED. MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 350-475 F WITH LIBERATION OF HEAT AND HARMFUL GASES.

Avoid contact with oil, grease, other combustible matter. Avoid contact with skin and eyes.	IN
Avoid breathing dust. Wear safety goggles, dust respirator and protective clothing when handling. Store in cool, dry, well-ventilated area. Keep container tightly closed when not in use. Protect from moisture contamination. Keep away from open flames, heaters, other heat sources.	IN
Do not re-use drum liner, Destroy when empty. Do not take internally. Keep out of reach of children.	Ref CD

For Manufacturing, Repackaging, or Processing Use Only


USDA Reg. No. 230-62

NET WEIGHT_____POUNDS

Made in U.S.A

965

Printed in U.S.A.



AUTIVE INGREDIENT

POWDER

- A CASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.
- N CASE OF FIRE OR SUSTAINED DECOMPOSITION: If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

efer to FMC technical bulletin for further information on DB storage and handling.



FMC CORPORATION INORGANIC CHEMICALS DIVISION NEW YORK. N. Y