

CDB CLEARON®

Net weight 300 lb

Stabilized Dry Chlorine Bearing Compound

COARSE

Keep out of reach of children.

DANGER!

Oxidizing material.

May be fatal if swallowed.

May cause eye damage. Protect eyes when handling.

May cause irritation to skin, eyes, nose and throat.

May cause burns to broken skin.

Avoid contact with skin, nose and throat.

Moisture contamination may liberate irritating and hazardous chlorine-containing gases.

Dust may be harmful if inhaled.

Decomposes at 350-475°F with liberation of harmful gases.

Active Ingredient.

Sodium Dichloro-s-Triazinetrione Dihydrate 100%

(Sodium Dichloroisocyanurate dihydrate)

(Contains 55% Available Chlorine Minimum)

EPA Reg. 230-69 AA EPA Est. 230-WV-1

Do not get in eyes or on the skin.

Do not breathe dust.

Wear safety goggles, dust respirator and protective clothing when handling.

Store in cool, dry, well-ventilated area.

Keep container tightly closed when not in use.

Protect from moisture contamination.

Do not re-use drum liner. Destroy when empty.

Do not take internally.

For Repackaging Or Reformulating Disinfectants, Sanitizers, Fungicides, and Algicides.

IN CASE OF PERSONAL ACCIDENT: Flush contaminated material and flush with water for at least 15 minutes. Seek medical attention. Clean and re-use.


IN CASE OF DECONTAMINATION: Flood container in open area with large volume of water.

IF TAKEN INTERNALLY: Do not induce vomiting. Seek medical attention. Refer to physician.

Refer to FMC technical information on CDB Clearon.

FMC

FMC Corporation
Industrial Chemical Group
2000 Market Street
Philadelphia, Pennsylvania 19103



CDB CLEARON FMC TRADEMARK

Made in U.S.A.

Printed in U.S.A. Cc

N[®]

Net weight 300 Pounds (136.08 kg)

Content:
Dichloro-s-Triazinetrione Dihydrate 100%
(Dichloroisocyanurate dihydrate)
55% Available Chlorine Minimum)
230-69 AA EPA Est. 230-IVV-1

Get out of eyes or on the skin.
Avoid dust.
Wear goggles, dust respirator and protective clothing when handling.
Store in a cool, dry, well-ventilated area.
Keep container tightly closed when not in use.
Prevent moisture contamination.
Use the drum liner. Destroy when empty.
Do not ingest internally.
Use for Bleaching Or Reformulating Disinfectants, Algaecides, and Algicides.

IN CASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

IN CASE OF DECOMPOSITION: If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

IF TAKEN INTERNALLY: Feed gruel or cooked cereal followed by olive oil or cooking oil. Call a physician.

Refer to FMC technical bulletin for further information on CDB Clearon storage and handling

FMC
FMC
FMC
FMC
FMC
FMC
FMC
FMC
FMC

ACCEPTED
7 JAN 1978
230-69
THE FEDERAL INSECTICIDE AND RODENTICIDE ACT
ECONOMIC POISON REGISTRY
REG. NO.

144

-FMC TRADEMARK

Made in U S A

Printed in U S A

Code W3343440 11/77

K-262

144