



CDB-56[®]

ACTIVE INGREDIENT:

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%
(Sodium Dichloroisocyanurate dihydrate)

POWDER

DANGER!

**OXIDIZING MATERIAL.
MAY BE FATAL IF SWALLOWED.
MAY CAUSE EYE DAMAGE, PROTECT EYES WHEN HANDLING.
MAY CAUSE IRRITATION TO SKIN, EYES, NOSE AND THROAT.
MAY CAUSE BURNS TO BROKEN SKIN. AVOID CONTACT WITH SKIN, NOSE
AND THROAT.
DUST MAY BE HARMFUL IF INHALED.
MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS
CHLORINE-CONTAINING GASES.
DECOMPOSES AT 350-475°F WITH LIBERATION OF HARMFUL GASES.**

Do not get in eyes or on the skin.

Do not breath dust.

Wear safety goggles, dust respirator and protective clothing when handling.

Store in cool, dry, well-ventilated area.

Keep container tightly closed when not in use.

Protect from moisture contamination.

Do not re-use drum liner. Destroy when empty.

Do not take internally.

Keep out of reach of children.

**For Repackaging Or Reformulating Disinfectants, Sanitizers,
Fungicides, And Algicides**


EPA Reg. No. 230-71

NET WEIGHT

POUNDS

Made in U.S.A.

Printed in U.S.A.



IN CASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

IN CASE OF DECOMPOSITION: If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

IF TAKEN INTERNALLY: Feed gruel or cooked cereal followed by olive oil or cooking oil. Call a physician.

Refer to FMC technical bulletin for further information on CDB storage and handling.



FMC CORPORATION
INORGANIC CHEMICALS DIVISION
NEW YORK, N. Y.