


FMC®



CDB CLEARON*

WASH SANITIZER

ACTIVE INGREDIENT	
Sodium dichloro-s-triazinetriane dihydrate (provides 15.8% available chlorine)	28%
INERT INGREDIENTS	72%

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes or on the skin. Do not breath dust.

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.

Net Contents 20 lb.



EPA Reg. No. 230-72

Manufactured by:

FMC CORPORATION
633 Third Avenue
New York, New York 10017

* TRADEMARK OF FMC CORPORATION

CDB CLEARON WASH/SANITIZER

CDB CLEARON WASH SANITIZER is recommended for use in either immersion or spray machines to sanitize and clean eggs prior to sale on commercial eggs or to use on incubation eggs. CDB CLEARON WASH SANITIZER is also recommended for use in sanitizing dishes, glasses, food processing equipment and utensils including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

1. For Egg Wash: Dissolve 1 or 2 oz. of CDB CLEARON WASH SANITIZER in 10 gal. of warm (125° F) water. This provides 100 or 200 ppm of available chlorine respectively. The higher level of chlorine is recommended for hatching eggs and the lower level for commercial eggs. Dip a basket of eggs in the solution and hold for 2 or 3 minutes. Remove the basket, rinse with potable water and dry.
2. For dishes, glasses, food processing equipment and utensils: Dissolve 1 or 2 oz. of CDB CLEARON WASH SANITIZER per 10 gal. of warm (125° F) water. This provides 100 to 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then dip the items to be sanitized in solution and hold for 2 or 3 minutes. Remove, rinse with potable water and dry. The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, and food processing equipment and utensils. Rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CDB CLEARON WASH SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

DIRECTIONS FOR STORAGE AND HANDLING

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: Do not mix with other chemicals. Contact with organic matter may cause fire.

Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse empty container. Rinse empty container thoroughly. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

ACCEPTED



FMC.

ACCEPTED

18
MAY 8 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROSENTHIDE ACT
FOR ECONOMIC POISON REGISTRATION
EPA REG. NO. 230-72

230-72

CDB CLEARON*

WASH SANITIZER

ACTIVE INGREDIENT	
Sodium dichloro-s-triazinetrione dihydrate	28%
(provides 15.8% available chlorine)	
INERT INGREDIENTS	72%

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes or on the skin. Do not breath dust.

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.

Net Contents 20 lb.



EPA Reg. No. 230-72

Manufactured by:

FMC CORPORATION
633 Third Avenue
New York, New York 10017

* TRADEMARK OF FMC CORPORATION

22

CDB CLEARON WASH/SANITIZER

CDB CLEARON WASH SANITIZER is recommended for use in either immersion (of spray machines to sanitize and clean eggs prior to sale on commercial eggs or to use on incubation eggs. CDB CLEARON WASH SANITIZER is also recommended for use in sanitizing dishes, glasses, food processing equipment and utensils including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

1. For Egg Wash: Dissolve 1 or 2 oz. of CDB CLEARON WASH SANITIZER in 10 gal. of warm (125° F) water. This provides 100 or 200 ppm of available chlorine respectively. The higher level of chlorine is recommended for hatching eggs and the lower level for commercial eggs. Dip a basket of eggs in the solution and hold for 2 or 3 minutes. Remove the basket, rinse with potable water and dry.
2. For dishes, glasses, food processing equipment and utensils: Dissolve 1 or 2 oz. of CDB CLEARON WASH SANITIZER per 10 gal. of warm (125° F) water. This provides 100 to 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then dip the items to be sanitized in solution and hold for 2 or 3 minutes. Remove, rinse with potable water and dry. The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, and food processing equipment and utensils. Rinse well with potable water and dry. The items are then ready for use.


The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CDB CLEARON WASH SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

DIRECTIONS FOR STORAGE AND HANDLING

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: Do not mix with other chemicals. Contact with organic matter may cause fire.

Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse empty container. Rinse empty container thoroughly. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.



230-72

23