CDB CLEARON* FABRIC AND DIAPER SANITIZER

ACTIVE INGREDIENTS

Sodium dichloro-s-triazinetrione dihydrate (provides 10.1% available chlorine) Sodium carbonate Sodium dodecylbenzene sulfonate

INERT INGREDIENTS

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes or on the skin. Do not breath dust.


If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.

Net Contents 20 lb.

EPA Reg. No. 230-74



18.0%
25.0% 2.4%
54.6%



Manufactured by: FMC CORPORATION 633 Third Avenus New York, New York 10017

CDB CLEARON FABRIC AND DIAPER SANITIZER

CDB CLEARON FABRIC AND DIAPER SANITIZER is recommended for stain removal and reduction of ammonia causing bacteria in institutional & commercial laundering of fabrics and diapers.

DIRECTIONS FOR USE

Wet fabrics or diapers should be spin dried before the sanitizer is applied. Four (4) oz. of CDB CLEARON FABRIC AND DIAPER SANITIZER should be added for each 16 gallon wash load. Run this solution in the pre-wash, followed by the regular wash cycle with a good detergent. The above application gives 200 ppm available chlorine in the pre-wash cycle.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CDB CLEARON FABRIC AND DIAPER SANITIZER should be added, to give 200 ppm available chlorine in the pre-wash cycle.

DIRECTIONS FOR STORAGE AND HANDLING

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: Do not mix with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse empty container. Rinse empty container thoroughly with clean water before discarding.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.



		1	
		9 ACCEPTED	
	FNC .	UAY I 1974 MENT AND RODENTICIDE ACT FOR EXCHANCE POISON REGISTER- ED UNDER NO. 236 79	
	CDB CLEAR FABRIC AND DIAPER SANI		
·			и <u>с</u> у ,
	Sodium dichloro-s-triazinetrione dihydrate (provides 10.1% available chlorine) Sodium carbonate	18.0% 25.0%	
	Sodium dodecylbenzene sulfonate INERT INGREDIENTS WARNING	2.4% 54.6%	
	KEEP OUT OF REACH OF CHILDREN		
	Harmful if swallowed. Do not get in eyes or on the skin. Do not breat If swallowed: feed gruel or cooked cereal followed by olive oil or cook physician.		
	In case of personal contact: remove excess material and flush skin a	r eyes with	
	fresh water for at least 15 minutes. For eyes get medical attention. Rinse empty container thoroughly with water and discard it. See side pa directions.	met for use	· \$
		511162	
		HECEIVER HECEIVER	
· ·		ALERTING	
• • • •		ASTRONES, EN	
	Net Contents 20 lb.	RITIN	
EPA Reg.	No. 230-74	Monufactured by: FMC CORPORATION 633 Third Avenue	с. С
+ TRADEMARK O	FAIC CORPORATION	New York, New York 10017	
	•	• •	
		23	
	· ·		

. . . .

ş -

, ,

· •

, I

·---)

. *

· ·

. ·

τ.

,