

1:./Y **1 1974**

CDB CLEARON*

SANITIZER

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetrione dihydrate (provides 14% available chlorine)

25%

INERT INGREDIENTS

75%

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes or on the skin. Do not breath dust.

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.



Net Contents 20 lb.

Monufactured by:

FMC CORPORATION
633 Third Avenue
New York, New York 10017

EPA Reg. No. 230-76

CDB CLEARON SANITIZER

CDB CLEARCN SANITIZER is recommended for use on hard (non-porous) surfaces, on dishes, glasses or food processing equipment or utensils, including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 1 oz. or 2 oz. of CDB CLEARON SANITIZER per 10 gal. of water. This gives a solution containing 100 ppm or 200 ppm available chlorine respectively. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2 to 5 minutes and then wipe excess away. Rinse items and surfaces with potable water prior to use.

The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes of contact time for sanitizing dishes, glasses, food processing equipent and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CDB CLEARON SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

DIRECTIONS FOR STORAGE AND HANDLING

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containg gases. Oxidizing material: Do not mix with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse empty container. Rinse empty container thoroughly with clean water before discarding.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

The second property



ACCEPTED

MAY 1 1974

CDB CLEARON*

SANITIZER

ACTIVE INGREDIENT

• >

Ġ.,,)

Sodium dichloro-s-triazinetrione dihydrate (provides 14% available chlorine)

INERT INGREDIENTS

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes or on the skin. Do not breath dust.

If swallowed: feed gruel or coaked cereal followed by alive oil or coaking oil. Call

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use



Net Contents 20 lb.

Manufactured by:

FMC CORPORATION 633 Third Avenue New York, New York 10017

. TRADENASK OF FMC CORPORATION

EPA Reg. No. 230-76

23

CDB CLEARON SANITIZER

CDB CLEARON SANITIZER is recommended for use on hard (non-porous) surfaces, on dishes, glasses or food processing equipment or utensils, including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 1 oz. or 2 oz. of CDB CLEARON SANITIZER per 10 gal. of water. This gives a solution containing 100 ppm or 200 ppm available chlorine respectively. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2 to 5 minutes and then wipe excess away. Rinse items and surfaces with potable water prior to use.

The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes of contact time for sanitizing dishes, glasses, food processing equipent and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are then ready for

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CDB CLEARON SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

DIRECTIONS FOR STORAGE AND HANDLING

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containg gases. Oxidizing material: Do not mix with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-475°F with liberation of harmful gases. in case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse empty container. Rinse empty container thoroughly with clean water before discarding.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

241

PESTICITES. EPA