



Active Ingredient: Sodium Dichloro-s-triazinetrione dihydrate 49.1%

Inert Ingredients: (Includes s-triazinetrione and sodium carbonat

Contains 27

OXIDIZING MATERIAL. MAY BE FATAL IF SWALLOWED. THROAT. DUST MAY BE HARMFUL IF INHALED. CHLORINE-CONTAINING GASES.

FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER ED UNDER NO. Do not get in eyes or on the skin.

DANGER ACCEPTED

SFP

UNDER THE FEDERAL INSECTICIDE

Do not breathe dust.

Wear safety goggles, dust respirator and protective clothing when handling. Store in cool, dry, well-ventilated area.

Keep container tightly closed when not in use.

Protect from moisture contamination.

Do not re-use drum liner. Destroy when empty.

Do not take internally.

Do not reuse empty drum. Rinse empty container thoroughly clean with water before discarding or returning to drum reconditioner.

For Repackaging Only

EPA Reg. No. 230-77 AA EPA Est. No. 09864-PA-1

NET WEIGHT _____ POUNDS (_____Kgs) 33-43-782 W 1-75 Printed in U.S.A. Made in U.S.A.

ate)		 	 50.9%
	by Weight		100.0%

MAY CAUSE EYE DAMAGE, PROTECT EYES WHEN HANDLING. MAY CAUSE IRRITATION TO SKIN, EYES, NOSE AND THROAT. MAY CAUSE BURNS TO BROKEN SKIN. AVOID CONTACT WITH SKIN, NOSE AND


MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS DECOMPOSES AT 350-475°F WITH LIBERATION OF HARMFUL GASES.

- IN CASE OF PERSONAL CONTACT: Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clotling before re-use.
- IN CASE OF DECOMPOSITION: If possible isolate container in open air or well- 'entilated area. Flood with large volume of water if recessary.
- IF TAKEN INTERNALLY: Feed gruel or cooked cereal followed by olive oil or cocking oil. Call a physician.

Refer to FMC technical bulletin for further information on Pool Start C storage and hundling.



. TRADEMARK OF FMC CORPORATION



1

,