# CDB-90 Dry Chlorinated Compound

# TABLETS, 7oz.

AND DOMESTIC ANIMALS

#### DANGER:

Highly corrosive. Causes skin and eye damage. May be fater if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes,

\*reams, ponds, or public waters unless in uccordance with an NPDES Permit. For guidance contact the regional office of EPA.



FMC Corporation Industrial Chemical Group 2000 Market Street Philadelphia, Pennsylvania 19103 Active Ingredient

## Trichloro-s- Triazinetrione-98.8% (Trichloroisocyanuric Acid, Dry)

(Contains 89% Available Chlorine Minimum) Inert Ingredients 1.2%

ò

EPA Reg. No. 230-79-AA EPA Est. 230-WV-1

KEEP OUT OF REACH OF CHILDREN

### DANGER:

PRACTICAL TREATMENT: (FIRST AID): If swallowed feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. Induce vomiting if large amounts have been ingested and patient is conscious.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

For bulk shipment to Repackers or Reformulators of Disinfectants, Sanitizers, Fungicides, and Algicides. Repackers or Reformulators must apply for their own registration with EPA.

It is a violation of federal law to use this product in a manner inconsistant with its labeling.

30

R CDB -FMC TRADEMARK

Made in U.S.A. Printed in U.S.A.

Net weig

PHYSICAL AI STRONG OXI

Mix only with not add this p containing re use may caus or explosion. organic matte chemical read liberation of generation of contamination container. If air or well ve volumes of wa

STORAGE AN in tightly close in a cool dry, or open flame container, if p amounts of we discarding. P collection or ( or bury in a sa

# • Triazinetrione-98.8% ocyanuric Acid, Dry)

ailable Chlorine Minimum)

#### 230-79-AA EPA Est. 230-WV-1

REACH OF CHILDREN

EATMENT: (FIRST AID): If swallowed ed in milk followed by olive oil or a physician immediately. Induce amounts have been ingested and ious.

off excess chemical and flush skin or at least 15 minutes. If irritation fical attention.

with cold water for at least 15 idical attention.

L PRECAUTIONS ON SIDE PANEL

nt to Repackers or Reformulators of nitizers, Fungicides, and Algicides. formulators must apply for their own EPA.

f federal law to use this product nsistant with its labeling.

÷

30

Made in U.S.A. Printed in U.S.A.

Net weight 350 pounds (158.76 kg)

#### PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT:

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire or explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place empty container in trash collection or dispose in approved landfill area. or bury in a safe place.

230-79

K-267

FMC FMC FMC FMC FMC

1

ì

BEST DOCUMENT AVAILABLE