




ORTHO

VOLCK Oil Spray



ORTHO

VOLCK[®] Oil Spray

**A HIGHLY REFINED
OIL SPRAY
INSECTICIDE**

**For Use Against
Scale Insects
Red Spider Mites
Mealybugs
Whiteflies and
Certain Other Garden
Pests**

**Acts as Excellent
Leaf Polish**

**Controls Scale Insects, Mealybugs, Whiteflies,
Red Spider Mites and Certain Other Garden Pests
Acts as Excellent Leaf Polish**



**DORMANT
& GROWING
SEASON
INSECT
SPRAY**



Active Ingredient: Petroleum Oil 97%
Inert Ingredients: 3%
(Pet. Oil: Min. U.S. 91% - Class II - Med.)

Keep out of reach of children.

CAUTION

See back panel for additional precautionary statements.

NET CONTENTS 1 GAL.



ORTHO

VOLCK Oil Spray

**A HIGHLY REFINED
OIL SPRAY
INSECTICIDE**

**For Use Against
Scale Insects
Red Spider Mites
Mealybugs
Whiteflies and
Certain Other Garden
Pests**

**Acts as Excellent
Leaf Polish**

Chevron Chemical Company
Ortho Consumer Products Division
San Francisco CA 94120 7148
Richmond CA 94804 0036
EPA Form 10121 C Product 710 Made in U.S.A.
EPA Reg No 239 16 AA

EPA Est. 239 NJ 1 239 MO 1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION - Irritant. Avoid inhalation of vapors. Avoid eye contact. The water of contact may irritate liquid and an aspiration hazard may exist. **STATEMENT OF PRACTICAL TREATMENT** - Irritant. Avoid eye contact. Wash hands after use. **STATEMENT OF PRACTICAL TREATMENT** - Irritant. Avoid eye contact. Wash hands after use. **STATEMENT OF PRACTICAL TREATMENT** - Irritant. Avoid eye contact. Wash hands after use. **STATEMENT OF PRACTICAL TREATMENT** - Irritant. Avoid eye contact. Wash hands after use.

ENVIRONMENTAL HAZARDS - This product is toxic to fish. Do not apply directly to water. Do not apply where runoff may occur. Do not contaminate water by cleaning of equipment or disposal of wastes. **PHYSICAL OR CHEMICAL HAZARDS** - Do not use or store near heat, sparks, or flame.

DIRECTIONS FOR USE - A violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS

DIRECTIONS Shake well before using. Use a forceful spray wetting posts and all parts of plants thoroughly. Make new dilution for each use.

Use this spray (1) to control scale insects within 14 days before or after flowering. Avoid spraying when temperature is below 40°F. Do not spray after rain or irrigation. Oil sprays should not be applied to broadleaved evergreens or palms when freezing or near freezing temperatures may be expected. Do not use on Madroño fern, citrus palm, date, areca palm, or other woody plants specified on label. This spray may cause damage to Blueberry. Do not use on blueberry plants. For spraying treatment with BETHOTHE Garden fungicide.

FOR DORMANT USE - To Control Scale Insects, Red Spider Mites and Mealybugs on Dormant Shrubs, Evergreens (note caution), Woody Plants, Fruit Trees (Apples, Plums, Pears, Apricots, Peaches, Cherries) and Shade Trees. Use 1 part VOLCK Oil Spray in 25 parts of water (up to 15 oz per gal water).

GROWING SEASON - To Control Scale Insects, Red Spider Mites, Mealybugs and Whitefly Larvae on Citrus (Oranges, Lemons, Grapefruit, Tangerines, Limes), Fruit Trees (Apples, Plums, Pears, Apricots, Peaches, Cherries), Shade Trees, Evergreens, Camellias, Azaleas, Hardy Shrubs. Use 1 part VOLCK Oil Spray in 50 parts water (5 Tablespoons (2 1/2 oz) per gal water). This application is also effective in the removal of sooty mold fungus through the control of whitefly larvae.

COMBINATION WITH ORTHO Malathion 50 Insect Spray on Citrus, Avocados, Mangoes, Gardenias and Isara for Control of Scale Insects, Red Spider Mites, Mealybugs, Whiteflies, Aphids, Thrips and for the removal of Sooty Mole fungus through control of Whitefly Larvae - Use 1 Tablespoonful VOLCK Oil Spray and 1 Tablespoonful ORTHO Malathion 50 Insect Spray for each gallon of diluted spray. May be applied on Avocados up to within 7 days of harvest; on citrus, lemons, limes and oranges up to within 7 days of harvest but not during full bloom; and to Mangoes up to within 2 days of harvest. **OVICIDE** - Helps to destroy insect eggs such as Red Spider Mite Eggs, Oak Moth Eggs and Codling Moth Eggs.

COMBINATION WINTER SPRAY

FRUIT TREES (Apples, Plums, Pears, Apricots, Peaches, Cherries) ROSES AND ORNAMENTALS (Dormant deciduous only) - For Control of San Jose Scale, Rose Scale, Oyster Shell Scale, Brown Apricot Scale, Black Scale and Overwintering Insect Eggs. **BEST RESULTS** - Use 2 Tablespoonfuls VOLCK Oil Spray and 1 Tablespoonful BETHOTHE Garden fungicide in 1 gallon water. Keep agitated during spraying. Note cautions on ORTHOX Spray Label. 1 1/2

AS A LEAF POLISH - Brighten leaves of hardy house plants. Use 1 part VOLCK Oil Spray in 100 parts water (3 Tablespoonfuls (1 1/2 oz) per gal).

GREENHOUSES - To control Scale Insects, Red Spider Mites, Whitefly, Mealybugs on Hardy Shrubs, Gardenias, Camellias and Azaleas. Use 2 Tablespoonfuls (1 oz) per gal water. Allow at least 60 days between oil sprays and limit to 3 applications per year.

PALM TREES - Scale Insects, Mealybugs, Red Spider Mites. Use 1 part VOLCK Oil Spray in 100 parts water (3 Tablespoonfuls (1 1/2 oz) per gal). Note Caution.

AZALEAS, CAMELLIAS - Scale Insects, Red Spider Mites, Mealybugs, Whitefly Larvae, Lace Bug Larvae - Use 1 part in 50 parts water (5 Tablespoonfuls (2 1/2 oz) per gal). Apply in spring after blooming and in fall prior to blooming.

DILUTION TABLE

1 Tsp = 1 Teaspoonful = 1/2 Tablespoonful				
Add water to make	1 to 25 (4%)	1 to 50 (2%)	1 to 100 (1%)	1 to 200 (1/2%)
1 Gal	1 Pt	5 Tbs	3 Tbs	4 tsps
3 Gal	1 Pt	1/2 Pt	1/4 Pt	4 Tbs

IF SPRAYETTE Garden Hose Sprayer is used - Follow directions on the bottle.

STORAGE AND DISPOSAL

STORAGE - Keep pesticides in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL - Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** - Do not reuse empty can. Rinse thoroughly before discarding in trash.

NOTICE - Buyer assumes all responsibility for safety and use not in accordance with directions.




ORTHO



ORTHO

VOLCK Oil Spray



VOLCK[®] Oil Spray

**A HIGHLY REFINED
OIL SPRAY
INSECTICIDE**

**For Use Against
Scale Insects
Red Spider Mites
Mealybugs
Whiteflies and
Certain Other Garden
Pests**

**Acts as Excellent
Leaf Polish**

**Controls Scale Insects, Mealybugs, Whiteflies,
Red Spider Mites and Certain Other Garden Pests
Acts as Excellent Leaf Polish**



**DORMANT
& GROWING
SEASON
INSECT
SPRAY**

**FOR
POSITION
ONLY**

Keep out of reach of children.
CAUTION

NET CONTENTS 1 GAL



ORTHO

VOLCK[®] Oil Spray

Controls Scale Insects, Mealybugs, Whiteflies,
Red Spider Mites and Certain Other Garden Pests
Acts as Excellent Leaf Polish



**DORMANT
& GROWING
SEASON
INSECT
SPRAY**

Keep out of reach of children.

CAUTION

NET CONTENTS 1 GAL



ORTHO

VOLCK Oil Spray

A HIGHLY REFINED
OIL SPRAY
INSECTICIDE

For Use Against
Scale Insects
Red Spider Mites
Mealybugs
Whiteflies and
Certain Other Garden
Pests

Acts as Excellent
Leaf Polish

Chevron Chemical Company

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Read entire label before using. Avoid contact with skin and eyes. If contact occurs, wash thoroughly with water. If irritation occurs, discontinue use. If symptoms persist, consult a physician. For more information, contact the manufacturer.

STATEMENT OF PRACTICAL TREATMENT

Immediately flush with large amounts of water. Note to Physicians: For more information, contact the manufacturer. Environmental Hazards: Do not apply to water bodies. Physical or Chemical Hazards: None.

DIRECTIONS FOR USE

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS

DIRECTIONS: Shake well before using. Use a forceful spray wetting pests and all parts of plants thoroughly. Make new dilution for each use.

Oil sprays should not be applied to broadleaved evergreens or palms when freezing or near freezing temperatures may be expected.

FOR DORMANT USE - To Control Scale Insects, Red Spider Mites and Mealybugs on Dormant Shrubs, Evergreens (note caution), Woody Plants, Fruit Trees (Apples, Plums, Pears, Apricots, Peaches, Cherries) and Shade Trees.

GROWING SEASON - To Control Scale Insects, Red Spider Mites, Mealybugs and Whitefly Larvae on Citrus (Oranges, Lemons, Grapefruit, Tangerines, Limes), Fruit Trees (Apples, Plums, Pears, Apricots, Peaches, Cherries), Shade Trees, Evergreens, Camellias, Azaleas, Hardy Shrubs. Use 1/2 to 1/4 ounce per gallon of water.

COMBINATION WITH ORTHO Malathion 5% Insect Spray on Citrus, Avocados, Mangoes, Gardenias and Ixora for Control of Scale Insects, Red Spider Mites, Mealybugs, Whiteflies, Aphids, Thrips and for the removal of Sooty Mold Fungus through control of Whitefly Larvae.

OVICIDE

Red

Spider Mite Eggs, Oak Moth Eggs, Codling Moth Eggs

COMBINATION WINTER SPRAY

FRUIT TREES (Apples, Pears, Apricots, Peaches, Cherries), ROSES AND ORNAMENTALS (Dormant or actively growing). For Control of San Jose Scale, Rose Scale, Duster Scale, Scale, Brown Aipton Scale, Black Scale and Overwintered Insect Eggs.

Handwritten notes: 1/2 and 1 1/2 with arrows pointing to dilution instructions.

AS A LEAF POLISH

GREENHOUSES - To control Scale Insects, Red Spider Mites, Whiteflies, Mealybugs, Hardy Shrubs, Gardenias, Camellias and Azaleas.

PALM TREES - Scale Insects, Mealybugs, Red Spider Mites.

AZALEAS, CAMELIAS, SWEET GUM, RED SPIDER MITES, MEALYBUGS, WHITEFLY LARVAE, LICE, BUG LARVAE.

DILUTION TABLE

GENERAL USE - 1/2 to 1/4 ounce per gallon of water.

STORAGE AND DISPOSAL: STORAGE - Store in original container.

DISPOSAL: Dispose of contents and container as directed.

NOTICE

