

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Claudia S. Herrington The Scotts Company P.O. Box 190 Marysville, Ohio 43040

MAR 4 2009

Subject: Notification Product: Volck Oil Spray Registration Number: 239-16

Dear Ms. Herrington:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated January 26, 2009 for the product Volck Oil Spray. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-306-0415.

Sincerely,

Kable Bo Davis

Entomologist

Registration Division (7505P) Office of Pesticide Programs

Please read instructions of	United State Environmental Prote Washington, DC	ection Agend	Form Approv	Registrat Amendme		
		····	esticide - Section			
Company/Product Number			2. EPA Product Manag		3. Proposed Classification	
239-16						
Company/Product (Name)			John Hebert			
The Ortho Group/Volck Oil Spray			PM# 7		None Restricted	
5. Name and Address of Applicant (Include ZIP Code)					FIFRA Section 3(c)(3)(b)(l), my	
The Scotts Company d/b/a The Ortho Group			product is similar or ide		n and labeling to: TFICATION	
O Box 190	ora The Ortho Group					
Marysville, Ohio 43040			MAR 0 4 2009			
			EPA Reg. No.			
r			Product Name			
Check if this	s is a new address					
		Sect	tion II			
Amendment - Explain be	elow.		Final printed labels	s in response to Age	ency letter dated	
Resubmission in respons	se to Agency letter dated Sept	tember 2, 2008	"Me Too" Application			
Notification - Explain bel	OW		Other - Explain below.			
	rage(s) if necessary. (For sec	tion I and Section		*****		
		Sect	ion III			
. Material This Product Will Child-Resistant Packaging	Be Packaged In: Unit Packaging	Water	Soluble Packaging	2. Type of	Containor	
Yes*	Yes	VVale	Yes	Z. Type of		
No	☐ No		No	Pla	stic	
O souther south	If "Yes" No. p Unit Packaging wgt. Cont		s" No. per ige wgt. Containe	Gla	ss	
Certification must e submitted	One rackaging wgt.	anici i acke	igo wgt. Gontaine	" Par	oer ·	
					ner (Specify)	
B. Location of Net Contents Information 4. Size(s) Retail (e(s) Retail Contai	iner 5. Location of Label Directions On Label			
Label(Container			=	g accompanying product	
Manner in Which Label is	Affixed to Product	ithograph	Other			
	F	aper glued			ى دى دى ئ تى دى دى ئى دى دى	
	∐s	tenciled			20 B	
		•	ion IV	0000	ນ	
	ems directly below for identific		to be contacted, if neces	sary, to process thi	is application.)	
ame Claudia S	Herrington	Title	or, Federal Registra	,	ephone Nຶ່ງ.3(ເກີດໃນປີe Area Code) (937) 578-5973	
Ciaudia 5.			or, rederar Registra		<u> </u>	
I certify that the stateme acknowledge that any kr under applicable law.	nts I have made on this form a nowingly false or misleading st	ertification and all attachment atement may be p	s thereto are true, accura punishable by fine or impri	ر در د te and complete. ا	Received (Stamped)	
Signature The Scotts Cor	mpany LLO	3. Title	Director, Federal Ro	egistrations) , , , , , , , , , , , , , , , , , , ,	
. Typed Name	- ' ()	5. Date	Director, reductarity	23.00.00.10		
	S. Herrington	1	January 26, 2	009		



The Scotts Company LLC

and Subsidiaries

January 26, 2009

Mr. John Hebert, PM 7
Registration Division
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE: Submission of Label Notification Per PR Notice 98-10 for Volck Oil Spray

EPA Reg. No. 239-16 OPP Identifier Number: 239016LBL20090126

Dear Mr. Hebert:

The Scotts Company d/b/a The Ortho Group submits this notification to add an alternate brand name and to make minor revisions to the master label for Volck Oil Spray per PR Notice 98-10. The following items are enclosed in support of this notification:

- EPA Form 8570-1; and
- Three copies of the current master label (one with changes highlighted).

The following is a discussion of the minor changes that have been made to the master label:

- Addition of the alternate brand name "Ortho MAX Volck Oil Spray Dormant Season Insect Killer Concentrate" to the product label
- For clarification purposes, the bracketed optional telephone number in the First Aid section was deleted because a telephone number is provided in the Note to Physician section.
- Reference to the company website has been removed.
- Directions for preparing certain amounts of finished product have been removed.
- A warranty statement, consistent with EPA guidelines, has been added.
- Finally, minor text changes were made for clarification purposes

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent.

14111 Scottslawn Road
Marysville, Ohio 43041
Direct line: 937-578-5973
Facsimile: 937-644-7075
Email: Claudia.Herrington@Scotts.com

with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions or need additional information, please do not hesitate to contact me at 937-578-5973.

Regards,

Claudia S. Herrington, Esq. Director, Federal Registrations

Enclosures

14111 Scottslawn Road Marysville, Ohio 43041 Direct line: 937-578-5973 Facsimile: 937-644-7075

Email: Claudia.Herrington@Scotts.com

NOTE::

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. Underline text is new. Strike through text is being deleted.

Ortho® Volck Oil Spray NOTIFICATION MAR 8 4 2009

Alternate Brand Name(s):

[ORTHO Volck Oil Spray Dormant Season Insect Killer Concentrate]
[ORTHO MAX Volck Oil Spray Dormant Season Insect Killer Concentrate]

[ICON] OUTDOOR USE ONLY

Controls Scale Insects, Mealybugs, Whiteflies, Red Spider Mites and Certain Other Garden Pests For Use against Scale Insects, Red Spider Mites, Mealybugs, Whiteflies, and Certain Other Garden Pests Acts as Excellent Leaf Polish DORMANT & GROWING SEASON INSECT SPRAY Insect Spray for Dormant & Growing Season

A HIGHLY REFINED OIL SPRAY INSECTICIDE Kills Insects Year-Round on Roses, Shrubs & Trees Kills Mites, Scales, Mealybugs & Whiteflies

Destroys Over-Wintering Insects & Their Eggs

For home use only

ACTIVE INGREDIENT: Mineral Oil*		97.0%	: د د ز
OTHER INGREDIENTS			,
*(Pet. Oil-Min. U.R. 91%-Class LtMed.)	Total	100.000%; ';	بر د د د د د د
KEEP OUT OF REACH OF CHILDREN CAUTION			, .
See back / side / top / bottom [panel / label] for additional	precautionary st	atements.	,

NET WEIGHT 1 Gal [Gallon], [16 FL. OZ. (1 PT) 473 ml]

A Reg. No. 239-16

NOTE::

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. Underline text is new. Strike through text is being deleted.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation of vapors or spray mist. Wash hands after use. Avoid eye contact. This material contains light hydrocarbon liquid and an aspiration hazard may exist.

FIRST AID

If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for further treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Emergency Information call 1-800-225-2883. This product contains petroleum distillate. Do not induce vomiting-vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

1/26/09 Updated Page 2 of 7

√ Reg. No. 239-16

NOTE::

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. Underline text is new. Strike-through text is being deleted.

[For Residential Use Only]

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using.

Dormant & Growing Season Insect Spray Control Scale Insects, Mealybugs, Whiteflies, Red Spider Mites and Certain Other Garden Pests.

Peel open for use directions and further information.

Tsp = teaspoon Tbs = tablespoon 2 Tbs = 1 fl oz 4 fl oz = ½ cup

[corner flap]
[OPEN

Resealable Label

For Directions

& Precautions

PRESS TO RESEAL] [Place alongside of booklet or base of label.]

[DNS icon]

Easy to apply with an Ortho Dial 'n Spray®, hose-end or tank sprayer.

Product Facts

KILLS INSECTS

- Spider mites, scales, mealybugs, whiteflies, hemlock woolly adelgids & lacebugs
- Insect eggs
- Plus controls sooty mold

WHERE TO USE

OUTDOORS on conifers, roses, shrubs & trees

AMOUNT TO USE

- Growing Season: 2 ½ fl oz (5 Tbs.) per gallon of water
- Dormant Season: 5 1/3 fl oz (10 2/3 Tbs.) per gallon of water

Questions, Comments or Medical Information Call 1-800-225-2883

Including codling moth, gypsy moth, oak moth, spider mite & tent caterpillar eggs

Including apples, apricots, cherries, peaches, pears, plums & citrus (grapefruits, lemons, limes, oranges & tangerines)

Specially formulated for residential use.

. . .

1/26/09 Updated

Page 3 of 7

NOTE::

L. .⊀ Reg. No. 239-16

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new.</u> Strike through text is being deleted.

[ALTERNATE USE DIRECTION TEXT]

MIXING INSTRUCTIONS

DURING GROWING SEASON [tree with leaves illustration]

Amount to Use: 2 ½ fl oz (5 Tbs.) per gallon of water [DNS icon] When using Ortho Dial 'n Spray® Applicator:

Set dial to 2 ½ oz. Pour product into sprayer to fill jar one-quarter to one-half full. DO NOT add water.

After spraying, unused product can be poured back into its original container.

DURING DORMANT SEASON [deciduous tree illustration]

Amount to Use: 5 1/3 fl oz (10 2/3 Tbs.) per gallon of water [DNS icon] When using Ortho Dial 'n Spray® Applicator:

Set dial to 5 1/3 oz. Pour product into sprayer to fill jar one-quarter full. DO NOT add water.

After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs.) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

HOW TO APPLY

Use a tank, Ortho Dial 'n Spray® <u>Applicator</u> or other hose-end sprayer.

Spray to uniformly cover all upper and lower leaf surfaces, stems, branches, and trunk.

WHEN TO APPLY

Spray when air is calm to avoid drift.

Spray when temperature is above 40°F but below 85°F.

If temperature is expected to exceed 85°F spray in early morning or late afternoon when it is cooler.

Growing Season [tree with leaves illustration]

Spray when insects are present or feeding injury is first noticed.

Spray up to 4 times, waiting 2 weeks between each application.

Additional Tips

Growing season is year-round for some shrubs and trees, such as citrus.

Spray azaleas and camellias between spring and fall blooms.

During the growing season do not apply to foliage within 30 days before or after using products containing sulfur, lime-sulfur or captan.

Dormant Season [deciduous tree illustration]

Spray dormant shrubs and trees once in late winter or early spring.

Additional Tips

Roses and other deciduous shrubs and trees are dormant after they shed all of their leaves. Conifers do not shed all of their needles but are usually dormant after the first deep frost...

WHEN TO HARVEST

Listed fruit trees may be sprayed up to the day of harvest.

IMPORTANT

DO NOT use on maidenhair ferns, red maples, Japanese maples or non-woody plants unless otherwise specified. Volck® Oil Spray may cause discoloration to blue spruce.

رد ر ر ر روزو L. A Reg. No. 239-16

NOTE::

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. Underline text is new. Strike-through text is being deleted.

COMBINATION SPRAYS

With Ortho Dormant Disease Control Lime-Sulfur Spray

For deciduous (no leaves in winter) shrubs and trees including roses, apples, cherries, peaches, pears and plums to control black scale, oyster shell scale, rose scale, San Jose scale, insect eggs and many over-wintering plant diseases:

Use 2 ½ fl oz (5 Tbs.) Volck Oil Spray plus 2 ½ fl oz (5 Tbs.) Dormant Disease Control per gallon of water. Agitate sprayer often while spraying. Spray only during the dormant season after all leaves are shed. Follow all precautions and directions on both product labels.

With Ortho Malathion 50 Plus® Insect Spray

For avocados, citrus (grapefruits, lemons, limes and oranges), gardenias and ixora to control aphids, mealybugs, scales, spider mites, thrips, whiteflies and sooty mold:

Use ½ fl oz (1 Tbs.) Volck Oil Spray plus ½ fl oz (1 Tbs.) Malathion 50 Plus® Insect Spray per gallon of water. Spray when insects are present or feeding injury is first noticed but NOT during full bloom or within 7 days of harvest. Follow all precautions and directions on both product labels.

ADDITIONAL USES

Palm Trees (except coconut palms)

To control mealybugs, scales and spider mites:

Use 1 $\frac{1}{2}$ fl oz (3 Tbs.) per gallon of water.

Leaf Polish for Houseplants:

Use 1 $\frac{1}{2}$ fl oz (3 Tbs.) of gallon of water.

Home Greenhouses (not for commercial use)

For shrubs including azaleas, camellias and gardenias to control mealybugs, scales, spider mites and whiteflies:

Use 1 fl oz (2 Tbs.) per gallon of water. Spray up to 3 times, waiting at least 60 days between each application.

[re-entry icon] People and pets may enter treated area after spray has dried.

HOW IT WORKS

Kills insects by suffocating multiple stages of mealybugs, scales, spider mites, tent caterpillars, whiteflies and other common insects. This promotes long-term control of insects in dormant and growing seasons without frequent applications. Volck Oil Spray also makes leaves shine!

Shake well before using. Spray all parts of plants thoroughly. Make new dilution for each use.

Do not use VOLCK® Oil Spray on foliage with 30 days before or after using sulfur. Avoid spraying when temperature is excessively high or when plants are suffering from drought. Oil sprays should not be applied to broadleaved evergreens or palms when freezing or near freezing temperatures may be expected. Do not use on Maidenhair Ferns, Cocos Palms, Red Maple, etc., or non-woody?plants unless specified. VOLCK Oil Spray may cause discoloration to Blue Spruce.

FOR DORMANT USE - To control Scale insects, Red Spider Mites, and Mealybugs on Dormant Shrubs, Evergreens), Woody Plants, Fruit Trees (Apples, Plums, Pear, Apricots, Peaches, Cherries) and Shade Trees: Use 5 1/3 oz. per gal water.

GROWING SEASON - To control Scale Insects, Red Spider Mites, Mealybugs and Whitefly Larvae on Citrus (Oranges, Lemons, Grapefruit, Tangerines, Limes), Fruit Trees (Apples, Plums, Pears, Apricots, Peaches, Cherries), Shade Trees, Evergreens, Camellias, Azaleas, Hardy Shrubs: Use 5 Tbs. (2 ½ oz) per gal water. This application effectively in the removes sooty mold fungus through the control of Whitefly Larvae.

1/26/09 Updated Page 5 of 7 NOTE::

ر A Reg. No. 239-16

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. Underline text is new. Strike-through text is being deleted.

COMBINATION WINTER SPRAY

FRUIT TREES (Apples, Plums, Pears, Apricots, Peaches, Cherries), ROSES AND ORNAMENTALS (Dormant, deciduous only) – To control San Jose Scale, Rose Scale, Oyster Shell Scale, Brown Apricot Scale, Black Scale, and Overwintering Insect Eggs: Use 5 Tbs. VOLCK Oil Spray and 5 Tbs. ORTHO Dormant Disease Control in 1 gal water. Shake often during spraying. Note precautions on ORTHO Dormant Disease Control label before use.

COMBINATION WITH ORTHO MALATHION PLUS® 50 Insect Spray on Citrus, Avocados, Mangoes, Gardenias and Ixora to control of Scale Insects, Red Spider Mites, Mealybugs, Whiteflies, Aphids, Thrips and for the removal of Sooty Mold Fungus through control of Whitefly Larvae – Use 1 Tbs. of VOLCK Oil Spray and 1 Tbs. ORTHO MALATHION 50 PLUS® Insect Spray for each gal of diluted spray. May be applied on Avocados up to within 7 days of harvest; to Grapefruit, Lemons, Limes and Oranges up to within 7 days of harvest, but not during full bloom, and to Mangoes up to within 2 days of harvest.

OVICIDE: Helps to destroy insect eggs such as Red Spider Mite Eggs, Oak Moth Eggs and Codling Moth Eggs.

AS A LEAF POLISH - To brighten leaves on hardy house plants - Use 3 Tbs. (1 ½ fl oz) per gal water.

HOME GREENHOUSES – To control Scale Insects, Red Spider Mites, Whitefly, Mealybugs on Hardy Shrubs, Gardenias, Camellias and Azaleas – 2 Tbs. (1 fl oz) per gal water. Allow 60 days between oil sprays and limit to 3 applications per year.

PALM TREES – Scale Insects, Mealybugs, Red Spider Mites – Use 3 Tbs. (1 ½ oz) per gal water.

AZALEAS, CAMELLIAS – Scale insects, Red Spider Mites, Mealybugs, Whitefly Larvae, Lace Bug Larvae – Use 5 Tbs. (2 ½ oz) per gal water. Apply in spring after blooming and in fall prior to blooming.

NOTE::

∟. Á Reg. No. 239-16

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. Underline text is new. Strike-through text is being deleted.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed through storage and disposal.

STORAGE: Store in cool, dry place, preferably in a locked storage area. Do not store diluted spray. **DISPOSAL:** If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Questions, Comments, or Medical Information Call 1-800-225-2883

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

ORTHO Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail your refund check promptly.

Questions / Information

Consumer Helpline 1-800-225-2883

© 2008. Licensed by The Scotts Company LLC. World rights reserved Made in U.S.A.

Manufactured for
The ORTHO Group
P.O. Box 190
Marysville, OH 43040
Form LB04032P011
EPA Reg. No. 239-16
EPA Est. 239-IA-3¹, 58996-MO-1^A
[Superscript is first letter of lot number]
Made in USA

