

ORTHOL-D Soluble "Superior" Oil Spray



ORTHO

EPA Est. 249-WV-1 No. 001301 XA

(INSECTICIDE-MITICIDE)

Active Ingredient	By Wt.
Petroleum Oil	97%
Inert Ingredients	3%
Petroleum Oil Min. Unsulfonated Residue — 94%	
Gravity, API-34 typical.	

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

ORTHOL-D Soluble Superior Oil Spray

NET CONTENTS LIQUID

Chevron Chemical Company

Offices: Houston, San Francisco, CA 94111 • Richmond, CA 94601
Product 134 • Made in U.S.A.
Form 838-X
EPA Reg. No. 39-12

DIRECTIONS

AMOUNTS GIVEN ARE FOR 100 GALLONS OF DILUTED SPRAY.

APPLES AND PEACHES: Scurfy Scale and Forbes Scale— Use 3 gallons applied in the late dormant as the buds are breaking.

APPLES, PEACHES, PLUMS, PEARS, STRAWBERRIES, CURRANTS, GOOSEBERRIES, CRANBERRIES, GRAPES, BLACK RASPBERRIES, BLUEBERRIES, RED RASPBERRIES, BOYSENBERRIES: San Jose Scale, European Red Spider and Fruit Tree Leafroller: As a Delayed Dormant Spray to Aid in Control of Listed Pests. Use 2 gallons. As a Summer Spray against these pests: Use 2 gallons.

PEARS: Pear Psylla and San Jose Scale: As a Late Dormant Spray— Use 3 gallons. **As a Summer Spray—** Use 6 to 7 quarts applied when psylla are in the nymph stage. Do not use with or following sulfur applications.

KEEP OUT OF REACH OF CHILDREN.

CAUTION:

Note to Physicians: This product contains petroleum oil which is flammable. It should be used in well-ventilated areas. Avoid contact with eyes, nose, mouth, and skin. If contact occurs, wash thoroughly with water. Do not use in enclosed spaces. Do not use near open flames or other sources of ignition. Do not use in the presence of electrical equipment. Do not use in the presence of children. Do not use in the presence of animals. Do not use in the presence of birds. Do not use in the presence of bees. Do not use in the presence of butterflies. Do not use in the presence of moths. Do not use in the presence of flies. Do not use in the presence of mosquitoes. Do not use in the presence of ticks. Do not use in the presence of mites. Do not use in the presence of nematodes. Do not use in the presence of fungi. Do not use in the presence of bacteria. Do not use in the presence of viruses. Do not use in the presence of parasites. Do not use in the presence of weeds. Do not use in the presence of grasses. Do not use in the presence of shrubs. Do not use in the presence of trees. Do not use in the presence of crops. Do not use in the presence of livestock. Do not use in the presence of poultry. Do not use in the presence of swine. Do not use in the presence of horses. Do not use in the presence of dogs. Do not use in the presence of cats. Do not use in the presence of fish. Do not use in the presence of aquatic life. Do not use in the presence of marine life. Do not use in the presence of birds of prey. Do not use in the presence of raptors. Do not use in the presence of mammals. Do not use in the presence of reptiles. Do not use in the presence of amphibians. Do not use in the presence of invertebrates. Do not use in the presence of plants. Do not use in the presence of animals. Do not use in the presence of humans. Do not use in the presence of children. Do not use in the presence of pregnant women. Do not use in the presence of nursing infants. Do not use in the presence of the elderly. Do not use in the presence of the infirm. Do not use in the presence of the disabled. Do not use in the presence of the sick. Do not use in the presence of the dying. Do not use in the presence of the dead. Do not use in the presence of the living. Do not use in the presence of the universe.

PEACHES: Cottony Cushion Scale, San Jose Scale and Lecanium Scale: As a Late Dormant Spray— Use 3 gallons. **As a Summer Spray—** Use 4 quarts. 1 to 2 applications timed at peak of nymphal abundance. Do not use with or following sulfur applications.

TULIP POPLAR SCALE: Use 1 gallon in the fall after eggs have hatched. As a Late Dormant Spray: Use 2 gallons just before buds burst.

MIXING DIRECTIONS

1. Add 1 gallon of Orthol-D to 99 gallons of water. Stir thoroughly. 2. Add 1 quart of Orthol-D to 96 quarts of water. Stir thoroughly. 3. Add 1 pint of Orthol-D to 93 pints of water. Stir thoroughly. 4. Add 1 cup of Orthol-D to 95 cups of water. Stir thoroughly. 5. Add 1 ounce of Orthol-D to 99 ounces of water. Stir thoroughly. 6. Add 1 drop of Orthol-D to 99 drops of water. Stir thoroughly. 7. Add 1 drop of Orthol-D to 99 drops of water. Stir thoroughly. 8. Add 1 drop of Orthol-D to 99 drops of water. Stir thoroughly. 9. Add 1 drop of Orthol-D to 99 drops of water. Stir thoroughly. 10. Add 1 drop of Orthol-D to 99 drops of water. Stir thoroughly.

CONDITIONS OF SALE: 1. Chevron Chemical Company warrants that this material conforms to the description on the label and is free of adulteration. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty, or FITNESS FOR MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. 2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability, except those assumed by Chevron under 1 above, resulting from handling, storage, and use of this material.