ZINC COPOSIL® Fungicide

Chevron ORTHO

EPA Est. . . AI № 018791 BA

Active Ingredient	By Wt.
Copper (in basic cupric zinc sulfate complex) expressed as elemental	19%
Inert Ingredients	81%

Contains 19% zinc as elemental derived from basic cupric zinc sulfate complex

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

. . . . . DO NOT USE OR CONTAMINATE FOOD OR FEED BY STORAGE OR DISPOSAL. DO NOT REUSE CONTAINER.

. . . . . WHEN USING DO NOT EAT OR DRINK. WASH THOROUGHLY AFTER HANDLING. KEEP OUT OF SMOKE.

. . . . . ZINC COPOSIL Fungicide in combination with a petroleum type oil as a sticker or CHEVRON . . . . . Read this oil label for the specific . . . . . Follow directions on the . . . . . rate and timing.

APPLES, PEARS: Fire Blight . . . lbs. per 100 gals. water. . . . . 300 gals. per acre. Mix more to give 5½ . . . . . pounds copper per acre. Concentrate Sprayer . . . . . Apply at . . . . . days during . . . . . Repeat . . . . . after showers . . . . . Refer to specific . . . . . for specific directions.

GRAPES: Powdery Mildew, Copper and Zinc Deficiency— . . . . . Refer to specific . . . . . directions.

LETTUCE: Downy Mildew . . . lbs. per . . . . . water for . . . . . 10 to 14 days from first . . . . . cutting.

NET WEIGHT 40 LBS.

Chevron Chemical Company

Ortho Division/San Francisco CA 94119 Richmond CA 94804

. . . 433 Made in U.S.A.

EPA Reg. No. 239-160-AA

ONIONS: **Downy Mildew**—6 to 10 lbs. per acre depending on plant size. Apply when blight first appears. Repeat at 7 to 10-day intervals.

PAPAYAS: **Anthracnose**—4 lbs. to 100 gals. water. Apply at 10 to 14-day intervals under ordinary weather conditions and every 5 to 7 days during periods of heavy rainfall.

CAUTION

READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed.

Note to Physicians: Emergency Information - call 415, 233-3737

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

. . . . . fish. Keep out of lakes, streams . . . . . Do not apply when weather conditions favor . . . . . Do not contaminate water by . . . . . equipment or disposal of wastes.

SUGAR BEETS: **Cercospora Leaf Spot**—6 to 9 lbs. per acre . . . . . Apply at first sign of disease. Repeat at . . . . . intervals.

WALNUTS: **Walnut Blight**—6 pounds plus 1 quart of TPO Adhesive Flowable per 100 gals. water. Apply during early or late pre-bloom. Make two applications, the first at early pre-bloom stage (1% of blossoms showing . . . . . the second at pre-bloom stage (10 to 20% of blossoms showing . . . . . One or two postbloom sprays may be . . . . . during dump weather.

Crop	Disease	Per 100 Gals. Water	Time to Apply
. . . . .	. . . Blight (Cercospora Leaf Spot)	. . . lbs.	. . . in . . . . .
. . . . .	. . . and . . .	. . .	. . .

Crop	Disease	Per 100 Gals Water	Time to Apply
. . . . .	. . . lbs.	. . . lbs.	Dormant cover sprays.
Apricots	Shothole	. . .	Pre-bud and Pre-bloom, 4 lbs in fall . . . . . rains.
. . . . .	. . .	. . .	. . .
. . . . .	. . .	. . .	. . . and . . .
. . . . .	. . .	. . .	. . . Bud Pop . . .
. . . . .	. . .	. . .	. . . petal fall . . . cover.
. . . . .	. . .	. . .	. . . 14 days . . .
. . . . .	. . .	. . .	. . .
. . . . .	. . .	. . .	. . .

. . . . . lbs.

. . . . . spray ground, lower branches and . . . . . up . . . . . from . . . . . level. Use . . . . . dosage . . . . . Chevron . . . . . COPOSIL may be . . . . . with . . . . . registered . . . . . oil sprays.

CONDITIONS OF SALE: To . . . . . extent consistent . . . . . with . . . . . state . . . . . that . . . . . material . . . . . conforms . . . . . to . . . . . chemical . . . . . description . . . . . on . . . . . label and is . . . . . reasonably . . . . . for . . . . . purposes . . . . . stated . . . . . on . . . . . label . . . . . when . . . . . used . . . . . in . . . . . accordance . . . . . with . . . . . directions . . . . . under . . . . . normal . . . . . conditions . . . . . of . . . . . use. . . . . makes . . . . . no . . . . . warranty . . . . . or . . . . . representation . . . . . to . . . . . make, ... any . . . . . other . . . . . warranties . . . . . of . . . . . MERCHANTABILITY, ... guarantees . . . . . or . . . . . representations . . . . . as . . . . . amended, ... concerning . . . . . this . . . . . material. 2. Critical . . . . . and . . . . . unforeseeable . . . . . factors . . . . . beyond . . . . . the . . . . . control . . . . . prevent . . . . . it . . . . . from . . . . . eliminating . . . . . all . . . . . risks . . . . . in . . . . . connection . . . . . with . . . . . the . . . . . use . . . . . of . . . . . the . . . . . product. . . . . Such . . . . . risks . . . . . include . . . . . but . . . . . are . . . . . not . . . . . limited . . . . . to, ... damage . . . . . to . . . . . plants . . . . . and . . . . . crops . . . . . to . . . . . which . . . . . the . . . . . product . . . . . is . . . . . applied . . . . . but . . . . . not . . . . . controlled, ... and . . . . . damage . . . . . caused . . . . . by . . . . . drift . . . . . to . . . . . other . . . . . plants . . . . . or . . . . . crops. . . . . Such . . . . . risks . . . . . are . . . . . assumed . . . . . by . . . . . the . . . . . buyer . . . . . and . . . . . the . . . . . product . . . . . is . . . . . accepted . . . . . subject . . . . . to . . . . . the . . . . . foregoing . . . . . conditions . . . . . of . . . . . sale . . . . . and . . . . . limitation . . . . . of . . . . . liability, ... the . . . . . exclusive . . . . . remedy . . . . . of . . . . . which . . . . . shall . . . . . be . . . . . limited . . . . . at . . . . . the . . . . . option . . . . . of . . . . . Chevron . . . . . Chemical . . . . . Company . . . . . to . . . . . the . . . . . purchase . . . . . price . . . . . or . . . . . to . . . . . the . . . . . replacement . . . . . in . . . . . kind . . . . . of . . . . . the . . . . . product . . . . . within . . . . . a . . . . . reasonable . . . . . period.