

**ORTHO****ORTHO-KLOR 44
Chlordane Spray****PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS & DOMESTIC ANIMALS****DANGER**

Harmful if swallowed. May be fatal if absorbed through skin. Corrosive. Causes skin damage. Do not get on skin or clothing. Wear rubber gloves when handling. Avoid contact with eyes. Avoid breathing of vapors or spray mist. Avoid contamination of feed or foodstuffs. Wash hands after use. Keep children and pets out of treated areas until these areas are dry.

A committee of the National Academy of Sciences has stated that:

There are no adequate data to show that these compounds are carcinogenic in humans, but because of their carcinogenicity in certain mouse strains and the extensive similarity of the carcinogenic action of chemicals in animals and in humans, the committee concluded that chlordane, heptachlor, and/or their metabolites may be carcinogenic in humans.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. **If Inhaled:** Remove victim to fresh air and apply respiration if necessary. **If On Skin:** Wash promptly with soap and water. Rinse thoroughly. **If In Eyes:** Rinse eyes for at least 15 minutes with water and call a physician immediately.

See a Physician: Emergency Information: call (415) 233-3771

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS

TERMITES—First remove all wood debris and wood forms from around foundation. Around piers, pipes, chimney bases and along poured concrete foundations, dig a trench 6 inches wide and 4 inches deep. For brick and concrete block foundations, dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or rod about one foot apart that extend from the trench bottom to the footing. Make holes closer in hard packed clay soils. Never dig holes below the bottom of the footing. Use 4 tablespoons (2 fl. oz.) per gallon of water to treat 2 linear feet of soil trench. Apply the solution to the trench at the rate of 4 gallons per 10 linear feet per foot of depth. Apply half of the solution to the trench and half to the back fill soil likewise.

treat along the inside of the foundation of crawl space buildings. The treatment is fast and easy with an ORTHO Lawn Sprayer or ORTHO Lawn and Garden Sprayer ("set" setting and "down" adjustment). Fill the sprayer or with 1 qt. (32 fl. oz.) of ORTHO Klor 44 Chlordane Spray, attach to the sprayer and treat 32 linear feet of trench. Apply double the dosage in heavy clay or much soils. Cover treated soil with a thin layer of untreated soil and take care to avoid contaminating water supplies. Be careful to have adequate ventilation when treating areas under structures.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one half gallon of solution into each hole. Refill holes. Slabs with heat burts or radiating heat pipes should be treated by professional pest control operators.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, pavements or slab type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Professional Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Use anti-back flow siphonage equipment. Refer to Federal Housing Administration state and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells should not be treated if it is water saturated or by injecting the solution under pressure. Soil should be removed to an area safe from well contamination if tested and returned to the trench which has been lined with plastic sheeting.

STORAGE AND DISPOSAL

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not store diluted spray. Make a new dilution for each use. Do not reuse empty container. Wrap container and put in trash collection.

NOTICE: Buyer assumes a responsibility for safety and use not in accordance with directions.

ACCEPTED**JUN 13 1980**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
on or pending for the pesticide
registered under
EPA Reg. No.

Chevron Chemical Company

Ortho Consumer Products Division
San Francisco, CA 94119 Richmond, CA 94804
Product 1484 Made in U.S.A.
Form 5276 E
EPA Reg. No. 239-478 AA

EPA Est. 239 CA 1-739-NL-1-39-MD-1
Superscript used: 5 for letter of, of number

350