



**WEED-B-GON®**

**WEED-B-GON®**

**WEED-B-GON®**

**Controls ANNUALS:**  
 Black Medic  
 Carpetweed  
 Cocklebur, Common  
 Chickweed, Clover  
 Creeping Beggar  
 Weed, Fennel  
 Fleabane  
 Florida Pusley  
 White Geranium  
 Hawkweed  
 Henbit, Knotweed  
 Lambsquarters  
 Mallow, Oxalis  
 Pigweed, Purslane  
 Ragweed, Shepherds-  
 purse, Spurge, Sow  
 Thistle, Smartweed,  
 Speedwell

**KILLS LAWN WEEDS**



Active Ingredients	By Wt
*Isooctyl ester of 2,4-dichlorophenoxyacetic acid	17.8%
**Isooctyl ester of sives [2-(2,4,5-trichlorophenoxy) propionic acid]	8.4%
Inert Ingredients	73.8%
*Equivalent to 11.8% 2,4-dichlorophenoxyacetic acid	
**Equivalent to 5.9% sives [2-(2,4,5-trichlorophenoxy) propionic acid]	

**CAUTION: Keep out of reach of children.  
 See back panel for additional cautions.**


**NET CONTENTS 1 QUART LIQUID**

**Controls BIENNIALS &  
 PERENNIALS:**  
 Buckhorn Plantain  
 Canada Thistle  
 Common Burdock  
 Common Plantain  
 Curly Dock, Dandelion  
 Dichondra, Ground Ivy  
 Lawn Pennywort  
 Lippia, Morning Glory  
 Sheep Sorrel  
 Thistles, Wild Carrot  
 Wild Garlic, Wild Onion  
 Yarrow

**Chevron Chemical Company**  
 3000 West 12th Street  
 Richmond, B.C. V6V 1K6  
 Canada  
 Product of the U.S.A.

EPA Est. 239-CA-1

EPA Reg. No. 239-599-ZC





# ORTHO WEED-B-GON®

**READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.**

**Dilution table**

Area to treat	Water to use	Amount of WEED-B-GON to use***
200 sq ft	1 gallon	4 teaspoonfuls
1200 sq ft	6 gallons	8 Tablespoonfuls (4 ounces)

\*\*\* Note one-half rate for Bent Grasses, Red Fescue, Centipede, and Carpet Grass. ← A

WEED-B-GON is a low volatile ester formulation containing 2,4-D and silvex. It is for effective control of lawn weeds and will not harm lawn grasses when used according to directions. Do not store diluted spray. Make new dilution for each use.

**DIRECTIONS FOR USE ON LAWNS:** For control of Dandelions, Chickweed, Plantains, Clover and the other listed weeds, apply WEED-B-GON any time weeds are actively growing. Weeds such as henbit, wild garlic and wild onions should be sprayed when they appear in late fall and again in early spring.

**HOW TO USE:** For best results, use an ORTHO SPRAYETTE or Tank Type Sprayer. Refer to table for recommended dilution. If lawn needs watering, water thoroughly before application. Do not water for 24 hours after application. Spray entire lawn, wetting weeds and lawn grasses; do not overspray. Spray when air is calm to avoid spray drift that may injure desirable ornamental plants.

Do not apply when temperatures are expected to exceed 85°F within 24 hours following application.

**NEWLY SEEDED LAWNS** may be treated after they have been mowed at least 3 times. **BENT GRASSES, RED FESCUE, CENTIPEDE, AND CARPET GRASS** Use one-half recommended rate (2 teaspoonfuls per gal water). Temporary injury may occur. Make 2 applications 10 days apart. Do not apply to Dichondra, Lippia, Clover and St. Augustine lawns. B

**HARDY WEEDS:** For hardy weeds such as sheep sorrel, dock, thistle, oxalis and morning glory in lawns and other areas, repeat application in 2 to 3 weeks if necessary. To control brush or hardy vines such as Poison Ivy and Poison Oak, ask your dealer for ORTHO Brush Killer A.


**IMPORTANT:** Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Vapors may injure susceptible plants in immediate vicinity. Do not reseed for 3 to 4 weeks after use.

**CAUTION:** Harmful if Swallowed. Do not breathe vapor or spray mist. Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water. For eyes, get medical attention. Wash hands after use. Keep children and animals away from treated areas until these areas are dry.

**Note to Physicians:** Emergency Information—call (415) 233-3737. Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, garden vegetables, fruit trees and other crops. Coarse sprays are less likely to drift. When container is empty, immediately wash thoroughly and destroy. Never re-use. Do not store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. When ORTHO SPRAYETTE is used and rinsed thoroughly as directed on sprayer jar immediately after applying WEED-B-GON, it can be used to apply insecticides, fungicides and liquid fertilizers to ornamental plants.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.



**ORTHO**



**ORTHO**

Covers Up to  
9,600 sq. Ft.  
Lawn Area



**ORTHO**

**WEED-B-GON®**

**WEED-B-GON**

**WEED-B-GON®**

- Controls ANNUALS:
- Black-Medic
  - Carpetweed
  - Cocklebur; Common Chickweed; Clover
  - Creeping Beggar Wood; Fennel
  - Fleabane
  - Garden Spurge
  - Henbit
  - Lambsquarters
  - Meadow; Quackgrass
  - Pigweed; Buckhorn
  - Ragweed; Shepherds-purse; Sparganium
  - Thistle; Smartweed
  - Speedwell

**KILLS LAWN WEEDS**



**CAUTION** Keep out of reach of children  
See back panel for additional cautions

**NET CONTENTS 1 QUART LIQUID**

- Controls BIENNIALS & PERENNIALS:
- Bushhorn-Plantain
  - Canada Thistle
  - Common Quackgrass
  - Early-Bock; Dandelion
  - Dichondra; Ground Ivy
  - Lawn Pennywort
  - Lythrum; Morning-Glory
  - Sheep Sorrel
  - Thistles; Wild-Garret
  - Wild-Garlic; Wild-Onion
  - Yarrow