

ACCEPTED
 JAN 11 1973
 PESTICIDE
 PESTICIDE ACT
 REGISTER-
 SUBJECT
 TO [unclear] VTS.

239-677

SO. 262-5623 71 YELLOW RED BLUE BLACK



ORTHO ISOTOX® Seed Treater (F)

WARNING: May Be Fatal If Swallowed! Do not breathe dust. May Be Absorbed Through Skin! Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Work in a well ventilated room. Do not feed treated seed to animals. Treated seed should be labeled as follows: **"TREATED SEED. DO NOT USE FOR FOOD, FEED OR OIL"** If soil temperature is extremely high due to low moisture, real hot weather and midsummer planting time, reduce dosage by one-half. Avoid lengthy storage of treated seed to prevent loss of lindane. Where seed decay occurs, due to soil organism damage, combine with a protective fungicide. When container is empty, immediately wash thoroughly and destroy. Never re use.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Dispose of excess treated seeds by burial. Do not contaminate water by cleaning of equipment or disposal of wastes.


CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to: damage to plants and crops to which the material is applied, lack of complete control and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage and use of this material.

Chevron Chemical Company

Ortho Division/San Francisco, Calif. 94119
 Richmond, Calif. Fresno, Calif. Des Moines, Iowa Perth Amboy, N.J.
 Honolulu, Hawaii Orlando, Fla.
 Form 6397-L EPA Reg. No. 239-677-ZA Product 1860 Made in U.S.A.

(INSECTICIDE - FUNGICIDE)
 With Graphite for Corn Seed, Milo, Beans.
 Also Repellent To Pheasants.



Active Ingredients	By Wt
Lindane - Gamma Isomer of Benzene	25.0%
Hexachloride	12.5%
Graphite	62.5%
Inert Ingredients:	
*N-(2,4,6-trimethylthio) 4-cyclohexene	
1,2-dichloroethane	

WARNING: Keep out of reach of children.
 See back panel for additional warnings.

NET WEIGHT 1 POUND



ORTHO ISOTOX® Seed Treater (F)

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER
 ISOTOX Seed Treater (F) is a formulation for use in the treatment of seeds for protection against wireworms, seed corn maggots and certain other soil-borne insects as well as added fungicidal protection at planting time. Also repellent to pheasants. Where Seedling Blight, Damp-Off or Seed Decay normally occurs, combine with a full dosage of protective fungicide. ISOTOX Seed Treater (F) may be used on corn seed previously treated with a protective fungicide.

DIRECTIONS
 Apply in planter box using designated amount per 100 lbs. seed. Measuring cup enclosed. One level cup contains approximately one ounce of product.

For improved mixing of product with seed, the following procedure is suggested: Fill planter box only half full of seed, add half the required amount of ISOTOX Seed Treater (F) and mix thoroughly with a stick. Then put remainder of seed in planter box and add the rest of the required ISOTOX Seed Treater (F), mixing thoroughly again. Good results are also obtained by pre-mixing seed with ISOTOX in a suitable container, then pouring treated seed into planter box.

- | | |
|--------------------------------|--------------------------------------|
| CORN - 8 oz. (per 50 lbs.) | COTTON - 8 ozs. |
| BEANS: (U.S. variety) | MILK, SORGHUM, OKRA - 4 ozs. |
| Baby Bush - 1 oz. | ALFALFA, CLOVER - 2 ozs. |
| Lim. - 1 oz. | BARLEY - 4 ozs. |
| Stand. Fordhook Large - 2 ozs. | SPINACH, SWEETWATER - 4 ozs. |
| Limas - 1 oz. | OATS - 2 ozs. |
| SUGAR BEETS - 15 ozs. (1 lb.) | SAFFLOWER, RYE, SUDAN GRASS - 2 ozs. |
| PEAS - 4 ozs. | FLAX - 2 ozs. |
| CUCUMBERS, CANTALOUPE, | SOYBEAN - 2 ozs. |
| WATERMELONS, SQUASH, | CABBAGE, CAULIFLOWER, |
| PUMPKIN - 4 ozs. | BROCCOLI, BRUSSELS |
| CARROTS, ONIONS - 4 ozs. | SPROUTS, RADISHES - 2 ozs. |
| | WHEAT - 2 ozs. |