

239-677 PMES 1531

### PRECAUTIONARY STATEMENTS

#### DANGER

Caution with this drug. May be fatal if swallowed. Wash eyes with clean water for 15 minutes. Avoid contact with skin and clothing. Avoid inhalation of dust. Remove and wash affected areas with soap and water. Wash hands thoroughly after handling. Use only as directed. Do not use for other purposes. Do not feed to animals.

**STATEMENT OF PRACTICAL RECOMMENDATION:** In case of eye contact, wash eyes with clean water for 15 minutes and see a doctor. Wash skin with clean water and wash affected areas with soap and water. Wash hands thoroughly after handling. Use only as directed. Do not use for other purposes. Do not feed to animals.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds, and other aquatic organisms. Do not apply to water bodies or wetlands. Do not allow runoff into water bodies. Do not apply to areas that will be used for drinking water. Do not apply to areas that will be used for food or feed crops.

**ENDANGERED SPECIES RESTRICTIONS**  
The following restrictions apply to use of this product after February 5, 1982. Before using this pesticide on corn, wheat, soybeans, sorghum, and other crops listed below, you must obtain the PESTICIDE USE LABELS FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The labels are available from your County Extension Office, State Land and Conservation Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE LABELS FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal law.

ALABAMA: Barbour, Calhoun, and Wilcox  
ARKANSAS: Madison, Montgomery, Polk, and Searcy  
CALIFORNIA: Imperial, Mendocino, and Riverside  
MISSISSIPPI: Claiborne, Copah, and Madison  
MISSOURI: Barry, Boone, Camden, Christian, Dallas, DeKalb, Franklin, Gasconade, Hickory, Jasper, Lawrence, Macon, Newton, Oregon, Polk, St. Charles, Stone, and Webster  
NEVADA: Clark  
NEW MEXICO: Chaves, DeBaca, and Grant  
OHIO: Adams  
OKLAHOMA: Delaware, McCurtain, and Pushmataha  
OREGON: Grant  
TEXAS: Brewster, Borden, Comal, Gillespie, Kinney, Lampasas, Martin, Midland, Real, Tarrant, and Van Zandt  
UTAH: Garfield and Washington

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with the following **READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

This product must be applied in a well ventilated area. Mix thoroughly when using and keep this product out of reach of children and pets. Do not use if you are pregnant, nursing, or have a fever. Do not use if you are wearing a hat, glasses, or contact lenses. Do not use if you are wearing a hat, glasses, or contact lenses. Do not use if you are wearing a hat, glasses, or contact lenses.

Foliage and branches must be wet with the spray for 30 minutes before treatment. Do not use in windy conditions. Do not use in hot, dry conditions. Do not use in low temperatures. Do not use in high humidity. Do not use in high altitudes. Do not use in low altitudes. Do not use in high latitudes. Do not use in low latitudes. Do not use in high longitudes. Do not use in low longitudes. Do not use in high altitudes. Do not use in low altitudes. Do not use in high latitudes. Do not use in low latitudes. Do not use in high longitudes. Do not use in low longitudes.



# ORTHO ISOTOX<sup>®</sup> Seed Treater (F)

(INSECTICIDE - FUNGICIDE)  
With Graphite for Corn Seed, Beans  
Also Repellent to Pheasants



Active Ingredients	By Wt.
Endosulfan Sulfate	25.0%
Graphite	12.5%
Permethrin	0.3%
Methidathion	0.3%
Technical grade 4 cyhalothrin 12	0.2%
Carbaryl	0.2%

**KEEP OUT OF REACH OF CHILDREN  
DANGER  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

NET WEIGHT 10 POUNDS

Per seifer sent to  
DEC 21 1987

239-677

ISOTOX Seed Treater may be used on corn seed properly treated with the appropriate fungicide. Apply in planter box (CONCENTRATED AMOUNT PER GRAIN SEED WEIGHT) OF THE FOLLOWING. One level teaspoon approximately 1 ounce of product.

CORN - Row 10 or 20 (600 lb)	CORN - Row 16 or 20 (600 lb)
BEANS - Row 10 or 20 (600 lb)	BEANS - Row 10 or 20 (600 lb)
BELT BUCKLE 200	BELT BUCKLE 200
Row 10 and 20 (600 lb) 200	SPRING BUCKLE 200
Row 10 and 20 (600 lb) 200	SPRING BUCKLE 200
Row 10 and 20 (600 lb) 200	SPRING BUCKLE 200

If the temperature is consistently high due to low moisture, use 1.5 times the normal amount of product per acre. Do not use if the soil is too dry. Do not use if the soil is too wet. Do not use if the soil is too hard. Do not use if the soil is too soft.

#### STORAGE AND DISPOSAL

**PRECAUTIONS:** Do not use in areas where food crops are grown. Do not use in areas where children or animals are present. Do not use in areas where people are present. Do not use in areas where people are present.

**CONDITIONS OF SALE:** Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is responsible for use as directed herein. Chevron makes no other warranties or representations. Do not use if the label is missing or if the label is unclear. Do not use if the label is unclear.

RO LINDANE, MIXTURE, NA 2761

ORM-A

Chevron Chemical Company  
One American Embassy Drive  
San Francisco, CA 94104  
Form 308-B, February 1980, Made in U.S.A.  
EPA Reg. No. 225-377-20

**BEST AVAILABLE COPY**