

ORTHO ROTENONE Dust or Spray

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

ORTHO Rotenone Dust or Spray contains Rotenone and other Cube Resins. It is for use in the control of certain garden pests on vegetables.

DIRECTIONS

Do not use on fruits and vegetables within 1 day of harvest.

AS A DUST: Dust thoroughly at rate of 1 lb. per 1,000 sq. ft. (30 to 40 lbs. per acre). Start application as soon as insects appear and repeat at 5 to 10-day intervals—unless otherwise specified.

AS A SPRAY: Mix 6 to 8 Tablespoonfuls in a little water to make a thin paste, add to 1 gallon water and agitate during application. Do not store diluted spray. Make new dilution for each use.

Plants	Insects	Comments
ASPARAGUS	Asparagus Beetle	
BEANS	Twelve-spotted Beetle, Thrips, Flea Beetles	
CABBAGE	Cabbage Worms, Flea Beetles	
CUCUMBER	Cucumber Beetle, Flea Beetles	
PEAS	Pea Weevil	Dusting or spraying should be completed before the pods have set and before Weevils appear.
SWEET CORN	European Corn Borer	Apply to whorls from time plants are knee-high to maturity. Repeat treatments weekly or as necessary.

CAUTION: Harmful if swallowed. Wash hands after use. Dispose of container promptly when empty.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

NOTE: This product is sold by weight and package is full when packed, but due to fluffy nature the material is inclined to settle.

Manufactured by FMC Corporation, Pesticide Division, P.O. Box 1000, Richmond, B.C. V6X 1S6, Canada.
 Registered in Canada under the Pesticides Act.
 FMC Corporation, Pesticide Division, P.O. Box 1000, Richmond, B.C. V6X 1S6, Canada.
 FMC Corporation, Pesticide Division, P.O. Box 1000, Richmond, B.C. V6X 1S6, Canada.



ORTHO ROTENONE Dust or Spray

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

ORTHO Rotenone Dust or Spray contains Rotenone and other Cube Resins. It is for use in the control of certain garden pests on vegetables.

DIRECTIONS

Do not use on fruits and vegetables within 1 day of harvest.

AS A DUST: Dust thoroughly at rate of 1 lb. per 1,000 sq. ft. (30 to 40 lbs. per acre). Start application as soon as insects appear and repeat at 5 to 10-day intervals—unless otherwise specified.

AS A SPRAY: Mix 6 to 8 Tablespoonfuls in a little water to make a thin paste, add to 1 gallon water and agitate during application. Do not store diluted spray. Make new dilution for each use.

Plants	Insects	Comments
ASPARAGUS	Asparagus Beetle	
BEANS	Twelve-spotted Beetle, Thrips, Flea Beetles	
CABBAGE	Cabbage Worms, Flea Beetles	
CUCUMBER	Cucumber Beetle, Flea Beetles	
PEAS	Pea Weevil	Dusting or spraying should be completed before the pods have set and before Weevils appear.
SWEET CORN	European Corn Borer	Apply to whorls from time plants are knee high to maturity. Repeat treatments weekly or as necessary.

CAUTION: Harmful if swallowed. Wash hands after use. Dispose of container promptly when empty.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.