


ASG


MAR 31 1989

Mr. William Chase
Chemical Company
Ortho Consumer Products Division
15049 San Pablo Avenue
P.O. Box 4010
Richmond, CA 94804-0010

BEST AVAILABLE COPY

Dear Mr. Chase:

Subject: Ortho Rotenone Dust or Spray
EPA Registration No. 239-690
Your Submission Dated April 15, 1988

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. ~~Submit/cite all data required for registration/re-registration of your product under section 3(c)(7)(A) of the Act.~~
requires all registrants of similar products to submit such data.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

The addition of "Orthogenic Quality Products" to the front panel of the label is acceptable.

The addition of "Rotenone is a naturally occurring insecticide derived from certain plants found in Central and South America" to the "Directions For Use" section is acceptable.

57615:I:Schoeder:C.Disk:KENCO:01/18/89:CL:VO:CL

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Product Manager
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

BEST AVAILABLE COPY

ORTHO Rotenone Dust or Spray
EPA Reg. No. 239-690

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 31 1989

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

239-690

COPY A

ORTHO[®] ~~ORGANIC~~ ^{Quality} Products

COPY B

Rotenone is a naturally occurring insecticide derived from certain plants found in Central and South America.

CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

BEST AVAILABLE COPY



ORTHO Rotenone Dust or Spray

CHEVRON
UNTIL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT: If swallowed, give water or milk to drink and telephone for medical advice. Consult medical personnel before inducing vomiting. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. In case of eye contact, flush eyes with fresh water for at least 15 minutes. See a doctor if irritation persists.

Note to Physicians: Emergency Information — call (415) 233-3737.

ENVIRONMENTAL HAZARDS: This product is highly toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

ORTHO Rotenone Dust or Spray contains Rotenone and other Cube Resins. It is for use in the control of certain garden pests on vegetables.

DIRECTIONS

Do not use on vegetables within 1 day of harvest.

AS A DUST: Dust thoroughly at rate of 1 lb. per 1,000 sq. ft. (30 to 40 lbs. per acre). Start application as soon as insects appear and repeat at 5 to 10 day intervals—unless otherwise specified.

AS A SPRAY: Mix 6 to 8 Tablespoonfuls in a little water to make a thin paste, add to 1 gallon water and agitate during application. Make new dilution for each use.

← copy B

PLANTS	INSECTS	COMMENTS
ASPARAGUS	Asparagus Beetle	
BEANS	Twelvespotted Beetle, Thrips, Flea Beetles	
CABBAGE	Cabbage Worms, Flea Beetles	
CUCUMBER	Cucumber Beetle, Flea Beetles	
PEAS	Pea Weevil	Dusting or spraying should be completed before the pods have set and before Weevils appear.
SWEET CORN	European Corn Borer	Apply to whorls from time plants are knee high to maturity. Repeat treatment weekly until maturity.

STORAGE AND DISPOSAL

DISPOSAL PRODUCT

CONTAINER

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

NOTE: This product is sold by weight and package is full when packed, but due to fluffy nature the material is inclined to settle.

Chevron Chemical Company © 1984
 Ortho Consumer Products Division
 San Francisco CA 94120-7144
 Richmond CA 94804-0036
 Product 1880 Made in U.S.A.
 Form 4930-C2
 EPA Reg. No. 239-690-AA
 EPA Est. 239-MO-1



977 21

Rotenone Dust or Spray

STATEMENTS FACTS

is eye irritant. Avoid contact with eyes, skin
st. Wash thoroughly with soap and water after

If swallowed, give water or milk to drink and
al personnel before inducing vomiting. If med-
person and product container to the nearest
spital. In case of eye contact, flush eyes with
ctor if irritation persists.
n — call (415) 233-3737.

is highly toxic to fish. Do not apply directly to
ng of equipment or disposal of wastes.

Do not use in a manner inconsistent with its label.
CONCORDANCE WITH LABEL PRECAUTIONARY

Rotenone and other Cube Resins. It is for use
vegetables.

← copy B

harvest.
1. per 1,000 sq. ft. (30 to 40 lbs. per acre). Start
and repeat at 5 to 10 day intervals — unless

in a little water to make a thin paste, add to
non. Make new dilution for each use.

COMMENTS

a

Dusting or spraying should be
completed before the plants have
started to flower. Do not use on
any plants that are to be eaten.
Do not use on plants that are
to be eaten raw. Do not use on
plants that are to be eaten if
necessary.

Do not put concentrate or dilute in a food



OR Rote Dust o



Controls Ce
Garden Inse