Form Approved, OMB No. 2070-0060 Please read instructions on reverse before completing form. OPP Identifier Number United States Registration **Environmental Protection Agency** Amendment 259910 Washington, DC 20460 Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 239-739 Tina Levine Restricted 4. CORTHOS Mafathion 50 Insect Spray PM# 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling The SOLARIS Group of Monsanto to: P. O. Box 5006 EPA Reg. No. San Ramon, CA 94583-0906 F 1 2 2 2 2 2 1 Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated_ "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION: Update label text to include various sizes and volumes, change "Inert Ingredients' to read "Other Ingredients' and display new genera/medical telephone and web site. Added text is double underlined and date bracketed; deleted text is stricken out. This Notification complies with the requirements 95-2. Section - III 1. Material This Product Will Be Packaged In: Water Soluble Packaging 2. Type of Container Child-Resistant Packaging Unit Packaging Metal Yes Plastic Νo No No Glass Paper If "Yes" No. per If "Yes" No. per * Certification must Other (Specify) Unit Packaging wgt. container Package wgt container be submitted 4. Size(s) Retail Container 5. Location of Label Directions 3. Location of Net Contents Information Label Container 6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled Other Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title Telephone No. (Include Area Code) Frank Kamienski . Registration Specialist 510/355-3335 8. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. ''''(Stamped) I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or ತಹುದುಗಾಗಿ ಕೇ ಬಿ.ಸಿಕಿ both under applicable law. 2. Signature : 3. Title Registration Specialist 5. Date 4. Typed Name October 9, 1997 Frank Kamienski

NOTIFICATION

NOV 4 - 1997

ORTHO® MALATHION 50 Insect Spray, EPA Reg. No. 239-739 [ABN] ORTHO® MALATHION 50 PLUS® Insect Spray

{lcon}OUTDOOR USE ONLY

BONUS

25% MORE

40 FL OZ AT REGULAR 32 FL OZ PRICE

Makes up to an extra 24 gal of spray

[5/31/96]: Concentrate

Makes Up To 48 Gallons Diluted Spray [Pint Size] - [10/9/97]
Makes Up To 96 Gallons Diluted Spray [Quart Size]
Makes Up To 120 Gallons Diluted Spray [40 oz Size] - [10/9/97]

Contains Wetting Agent for Added Value

Kills Insects-Aphids, Whitefly, Mealybugs, Mosquitoes, Red Spider Mite and Scales On: Ornamentals, [6/4/97] Roses, Flowers, Shrubs, Trees, Fruits, Citrus, & Vegetables

[6/4/97] Plus Kills Mosquitoes Outdoors

Superior Formula Plus /[6/4/97] With ORTHEX® Wetting Agent NEW / NOW Measuring Cap & Pour Spout Improved Package New / Now with Measuring Cap Easy Pour Spout Fast & Easy Measuring Cap

Active Ingredient

Malathion [6/4/97]: 0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate 50%

*Other Inert Ingredients 50%

*Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel booklet for additional precautionary statements.

NET CONTENTS-1QT / 946 ml 1PT / 473 ml

40 FL OZ (1 QT 8 FL OZ) 1.18 L

EPA Accepted 4/9/97

Notifications of 5/31/96, 6/4/97 & 10/9/97

239-739.N5

[6/4/97]

Open Resealable Label for Directions & Precautions

PEEL HERE PRESS TO RESEAL

Alternative Sales Copy 1:

Kills insects - Aphids, Cabbage Looper, Codling Moth, Cucumber Beetles, Mealybugs, Red Spider Mite, Scales, Tent Caterpillar, Thrips, Whiteflies. See complete list inside. Contains ORTHEX®, a special additive for better insect control. ORTHEX makes your spray spread more evenly and stick better to cover insects on smooth, rough or waxy plant surfaces. Improved package with pour spout and measuring cap for fast, easy, accurate measuring. This product is specially formulated for residential use only.

DO NOT USE INSIDE THE HOME. DO NOT USE ON ANIMALS.

Peel open for use directions and further information.

Alternative Sales Copy 2:

ON ROSES, FLOWERS, SHRUBS, TREES, VEGETABLES & FRUITS (INCLUDING CITRUS)

Kills ✓ Aphids ✓ Boxelder Bugs ✓ Cabbage Loopers ✓ Codling Moths ✓ Cucumber Beetles ✓ Hemlock Woolly Adelgids ✓ Mealybugs ✓ Red Spider Mites ✓ Scales ✓ Tent Caterpillars ✓ Thrips ✓ Whiteflies & ✓ Many Other Foliage Pests

Also combine with Volck® Oil Spray to remove sooty mold & help destroy insect eggs.

AROUND HOUSE FOUNDATION

Kills ✓ Outdoor Mosquitoes ✓ & Other Pests

DO NOT USE INSIDE THE HOME. DO NOT USE ON ANIMALS.

This product is specially formulated for residential use only. It contains ORTHEX® so spray spreads more evenly and sticks better to plants.

Redundant & Repeated Text

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

PULL HERE TO OPEN LABEL PRESS TO RESEAL.

(Medical Information call 1-800-454-2333 - Product Information call 1-800-225-2883

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 7-812-01 Product 1992
EPA Reg. No. 239-739
EPA Est. 239-IA-3¹, 58996-MO-1^A
Superscript is first letter of lot number
Made in USA

DIRECTIONS FOR USE. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Measuring Cap: The cap has 4 measuring lines indicated inside. Fill cap to appropriate line for fast, easy, accurate measuring. Close cap tightly after use - no need to rinse. [6/4/97 Optional mixing directions for measuring cap presented in brackets]

Line 1 = 1 teaspoon (tsp)
Line 2 = 1 Tablespoon (Tbs) = 3 tsp = 1/2 fl oz
Line 3 = 1 fl oz(2 Tbs)
Line 4 = 2 fl oz (4 Tbs)

tsp = teaspoon Tbs = Tablespoon [6/4/97] 3 teaspoons (tsp) = 1 Tablespoon (Tbs) = ½ fl oz

May be applied with a hose-end sprayer [6/4/97] such as Ortho Dial'n Spray® or tank-type sprayer.

DIAL 'n SPRAY HOSE-END SPRAYER INSTRUCTIONS

To apply with an Ortho Dial 'n Spray Hose-End Sprayer: pour product into sprayer jar. Do not add water. Dial setting to Use: always set dial to the rate to mix into each gallon of spray, see directions below for rate to use each specific pest.

[6/4/97] DIRECTIONS: FOR OUTDOOR HOME USE ONLY:

Spray thoroughly covering both upper and lower leaf surfaces or other infested plant parts. Repeat as necessary. [6/4/.97] Wait at least 7 days between applications.—Can be used from 1 to 14 days of harvest on vegetables. See specific vegetable below for correct number of days. Make new dilution for each use.

Ornamentals including Roses, Camellias, Azaleas, Stocks, Chrysanthemums & Evergreens

(Do not use on Boston, Maidenhair and Pteris ferns, Canaerti_Juniper_and/or some species of Crassula -example: Jade Plant).

Amount to Use

Aphids: 2 tsp per gal of water [Fill cap to line 1 two times. Add to 1 gal of water.]

Bagworms, Boxelder Bugs, Fourlined Leaf Bugs, Hemlock Woolly Adelgids, Japanese Beetles, Lacebugs, Leafhoppers (Rose), Mealybugs, Red Spider Mites, Spruce Mites, Tarnished Plant Bugs, Thrips, Whiteflies & Woolly Aphids: 1 Tbs (½ floz) per gal of water [Fill cap to line 2. Add to 1 gal of water.]

Scales (Black, Oyster Shell & Soft Brown): **2 Tbs per gal of water** [Fill cap to level 2 two times [or] / fill cap to line 3. Add to 1 gal of water.]

Combination Spray with Fungicide on Roses

ORTHO <u>RosePride®</u> Funginex® Rose <u>& Shrub</u> Disease Control may be mixed with this product when listed insect(s) and disease(s) are found on roses. Follow directions and precautions on both labels.

ORNAMENTALS (Roses, Camellias, Azaleas, Stocks, Chrysanthemums, Evergreens)-Aphids: 2-tsp-to-1-gal-water. Fill-cap-to-line-1-two-times. Add-to-1-gal-of water. Red-Spider-Mite, Spruce-Mite, Mealybugs, Lacebugs, Woolly-Aphid, Hemlock Woolly-Adelgid, Whiteflies, Thrips, Tarnished Plant-Bug, Fourlined-Leaf-Bug, Bagworms, Rose-Leafhopper, Japanese Beetle-Adults, Box-Elder-Bug: 1-Tbs (1/2-oz) per-gal-water. Fill-cap-to-line-2. Add-to-1-gal-of-water. Scales (Black-Scale, Soft-Brown Scale, Oyster-Shell-Scale): 2-Tbs-per-gal-water. Fill-cap-to-level-2-two-times-[or]-/-fill-cap-to-line-3. Add-to-1-gal-of-water. Do-not-use-on-Boston, Maidenhair-and-Pteris-ferns, Canaerti-Juniper and some-species of Crassula (example: Jade-Plant). Combination-Spray with Fungicide on Roses-ORTHO-FUNGINEX®-Rose-Disease Control-may-be-mixed with this product when listed-insect(s) and-disease(s) are found on roses. Follow-directions and precautions on both-labels.

Apples, Apricots, Cherries, Grapes, Peaches, Pears & Strawberries

Malathion may cause injury to McIntosh and Cortland Apples; to Bosc Pears; and Ribier Grapes.

Amount to Use

Aphids: 2 tsp per gal of water [Fill cap to line 1 two times. Add to 1 gal of water.]

Bud Moths, Codling Moths, Fourlined Leaf Bugs, Japanese Beetles, Leafhoppers (Grape), Leafrollers (Red-Banded, Fruit Tree, & Strawberry), Mealybugs, Pear Psyllids, Plum Curculios, Red Spider Mites, Spittlebugs, Tarnished Plant Bugs, Tent Caterpillars, Thrips, Whiteflies & Woolly Aphids: 1 Tbs per gal of water[Fill cap to line 2. Add to 1 gal of water.]

Scale Crawlers: 2 Tbs per gal of water [Fill cap to line 2 two times [or] / fill cap to line 3. Add to 1 gal of water.]

When to Harvest		
Pears	Do not apply within 1 day of harvest.	
Apples, Cherries, Grapes & Strawberries	Do not apply within 3 days of harvest.	
Apricots & Peaches	Do not apply within 7 days of harvest.	

FRUITS (Apples, Pears, Grapes, Apricots, Cherries, Peaches, Strawberries)-Aphids: 2 tsp-to-1-gal water. Fill cap to line 1 two times. Add-to-1-gal-of-water. Codling Moth, Tent-Caterpillar, Red-Banded Leafroller, Plum-Gurculio, Bud-Moth., Fruit-Tree Leafroller, Strawberry-Leafroller, Spittlebug, Red-Spider-Mite, Mealybugs, Woolly Aphid, Whiteflies, Thrips, Tarnished Plant Bug, Fourlined Leaf Bug, Grape-Leafhopper, Pear Psyllid, Japanese Beetle-Adults: 1 Tbs (1/2 oz) per gal-water. Scale Crawlers: 2 Tbs per gal-water. Fill cap to line 2 two times [or] / fill cap to line 3. Add-to-1-gal-of-water. Malathion may cause injury to McIntosh and Cortland varieties of apples, to Bose pears and Ribier grapes. Do not apply to Pears within 1 day of harvest or to Apricots and Peaches within 7 days of harvest.

Mangoes and Citrus (Oranges, Tangerines, Grapefruits, Lemons & Limes)

Do not apply during full bloom.

Amount to Use

Aphids, Scales (Black, Purple, Yellow & Florida Red), Thrips & Whiteflies: **2 tsp per gal of water** [Fill cap to line 1 two times. Add to 1 gal of water.]

Combination With Volck® Oil Spray on Citrus, Avocados, Mangoes, Gardenias & Ixora

Do not apply during full bloom.

Amount to Use

Aphids, Mealybugs, Red Spider Mites, Scales, Thrips & Whiteflies

Also removes Sooty Mold Fungus through control of Whitefly Larvae, and helps
destroy insect eggs (such as Codling Moth, Oak Moth & Red Spider Mite eggs):

1 Tbs of each product per gal of water

When to Harvest	
Mangoes	Do not apply within 2 days of harvest.
Avocados & Citrus	Do not apply within 7 days of harvest.

CITRUS (Oranges, Tangerines, Grapefruit, Lemons, Limes) AND MANGO Aphids, Whiteflies, Black Scale, Purple Scale, Yellow Scale, Florida Red Scale, Thrips: 2-tsp per gal water. Fill cap to line 1-two-times. Add-to-1-gal of-water. Thorough coverage of branches and upper and lower leaf surfaces is necessary to control insects. Do not apply during full bloom. Do not apply within 7 days of harvest. COMBINATION WITH VOLCK Oil Spray on Citrus, Avocados, Mangoes, Gardenias and Ixora for control of Scale Insects, Red Spider Mites, Mealybugs, Whiteflies, Aphids, Thrips and for the removal of Sooty Mold Fungus through control of Whitefly Larvae: Use 1 Tablespoonful Volck Oil Spray and 1 Tablespoonful ORTHO Malathion 50 Insect Spray for each gallon of diluted spray. May be applied on Avocados up to within 7 days of harvest; to Grapefruit, Lemons, Limes and Oranges up to within 7 days of harvest but not during full bloom, and to Mangoes up to within 2 days of harvest. Ovicide: Helps to destroy insect eggs such as Red Spider Mite eggs, Oak Moth eggs and-Codling Moth eggs.

Vegetables & Melons

Amount to Use

Aphids: 2 tsp per gal of water [Fill cap to line 1 two times. Add to 1 gal of water.]

Beetles (Bean Leaf, Blister, Japanese & Mexican Bean), Cabbage Loopers, Harlequin Bugs, Imported Cabbageworms, Leafminers, Leafhoppers, Leafrollers (Strawberry), Lygus Bugs, Onion Maggots (Flies), Onion Thrips, Pickleworms, Red Spider Mites, Root Weevils (Strawberry), Thrips & Whiteflies: 1 Tbs per gal of water Fill cap to line 2. Add to 1 gal of water.

Cucumber Beetles & Squash Vine Borers: 4 tsp per gal of water [Fill cap to line 1 four times. Add to 1 gal of water.]

When to Harvest		
Potatoes	May be applied up to day of harvest.	
Beans, Cantaloupe*, Cucumbers*, Melons*, Okra, Squash* & Tomatoes	Do not apply within 1 day of harvest.	
Broccoli, Egg Plant, Garlic, Leeks, Onions, Peas, Peppers, Pumpkin*, Rutabagas, Shallots & Sweet Potatoes	Do not apply within 3 days of harvest.	
Beets, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Endive, Kale, Head Lettuce, Mustard Greens, Radish, Spinach, Swiss Chard & Turnips	Do not apply within 7 days of harvest.	
Leaf Lettuce	Do not apply within 14 days of harvest.	

^{*}DO NOT APPLY UNLESS LEAVES ARE DRY.

VEGETABLES: Numbers in () indicate days required between last application and harvest. Beans (1), Beets (7), Broccoli (3), Brussels Sprouts (7), Cabbage (7), **Cantaloupe (1), Cauliflower (7), **Cucumbers (1), Celery (7), Collards (7), Egg Plant (3), Endive (7), Garlic (3), Kale (7), Leeks (3), Lettuce, Head (7), Leaf (14), **Melons (1), Mustard Greens (7), Okra (1), Onions (3), Peas (3), Peppers (3), Potatoes (0), **Pumpkin (3), Radish (7), Rutabagas (3), Shallots (3), **Squash (1), Spinach (7), Strawberries (3), Sweet Potatoes (3), Swiss Chard (7), Tomatoes (1), and Turnips (7). TO CONTROL: Aphids-Use 2 tsp per gal of water. Fill cap to line 1 two times. Add to 1 gal of water. TO CONTROL: Bean Leaf Beetle, Blister Beetle, Cabbage Looper, Harlequin Bug, Imported Cabbageworm, Japanese Beetle, Leafminers, Leafhoppers, Lygus Bug, Mexican Bean Beetle, Onion Maggot (Flies), Onion Thrips, Pickleworm, Red-Spider Mite, Strawberry Leafroller, Strawberry Root Weevil, Thrips and Whiteflies-Use 1 Tbs per gal of water. TO CONTROL: Cucumber Beetles and Squash Vine Borers—Use 4 tsp per gal of water.

**DO NOT APPLY UNLESS LEAVES ARE DRY.

Home Invading Household Pests-Outdoors Only

Amount to Use

Clover Mites: 2 tsp per gal of water [Fill cap to line 1 two times. Add to 1 gal of water.]

Spray lawns and a 10 ft wide strip along side of house.

Amount to Use

Ants, Crickets, Earwigs, Roaches, Silverfish & Spiders: 8 Tbs (4 fl oz) per gal of water [Fill cap to line 4 two times. Add to 1 gal of water.]

Outside Residual Adult Mosquito Control: 9 Tbs (4 ½ fl oz) per gal of water [Fill cap to line 3 nine times. Add to 1 gal of water.]

House Flies: 6 Tbs (3 fl oz) per gal of water for each 1,000 sq ft[Fill cap to line 3 three times. Add to 1 gal of water.]

Apply as a coarse spray to and around lower foundation of house, patios and garbage <u>cans</u>; under porches and shrubbery; along fences; to firewood piles; and other infested areas.

DO NOT USE INSIDE THE HOME. DO NOT USE ON ANIMALS.

HOUSEHOLD PESTS-OUTDOORS ONLY (Roaches, Ants, Clover Mites, Spiders, Silverfish, Crickets, Earwigs): 8 Tbs (4 oz) per gal-water, and Outside Residual Adult Mosquito Control: 9 Tbs (4 ½ oz) per gal-water. Apply as a coarse spray-to lower foundation of house and firewood piles. Repeat as necessary. NOTE: If only clover mites (around outside of dwellings and on lawns): Use 2 tsp-per gal-water and treat above areas in a 10 ft-wide strip-along side of house. Fill cap-to-line 1 two-times. Add to 1 gal-of water. Repeat as necessary.

DO NOT USE INSIDE THE HOME. DO NOT USE ON ANIMALS.

HOUSE-FLIES: Around Outsides of Dwellings and Outbuildings, Patios, Garbage Containers-SPRAY APPLICATION: 6 Tbs (3 oz) to 1 gal water, 3 Tbs cane-or dark sugar or molasses may increase effectiveness. Spray around house foundation, under porches, along fences, shrubbery and other infested areas. Use 1 gal diluted spray to 1,000 sq ft area. If ORTHO Lawn-Sprayer is used, fill bottle with ORTHO Malathion 50 Insect-Spray and plan-to-cover approximately 7500 sq ft by the time bottle is empty. Avoid contamination of water. Maintain sanitary conditions around outbuildings and other areas to prevent fly breeding.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray. DISPOSAL: PRODUCT - Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER - Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes. Avoid contact with skin or clothing. Avoid breathing vapors or spray mist. FIRST AID: IF IN EYES: In case of eye contact, wash eyes immediately with fresh water for 15 minutes and see a doctor. IF SWALLOWED: Give water or milk to drink and telephone for medical advice. Consult medical personnel before inducing vomiting. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. IF ON SKIN: Wash skin with plenty of soap and water. Get medical attention if irritation persists. IF INHALED: Remove person from exposure area. Note to Physicians: Emergency Information call 1-800-225-2883 454-2333.—This product contains a light petroleum solvent and may present an aspiration problem. Malathion is a weak cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine sulfate is antidotal; 2-PAM (PROTOPAM) may also be given in conjunction with atropine but should not be used alone.

[6/4/97 Reentry icon] Keep children and animals away from treated areas until these areas are dry.

Food utensils such as teaspoons and tablespoons should not be used for food purposes after use with pesticides.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. **PHYSICAL OR CHEMICAL HAZARDS:** Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

- ₱ Medical Information call 1-800-454-2333
- --- Product Information call-1-800-225-2883
- Questions, Comments or Medical Information ?
 Call: 1-800-225-2883 http://www.ortho.com

ORTHO®, Malathion 50 Plus®, [6/4/97] RosePride®, SPRAY-ETTE®, ORTHEX®, Dial 'n Spray®, Volck®, SOLARIS® Trademarks of Monsanto Company FUNGINEX® Trademark of American Cyanamid Company

©Monsanto Company 1997 1995

Manufactured for SOLARIS®
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon, CA 94583-0808
Form 0-728-03 7-812-01 Product 1992
EPA Reg. No. 239-739
EPA Est. 239-IA-3¹, 58996-MO-1^A
Superscript is first letter of lot number
Made in USA

[ORTHO CARTRIDGE SPRAYER ONLY]

•Makes 2 gals spray

New

•Ready-to-spray Cartridge

•Ready-To-Use Cartridge

Cartridge Sprayer Refill

No Spill

No Mix, No Measure, No Messy
 Quality Guaranteed

Clean Up

•Easy-to-use

Cartridge Sprayer

Liquid Concentrate

•To be used only with ORTHO

Cartridge Sprayer

•No Mixing or Handling Required •Cartridge system automatically

LOCK 'N SPRAY System

Patented LOCK 'N SPRAY Design

•Patented Twist 'n Lock Design •Simple to Use •Twist and Remove Base for Use

Instruction Booklet

 Savings Coupon Inside Special Consumer Offer.

See Details Inside

Save on Your Next Purchase.

See Details Inside

Save on Other ORTHO Products.

See Details Inside

Cartridge

Simple and Easy to Use

Eliminates Mixing and Measuring

Child Resistant Package

•For exclusive use with the ORTHO LOCK 'N SPRAY cartridge sprayer

 No mixing and measuring necessary

No mixing, no measuring necessary

Money saving coupon inside

·Save \$.50 on your next purchase. (Coupon

on reverse side.)

Convenient

LOCK 'N SPRAY System Cartridge

Multipurpose

Self Sealing Cartridge Lid

•For Exclusive Use with ORTHO •Cartridge Automatically Reseals

Itself

Automatic Dilution

•Use with the ORTHO LOCK'N SPRAY

cartridge sprayer

•Simple Easy-to-Use Application dilutes the proper proportion of product

and water

See Instruction Booklet Inside Base

No mixing or measuring

No mixing

No measuring

Guaranteed Quality

 No messy measuring LOCK 'N SPRAY Cartridge

LOCK 'N SPRAY Cartridge System

Accurate

Accurate dosage

Premeasured

No leak

Carton made from 100% recycled

paperboard Minimum 35% Post-Consumer

Content

[ORTHO CARTRIDGE SPRAYER ONLY]

The LOCK 'N SPRAY System eliminates mixing, measuring, and messy clean-up. With its unique design and easy one-step application, lawn and garden care is now faster and easier. Simply choose the cartridge application that you need and attach it to the cartridge sprayer(sold separately) as shown below.

[ORTHO CARTRIDGE SPRAYER ONLY]

[ILLUSTRATION]

DIRECTIONS FOR USE

Remove Base Cup: (Optional)

- Twist bottom to tear label perforation.
- Snap off base cup to view liquid.
- Save base cup and re-attach after use if storage is necessary.
- Connect sprayer to hose.

[ILLUSTRATION]

Attach/Lock Cartridge to Sprayer:

- Push up to seat cartridge firmly against sprayer.
- Grasp top portion of cartridge and twist

counterclockwise to "Lock" position.

Turn water on at faucet.

[ILLUSTRATION] [ILLUSTRATION]

Water Control Knob Adjustment:

- Turn water control knob on sprayer to • position.
- Pull trigger to spray: Sprayer automatically delivers the proper spray solution

[ILLUSTRATION]

When Finished:

- Twist cartridge in clockwise direction to "UNLOCK" position and remove.
 Cartridge automatically reseals itself.
- Flush water through sprayer to clean.
- Re-attach base cup to cartridge for storage, if necessary. Cartridges contain liquid concentrate product that can be reused.