DANGER – POISON – PRECAUTIONS



DO NOT TOUCH



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin. in eyes or on clothing (liquid goes through clothes)

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal

Formulations containing this product should not be applied under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds Do not contaminate water by cleaning of equipment or disposal of wastes

Chevron Chemical Company

EPA Reg. No. 239-944-AA

STOP • READ LABEL BEFORE USING!

POISON See Side Panels for Antidote & **Precautions**

t Pentera n setti on signa († sanjto)

NOT FOR HOME USE

NFT WFIGHT

CHEVRON® Parathion **25 Dust Concentrate**



DANGER **Keep Out of**

Reach of Children


5. - 8. + - + ≠ ₹

USE ONLY WH EQUIPMENT A

(1) Wear watershoes (2) Wear by the U.S. Bur duty, natural rub

WORK SAFETY Keep all unprote where there is da Do not rub eyes STOP work and hospital - immed thion and descri Treatment Section or hospital IMPORTANT Be Always wash har

ing, eating or drin AFTER WORK, ta and water Wear contaminated clo ment with soap a and filter replace



Parathion is a contact with all must be removed medical treatmen Some of the sign vomiting, cramps in chest, labored drooling or frothi

FIRST AL

Call a doctor (p) the victim has b If breathing has maintain until do If swallowed an Induce vomiting strong salty wate thing by mouth keep quiet. See di In case of cont water for at leas

IRTHO EVRON® Parathion Dust Concentrate

• READ LABEL BEFORE USING!

SON Cor & Cons



DANGER

Keep Out of Reach of Children

FOR HOME USE WEIGHT

EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber over shoes (2) Wear safety goggles (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection (4) Wear heavy duty, natural rubber gloves

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash pritective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive promptmedical treatment or they may die.

Some of the signs and symptoms of poisoning are. Headache, nauseavomiting, cramps, weakness, blurred vision, pice aint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose; muscle spasms and coma

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. **If breathing has stopped**, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly Induce vomiting by sticking finger down throat or by giving soapv or strong salty water to drink. Repeat until vomit is clear. Never give any thing by mouth to an unconscious person. Have victim he down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing indiction. Son doi: to minutes the

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE

NOTE TO PHYSICIANS

Emergency Information call (415) 233/377 Antidote administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitil affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH DANGER STATEMENTS AND DIRECTIONS, AND WITH APPLI-CABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER

BEFORE DISCARDING THIS CONTAINER, FILL IT WITH WATER, ADDING 3 TABLESPOONFULS CAUSTIC (ALKALINE) SUBSTANCE, SUCH AS WASHING SODA (SODIUM CARBONATE) OR LIME. ALLOW THE CONTAINER WITH WATER AND CAUSTIC TO STAND OVERNIGHT. BURY THE WASHINGS. EMPTY DRUMS MUST NOT BE USED IN ANY CONNECTION WITH FEED, FOOD OR DRINK-ING WATER. DESTROY BY PUNCHING HOLES IN THE CONTAINER AND BURYING IN A SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN-OFF. NEVER RE USE

THIS PRODUCT IS FOR USE ONLY BY ECONOMIC POISONS REGISTRANTS IN THE FURTHER PREPARATION OF OTHER ECU-NOMIC POISONS. DO NOT USE FOR ANY OTHER PURPOSE.

This product is compatible with most non-alkaline materials for multipurpose formulation use **This product is not to be used around homes or home gardens**.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevroir) warrants that this material conforms to the chemical description call the label and is reasonably fit for use as directed hereon. Chevron neither makes nor authorizes any agent or representative to make any other warranty of FITNESS or of MERCHANTABILITY quarantee or representation express or implied concerning this material.

2. Critical and inforeseeable factors beyond Chevron's control prevent of from eliminating all ricks in connection with the use of chemicals. Such risks include but are not limited to damage to plants and copyto which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated bereon and even though onel directions are followed. Buyer and user arknowledge and a some all risks and liability (except those assumed by Chevron under the product is reasonable for the uses stated bereon under

Parathion Oncentrate

1

BEL BEFORE USING!



DANGER Keep Out of Reach of

Children

																						By Wt.
				•								•	•	•				•		•		25%
•	•	•	•		•	•	·	•	•					•	•	٠		•	•		•	75%

٩.

USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital — immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIANS

Emergency Information – call (415) 233-3737. Antidote – administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH DANGER STATEMENTS AND DIRECTIONS, AND WITH APPLI-CABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

BEFORE DISCARDING THIS CONTAINER, FILL IT WITH WATER, ADDING 3 TABLESPOONFULS CAUSTIC (ALKALINE) SUBSTANCE, SUCH AS WASHING SODA (SODIUM CARBONATE) OR LIME. ALLOW THE CONTAINER WITH WATER AND CAUSTIC TO STAND OVERNIGHT. BURY THE WASHINGS. EMPTY DRUMS MUST NOT BE USED IN ANY CONNECTION WITH FEED, FOOD OR DRINK-ING WATER. DESTROY BY PUNCHING HOLES IN THE CONTAINER AND BURYING IN A SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN-OFF. NEVER RE-USE.

THIS PRODUCT IS FOR USE ONLY BY ECONOMIC POISONS REGISTRANTS IN THE FURTHER PREPARATION OF OTHER ECO-NOMIC POISONS. DO NOT USE FOR ANY OTHER PURPOSE,

This product is compatible with most non-alkaline materials for multipurpose formulation use. This product is not to be used around homes or home gardens.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.