

# Ortho Methoxychlor 75-3 Seed Protectant

**[INSECTICIDE-FUNGICIDE]**  
**NET WEIGHT 100 LBS.**



Active Ingredients By Wt.  
 Captan\* ..... 75%  
 Methoxychlor, Technical\*\* ..... 3%  
 Inert Ingredients ..... 22%  
 \*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide.  
 \*\*Equivalent to 2.64% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and .36% of other isomers and related compounds.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

**STORE IN A COOL, DRY PLACE  
 PROTECT FROM EXCESSIVE HEAT.**

WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE. ORTHOCIDE Methoxychlor 75-3 Seed Protectant is a special formulation containing ORTHOCIDE (Captan) and Methoxychlor for seed treatment application. It is used in preventing seed rot and damp-off diseases on germinating seeds and seedlings and smut on onion and hulled sorghum seeds. It also protects treated seed against stored grain insects.

USE ISOTOX 25 SEED TREATER (F) OR ISOTOX 75 SEED TREATER in combination with ORTHOCIDE Methoxychlor 75-3 Seed Protectant when treating seed to be planted in soil infested with seed corn maggot and wireworms.

SLURRY TREATMENT: When used in slurry treaters, do not allow mixtures to stand overnight.

GLADIOLUS CORMS: For Prevention of Bulb Rot—Use 1½ ozs. in 1 gal. water (1 lb. to 10 gals.). Soak bulbs in mixture 20 to 30 minutes.

ONION SEED FELLETTING: Use 1 pound ORTHOCIDE Methoxychlor 75-3 Seed Protectant per 1 pound of seed.

THE FOLLOWING TABLE gives amounts of ORTHOCIDE Methoxychlor 75-3 Seed Protectant to use on various seeds.

SEED	Dosage Rate	Lbs. Seed Treated/Lb. of Product
CORN—Field	1¼ oz/100 lbs. ¾ oz/bu	1280

**CAUTION**      **READ THE LABEL**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** Avoid inhalation of dust. Wear a respirator. Avoid contact with skin. Avoid contamination of feed and food-stuffs. Do not use on baby lima beans. Do not use treated seed for human consumption. Treated seed should be labeled as follows: "TREATED SEED, DO NOT USE FOR FOOD, FEED OR OIL." Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Dispose of excess treated seeds by burial. Apply this product only as specified on this label.

SEED	Dosage Rate	Lbs. Seed Treated/Lb. of Product	
Corn—Sweet	2½ oz/100 lbs. 1½ oz/bu	600	
WHEAT	For Seed and Seedling Rots. Not for Bunt Smut	1¼ oz/100 lbs. ¾ oz/bu	1280
OATS	2 oz/100 lbs. ¾ oz/bu	800	
BARLEY	1½ oz/100 lbs. ¾ oz/bu	1070	
FLAX	2½ oz/100 lbs. 1½ oz/bu	640	
BEANS (Except Baby Limas), PEAS	1¾ oz/100 lbs. 1 oz/bu	910	
CUCUMBERS CANTALOPE	2 oz/100 lbs.	800	
SQUASH PUMPKIN WATERMELON	1½ oz/100 lbs.	1200	

SEED	Dosage Rate	Lbs. Seed Treated/Lb. of Product
BEETS, SWISS CHARD	8 oz/100 lbs.	200
SUGAR BEETS	8 oz/100 lbs.	200
CLOVER	5½ oz/100 lbs.	290
ALFALFA	3½ oz/bu	
SOYBEANS	1½ oz/100 lbs. 1 oz./bu	960
COTTON— Acid Delinted	2 oz/100 lbs.	800
COTTON— Machine Delinted Fuzzy (not delinted)	3 oz/100 lbs.	530
BLUE GRASS	5½ oz/100 lbs.	290
CABBAGE CAULIFLOWER BROCCOLI, BRUSSELS SPROUTS	1 oz/100 lbs.	1600
SPINACH	4 oz/100 lbs.	400
SORGHUM hulled (Kernel Smut)	3 oz/100 lbs.	530
PEPPERS (Calif. Wonder)	2 oz/100 lbs.	800
COWPEAS	2 oz/100 lbs. 1¼ oz/bu	800
RICE	2¼ oz/100 lbs.	710
RYE	1¾ oz/100 lbs.	910

**CONDITIONS OF SALE:** 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

**TYPE**

239-987

3/18/1971

Page 172

CHEVRON CHEMICAL COMPANY



GRAND...

270

RECEIVED

**ACCEPTED**

MAR 8 1971

UNDER THE FEDERAL RESERVE  
 FUNCTIONS AND MODERNIZATION  
 ACT UNDER NO. 38-982