

ORTHO[®] Methoxychlor 75-3 Seed Protectant



ORTHO

(INSECTICIDE-FUNGICIDE)

| | |
|---------------------------|--------|
| Active Ingredients | By Wt. |
| Captan* | 75% |
| Methoxychlor, Technical** | 3% |
| Inert Ingredients | 22% |

*N-(trichloromethyl)hio]-4-cyclohexene-1,2-dicarboximide.
**Equivalent to 2.64% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and .36% of other isomers and related compounds.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

STORE IN COOL, DRY PLACE.
PROTECT FROM EXCESSIVE HEAT.

WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

ORTHO[®] Methoxychlor 75-3 Seed Protectant is a special formulation containing ORTHOCIDE (Captan) and Methoxychlor for seed treatment application. It is used in preventing seed rot and damp-off diseases on germinating seeds and seedlings and smut on onion and hulled sorghum seeds. It also protects treated seed against stored grain insects.

USE ISOTOX 75 SEED TREATER in combination with ORTHOCIDE Methoxychlor 75-3 Seed Protectant when treating seed to be planted in soil infested with seed corn maggot and wireworms.

SLURRY TREATMENT: When used in slurry treaters, do not allow mixtures to stand overnight.

GLADIOLUS CORMS: For Prevention of Bulb Rot—Use 1½ ozs. in 1 gal. water (1 lb. to 10 gals.). Soak bulbs in mixture 20 to 30 minutes.

NET WEIGHT

Chevron Chemical Company

Ortho Division/San Francisco, Calif. 94119

Richmond, California Fresno, California

Des Moines, Iowa Perth Amboy, New Jersey Orlando, Florida

Form 4675-N EPA Reg. No. 239-987 Product 2575 Made in U.S.A.

ONION SEED PELLETING: Use 1 pound ORTHOCIDE Methoxychlor 75-3 Seed Protectant per 1 pound of seed.

THE FOLLOWING TABLE gives amounts of ORTHOCIDE Methoxychlor 75-3 Seed Protectant to use on various seeds.

| SEED | Dosage Rate | Lbs. Seed Treated/Lb. of Product |
|---------------------------------------|----------------------------|----------------------------------|
| CORN—Field ✓ | 1¼ oz/100 lbs. ¾ oz/bu | 1280 |
| Corn—Sweet ✓ | 2¾ oz/100 lbs. 1½ oz/bu | 600 |
| WHEAT ✓ | 1¼ oz/100 lbs. ¾ oz/bu | 1280 |
| RYE ✓ | 1¼ oz/100 lbs. | 910 |
| OATS ✓ | 2 oz/100 lbs. ¾ oz/bu | 800 |
| BARLEY ✓ | 1½ oz/100 lbs. ¾ oz/bu | 1070 |
| FLAX ✓ | 2½ oz/100 lbs. 1½ oz/bu | 640 |
| BEANS (Except Baby Limas), PEAS ✓ | 1¼ oz/100 lbs. 1 oz/bu | 910 |
| CUCUMBERS ✓ CANTALOUPE ✓ | 2 oz/100 lbs. | 800 |
| SQUASH ✓ PUMPKIN ✓ WATERMELON ✓ | 1½ oz/100 lbs. | 1200 |



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: Avoid inhalation of dust. Wear a respirator. Avoid contact with skin. Avoid contamination of feed and food-stuffs. Do not use on baby lima beans. Do not use treated seed for human consumption. Treated seed should be labeled as follows: "TREATED SEED, DO NOT USE FOR FOOD, FEED OR OIL." Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is toxic to fish. Keep out of lakes, streams or ponds. Dispose of excess treated seeds by burial. Apply this product only as specified on this label.

| SEED | Dosage Rate | Lbs. Seed Treated/Lb. of Product |
|--|----------------------------|----------------------------------|
| BEETS, ✓ SWISS CHARD ✓ | 8 oz/100 lbs. | 200 |
| SUGAR BEETS ✓ | 8 oz/100 lbs. | 200 |
| CLOVER ✓ | 5½ oz/100 lbs. | 290 |
| ALFALFA ✓ | 3½ oz/bu | |
| SOYBEANS ✓ | 1¾ oz/100 lbs. 1 oz./bu | 960 |
| COTTON— Acid Delinted ✓ | 2 oz/100 lbs. | 800 |
| COTTON— Machine Delinted Fuzzy (not delinted) ✓ | 3 oz/100 lbs. | 530 |
| BLUE GRASS ✓ | 5½ oz/100 lbs. | 290 |
| CABBAGE ✓ CAULIFLOWER ✓ BROCCOLI ✓ BRUSSELS SPROUTS ✓ | 1 oz/100 lbs. | 1600 |
| SPINACH ✓ | 4 oz/100 lbs. | 400 |
| SORGHUM ✓ hulled (Kernel Smut) | 3 oz/100 lbs. | 530 |
| PEPPERS ✓ | 2 oz/100 lbs. | 800 |
| COWPEAS ✓ | 2 oz/100 lbs. 1¼ oz/bu | 800 |
| RICE ✓ | 2¼ oz/100 lbs. | 710 |

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

TYPE

239-987

8/20/1973

Page 172

11
10
9
8
7
6
5
4
3
2
1

11
10
9
8
7
6
5
4
3
2
1

ACCEPTED

AUG 20 1973

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ORGANIC POISON REGISTER
 ED UNDER NO. SUBJECT
 TO ATTACHED COMMENTS.

239 - 987