


# ORTHO<sup>®</sup> Methoxychlor 75-3 Seed Protectant



# ORTHO

EPA Est. 239-MO-1

## (INSECTICIDE-FUNGICIDE)

CONTAINS BINDER

Active Ingredients

*Captan .....	By Wt.	75%
**Methoxychlor, Technical .....		3%
Inert Ingredients .....		22%
*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide.		
**Equivalent to 2.64% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and .36% of other isomers and related compounds.		

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

STORE IN COOL, DRY PLACE.

PROTECT FROM EXCESSIVE HEAT.

WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER REUSE.

ORTHO<sup>®</sup> Methoxychlor 75-3 Seed Protectant is a special formulation containing ORTHOCIDE (Captan) and Methoxychlor for seed treatment application. ORTHOCIDE Methoxychlor 75-3 Seed Protectant now contains a binder which helps to adhere the treator to the seed so that there is minimum loss during processing and planting. Has no adverse effect on seed germination or planting rate. It is used in preventing seed rot and damp-off diseases on germinating seeds and seedlings and smut on onion and hulled sorghum seeds. It also reduces losses from Cadelle, Rice Weevil, Confused Flour Beetle, Angoumois Grain Moth and Indian Meal Moth during preplanting storage of clean seed.

Use ISGTOX Seed Treater (75) in combination with ORTHOCIDE Methoxychlor 75-3 Seed Protectant when treating seed to be planted in soil infested with seed corn maggot and wireworms.

**DIRECTIONS:** Apply as a slurry treatment. The recommended amount of product should be mixed with the required amount of water for the slurry treator machine to be used. Do not allow slurry mixtures to stand overnight in the machine. Clean out equipment thoroughly between treating operations.

## NET WEIGHT

**Chevron Chemical Company**

Ortho Division/San Francisco CA 94119

Product 2575 Made in U.S.A.

Form 4675-V

EPA Reg. No. 239-987

Richmond CA 94804

**GLADIOLUS CORMS:** For Prevention of Bulb Rot—Use 1½ oz. in 1 gal. water (1 lb. to 10 gals.). Soak bulbs in mixture 20 to 30 minutes.

**ONION SEED PELLETTING:** Use 1 lb. ORTHOCIDE Methoxychlor 75-3 Seed Protectant per 1 lb. of seed.

THE FOLLOWING TABLE gives amounts of ORTHOCIDE<sup>®</sup> Methoxychlor 75-3 Seed Protectant to use on various seeds. Do not use on baby lima beans.

SEED	Dosage Rate	Lbs. Seed Treated/Lb. of Product
CORN—Field	1¼ oz/100 lbs. ¾ oz/bu.	1280
CORN—Sweet	2¾ oz/100 lbs. 1½ oz/bu.	600
WHEAT	1¼ oz/100 lbs. ¾ oz/bu.	1280
RYE	1¾ oz/100 lbs.	910
OATS	2 oz/100 lbs. ¾ oz/bu.	800
BARLEY	1½ oz/100 lbs. ¾ oz/bu.	1070
FLAX	2½ oz/100 lbs. 1½ oz/bu.	640
BEANS (Except Baby Limas),	1¾ oz/100 lbs.	910
PEAS	1 oz/bu.	



### READ THE LABEL

### CAUTION:

May cause eye irritation. Do not get in eyes. Avoid contact with skin. Avoid inhalation of dust or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. In case of eye contact, immediately flush eyes with plenty of clear water. Get medical attention if eye irritation persists. Wash hands after use.

**Note to Physicians:** Emergency Information — call (415) 233-3737. Avoid contamination of feed or foodstuffs. Do not use treated seed for human consumption. Do not feed treated seed to animals. Treated seed should be labeled as follows: "TREATED SEED. DO NOT USE FOR FOOD, FEED OR OIL." Dispose of container promptly when empty. Do not reuse.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

SEED	Dosage Rate	Lbs. Seed Treated/Lb. of Product
CUCUMBERS	2 oz/100 lbs.	800
CANTALOUPE		
SQUASH	1½ oz/100 lbs.	1200
PUMPKIN		
WATERMELON		
BEETS,	8 oz/100 lbs.	200
SWISS CHARD		
SUGAR BEETS	8 oz/100 lbs.	200
CLOVER	5½ oz/100 lbs.	290
ALFALFA	3½ oz/bu.	
SOYBEANS	1¾ oz/100 lbs. 1 oz/bu.	960
COTTON—		
Acid Delinted	2 oz/100 lbs.	800
COTTON—		
Machine Delinted	3 oz/100 lbs.	530
Fuzzy (not delinted)		
BLUE GRASS	5½ oz/100 lbs.	290
CABBAGE	1 oz/100 lbs.	1600
CAULIFLOWER		
BROCCOLI,		
BRUSSELS SPROUTS		
SPINACH	4 oz/100 lbs.	400
SORGHUM	3 oz/100 lbs.	530
hulled (Kernel Smut)		
PEPPERS	2 oz/100 lbs.	800
COWPEAS	2 oz/100 lbs. 1¼ oz/bu.	800
RICE	2¼ oz/100 lbs.	710

**CONDITIONS OF SALE:** 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

# TYPE

239-987  
8/19/1976  
Page 1 of 1