239-1116 PM 21

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

[illegible] irreversible eye damage. May cause allergic skin reactions. Harmful if swallowed or inhaled. [illegible] goggles or face shield when handling. [illegible] clothing. Avoid breathing of [illegible] Wash hands after use. Remove and launder [illegible] before use.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed, drink large amount of water to dilute, induce vomiting and call a doctor. For skin contact, wash with plenty of water. See a doctor if irritation occurs or persists. [illegible]

Note to Physicians: Emergency information [illegible] 237

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is [illegible] when weather conditions favor runoff or drift [illegible]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

[illegible]

STORAGE AND DISPOSAL

PROHIBITIONS

[illegible]

STORAGE

[illegible]

PESTICIDE DISPOSAL

[illegible]

CONTAINER DISPOSAL

[illegible]

ORTHO

ORTHOCIDE®

Sulfur 10-25 Dust

(FUNGICIDE)

ACCEPTED
4/30/84
AR 780004
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under
EPA Reg. No. 239-1116

Active Ingredients	By Wt.
Sulfur	9.5%
Related Derivatives	0.5%
Sulfur	25.0%
Inert Ingredients	65.0%

*Tetrahydrophthalimide-4-cyclohexene-1,2-dicarboximide.

KEEP OUT OF REACH OF CHILDREN

DANGER–PELIGRO

FOR AGRICULTURAL USE ONLY. DO NOT STORE IN AREAS ACCESSIBLE TO CHILDREN.

PRECAUCION AL USUARIO: Si usted no lee [illegible] producto [illegible] no es aplicado [illegible]

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Chevron Chemical Company

NET WEIGHT 50 POUNDS

DIRECTIONS

This product is formulated for application by ground or air equipment.

Some fruits and other plants are susceptible to injury from sulfur under certain climatic conditions. The user is advised not to use sulfur on any crop unless local use has proved that it is safe and does not damage crops in that locality.

CELERY: Pink Rot, Damp-Off (Field)—20 lbs. per acre. Seed treatment 35 to 40 lbs. per acre. Apply when all seeds have germinated. Repeat as necessary.

GRAPES: Botrytis Rot (Bunch Rot), Powdery Mildew, Silver Mite, Storage Rots—40 to 50 lbs. per acre. Make 2 applications before [illegible] and 1 application just after bloom. Repeat period [illegible] up to 3 cover applications before bunches close.

PEACHES: Brown Rot, Storage Rots, Powdery Mildew, Silver Mite, Peach Scab—50 lbs. per acre. Make 2 to 3 prebloom applications. Repeat at petal fall and 3 to 4 covers as necessary. [illegible] insect application where necessary.

POTATOES: Early and Late Blight—Begin applications when plants are 2 to 4 inches high and repeat at 7 to 10 day intervals as diseases threaten. Apply 25 to 30 lbs. per acre.

ROSES (Field): Rust, Powdery Mildew—35 to 40 lbs. per acre. [illegible] to give even coverage of upper and lower leaf surfaces [illegible] disease. Repeat at regular intervals as necessary [illegible]

SOIL TREATMENT: Preplanting for Pink Rot, Damp Off on Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Eggplant, Lettuce, Peas, Peppers, Spinach, Sweet Corn, Tomatoes—[illegible] lbs. per acre. Dust or broadcast, then disk into [illegible] surface.

SPINACH (seedling stage only): Downy Mildew, Powdery Mildew—[illegible] per acre. Apply when [illegible] intervals as [illegible]

STRAWBERRIES: Botrytis Rot, Powdery Mildew—30 lbs. per [illegible]

TOMATOES: Established Plants: Early Blight, Late Blight, Anthracnose, Russet Mite—[illegible]

[illegible] possible drift to food, [illegible] be damaged or the crops [illegible] for safe use or consumption.

[illegible]