

S ORTHO





Couses irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear gaggles or face shield when handling. Avoid contact with skin and clothing. Avoid inhalation of dust. Remove and separately launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed contact physician, paison control center, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and a copy of the label or technical bulletin to the nearest emergency treatment facility. For skin contact, wash with plenty of soop and water. See a doctor if irritation occurs or rash develops. If inhaled, remove person from exposure area.

Note to Physicians: Emergency Information - call (415) 233-

ENVIRONMENTAL HAZARDS

3737.

This product is toxic to fish. Do not apply directly to water or wetlar Js (swamps, bogs, marshes and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DELETED CROP FROTATION RESTRICTION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

(FUNGICIDE)

Active Ingredients		•	By Wi
*Capton			9.8%
Related	Derivatives		0.23
Inert Ingredients			
*N-Trichle	promethyl thi	o-4-cyclohexen:-1,2-dicarboximid	e.

DANGER-PELIGRO

FOR AGRICULTURAL USE ONLY. DO NOT STORE IN AREAS ACCESSIBLE TO CHILDREN.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Chevron Chamical Company © 1984

Ortho Agricultural Chemicals Division

San Francisco CA 94120-7144

Product 2600 Made in U.S.A.

Form 5218-A2 EPA Est. 239-CA-2

EPA Reg. No. 239-1116-AA

NET WEIGHT 50 POUNDS

DELETED - CELERY, POTATOES, SOIL TREATMENT & SPWACH:

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift.

Do not allow persons to enter treated areas within 4 days following application unless a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn. Conspicuously post reentry information at site of application.

Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further Written or oral warnings regarding use of protective whing, reentry times and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

DII

Mixers/loaders when mixing and loading . product must wear a long sleeved shirt and long pants or a co erall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

Fieldworkers and harvesters must wear chemical resistant gloves if entering treated areas within 4 days following application.

Leather or fabric gloves are not acceptable.

A dust mask must be worn when mixing and loading this product. During application only, from a tractor with a completely enclosed cab or from an aircraft with an enclosed cockpit a long sleeved shirt and long legged pants must be worn. Chemically resistant gloves must be available in the cab or cockpit and worn while exiting.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed occording to state and local regulations.

roduct is formulated for application by ground or air This equ ent.

Some fruits and other plants are susceptible to injury from sulfur under certain climatic conditions. The user is advised not to use sulfur on any crop unless local use has proved that sulfur does not damage crops in that locality.

GRAPES: Botrytis Rot (Bunch Rot), Powdery Mildew, Silver Mite, Storage Rots-Use 40 to 50 lbs. per acre. Make 2 applications before bloom and 1 application just after bloom. Repeat periodically making up to 3 cover applications before bunches close

PEACHES: Brown Rot, Storage Rots, Powdery Mildew, Silver Mile, Peach Scab-Use 50 lbs. per acre. Make 2 to 3 prebloom applications. Repeat at petal fall and 3 to 4 covers as necessary. Make preharvest application where necessary,

ROSES (Field): Rust, Powdery Mildew-Use 35 to 40 lbs, per acre. Apply to give even coverage of upper and lower leaf surfaces at lirst sign of disease. Repeat at regular intervals as necessary lo maintain control.

STRAWBERRIES: Bolrylis Rot, Powdery Mildew-Use 30 lbs. per ocre immediately after picking. Repeat applications after picking os necessary.

TOMATOES (Established Plants): Farly Blight, Late Blight Anthracnose, Russet Mite—On young plants, opply 25 to 30 lbs. per acre, increasing to 35 to 40 lbs. per acre an mature plants. Apply at first sign of insects and diseases. Repeat at 5 to 7 day intervals as necessary for control. Because of the sulfur content of this dust, first obtain permission from your canner or processor before using it on tomatoes intended for sale to such canner or processor.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

COMPATIBILITY: Do not use this product on foliage closely following oil sprays.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container.

Store in cool, dry place.

Protect from excessive heat.

Do not store or transport near feed or food. For help with any spill, leak, fire or exposure involving this

material, call doy or night (415) 233-3737.

PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Do not reuse container. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the lobel and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes ony agent or, representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of . chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably lit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all tisks: and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.