



NET WEIGHT 50 LBS.

COLLARDS, KALE, SPINACH: Aphids, Armyworms—40 to 50 per acre. Cabbage Looper, Imported Cabbage Worm, Grasshoppers, Leafhoppers, Salt Marsh Caterpillar, Mites, Cutworms (Climbing), Dipterous Leafminer (Adults), Lygus Bugs, Corn Earworm, False Chinch Bug—50 lb. per acre. Do not apply within 2 days of harvest.

PHOSDRIN* 2 Dust

MAY 22, 197



POISON

4. IF SWALLOWED: — If Swallowed, Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then lie down on the left and keep quiet. **CALL A PHYSICIAN IMMEDIATELY.** **Note to Physicians:** Atropine, Antacid, 2 cc. of 1% solution for adults and 1 cc. for children. Enteric Co. Injection 1 cc. for children.

5. IF ON SKIN: Remove contaminated clothing and wash skin immediately with soap and water. **CALL A PHYSICIAN IMMEDIATELY.**

DANGER:

KEEP OUT OF REACH OF CHILDREN
DO NOT TAKE INTERNALLY
DO NOT INHALE
DO NOT GET ON SKIN

DANGER:

DANGER: May Be Fatal If Swallowed, Inhaled or Absorbed Through Skin. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for phosdrin protection. Rapidly Absorbed Through Skin. Do not get in eyes, on face, or clothing. Wear natural rubber gloves, protective clothing and rubber boots if contact with skin is immediate, with soap and water wash hands and face thoroughly with soap and water. If absorbed or absorbed through contaminated clothing remove clothing with care and wash thoroughly. Keep all unprotected persons and animals out of operating area or vicinity where phosdrin is being used. Do not wear it on food crops. Do not be re-exposed to phosdrin. Phosdrin and its volatile residues have no odor. Do not store or transport in food containers. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

[illegible]

CORN (Field, Sweet and Popcorn) For Forage and Grain: Aphids
15 to 25 ♀s per plant

GRAPES: Leafroller, Leaf Folder, Leafhopper, Lygus Bugs, Red Spider Mites, Aphids—40 to 50 lbs. per acre. Do not apply within 7 days of harvest.

LETTUCE: Aphids, Armyworms, Cabbage Looper, Grasshoppers, Leafhoppers, Salt Marsh Caterpillar, Cutworms (Climbing), Diterous Leafminer (Adults), Lygus Bugs, Corn Earworm, False Chinch Bug—50 lbs. per acre. Do not apply within 4 days of harvest.

ONIONS (including green onions): **Thrips, Cutworms (Climbing)**—15 to 25 lbs. per acre.

PEAS, CUCUMBERS, TOMATOES, PEPPERS: Aphids, Mexican Bean Beetles—15 to 25 lbs. per acre. Grasshoppers, Leafhoppers, Mites—25 lbs. per acre.

POTATOES: Aphids, Grasshoppers, Leafhoppers, Mites—12 lbs
Per acre.

SORGHUM For Forage and Grain: Aphids - 15 to 25 lbs. per acre.
For Grain Only--Corn Earworm - 25 lbs. per acre. Do not apply
within 3 days of harvest.

STRAWBERRIES: Aphids, Mites, Thrips--15 to 25 lbs. per acre.
Grasshoppers, Strawberry Leaf Roller, Salt-Marsh Caterpillar,
Lygus Bugs--25 to 50 lbs. per acre.

TURNIP TOPS, MUSTARD GREENS: Aphids—15 to 25 lbs. per acre
Cabbage Looper, Imported Cabbage Worm, False Chinch Bug,
Winged Leafminer (Adult), Grasshopper, Leafhopper, Mites - 75
lb. per acre. Do not apply within 3 days of harvest.

CONDITIONS OF SALE: 1. Chevron Chemical Company, hereby warrants that the product conforms to the chemical composition and physical properties set forth on the product label. 2. The company disclaims any liability for injury or damage to persons or property, or for any loss of profits or business, or for any other damages, arising out of the use of this product. 3. The company disclaims any warranty of FIFES and MRLs of the EPA, guarantee or representation, express or implied, made in this material.

[illegible]

Shell Registered Trademark

CHEVRON CHEMICAL COMPANY

Made in U. S. A.

CHERRY HILL, NEW JERSEY

HONOLULU, HAWAII

ORLANDO, FLORIDA