

ORTHO Lindane Borer & Leaf Miner Spray



ORTHO

Lindane Borer & Leaf Miner Spr

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL DANGER STATEMENTS AND DIRECTIONS
KEEP PESTICIDE IN ORIGINAL CONTAINER DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS
Do not store diluted spray. Make new dilution for each use. 2 Tablespoonfuls = 1 ounce

BORERS AND OTHER INSECTS	TREES OR SHRUBS	DOSAGE	TIME TO APPLY
LEAF MINERS	Elm Birch Locust	1 teaspoonful 1 gal water	Apply when small miners appear in early and mid May. For Locust - early July
TWIG GIRDLER	Junipers	1 Tablespoonful 1 gal water	Make 2 applications at 30 day intervals. No Calif. - June and Mid July. So. Calif. - April and May
PINE BARK BEETLES	Pines	1 pint 5 gals water	Spray trunks thoroughly - wet trunks to run off
WHITE PINE WEEVIL	Pine Spruce	1 Tablespoonful 1 gal water	Apply late April when buds begin to swell. Spray upper parts of trees thoroughly
TAXUS WEEVIL	Taxus Hemlock	1 Tablespoonful 1 gal water	Apply in May or early June to the trunks and around base of trees soaking the bark and wetting the soil surface
FRUIT TREE BARK BEETLES FLAT HEADED BORERS ROUND HEADED BORERS	Apples, Cherries, Peaches	1 Tablespoonful 1 gal water (3 pints 100 gals water)	Apply to bark of tree trunk and large limbs in spring. Apply to trunk crotch to ground. Soak bark to run off. Do not apply to fruit or foliage. Do not apply within 60 days of harvest
BARK BEETLES WOOD BORING BEETLES	Maple, Aspen, Poplar, Ash, Willows, Elm, Locust	2 Tablespoonfuls 1 gal water (3 pints 50 gals water)	Apply in spring when buds begin to break. Repeat in 10-14 days. Elms - During summer, repeat in fall - soak trunks to run off. Do not apply to foliage
PEACH TREE BORER	Peaches	1 Tablespoonful 1 gal water (3 pints 100 gals water)	Spray lower trunk and around base of tree, soaking bark and wetting trunk from crotch to ground. Do not apply to fruit or foliage
DOGWOOD BORER RHODODEN- DRON BORER LILAC BORER	Dogwood Rhododendron Lilac	1 Tablespoonful 1 gal water	Make 2 to 3 applications 7 to 10 days apart in May and early June
IRIS BORER	Iris	1 teaspoonful 1 gal water	In early spring, destroy old leaves. Apply ORTHO Lindane Borer & Leaf Miner Spray during April and May

DANGER: Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. May be fatal if swallowed or absorbed through the skin. Do not breathe vapor or spray mist. Use waterproof gloves and face shield or goggles when handling concentrate. In case of contact, immediately flush eyes or skin with plenty of fresh water. For eyes get medical attention. Do not use on humans or household pets. Keep children and animals away from treated areas until spray has dried.

Note to Physicians: Emergency Information - call (415) 233-3737

Avoid contamination of feed and foodstuffs. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. When container is empty, immediately wash thoroughly and destroy. Never reuse.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company


Ortho Division, San Francisco, CA 94119 - Richmond, CA 94804

Product 1173 - Made in U.S.A.

Form 64-59 (1)

EPA Reg. No. 239-1173-AA

Contains 20% Lindane -
Kills Insects
Pine Bark Beetles, Flat
Headed Borers, Peach
Tree Borers, Twig Girdlers



Active Ingredients
Lindane -
Gamma Isomer of Benzene Hexachloride
Aromatic Petroleum
Derivative Solvent
Inert Ingredients

DANGER: Keep out of reach of children.
Read danger statements on back panel.

NET CONTENTS 1 PINT LIQUID

Pine Borer & Leaf Miner Spray

IN ACCORDANCE WITH LABEL DANGER STATEMENTS AND DIRECTIONS
NEVER DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS
Dose for each use: 2 Tablespoonfuls = 1 ounce

TREE OR SHRUBS	DOSAGE	TIME TO APPLY
Aspen, Locust	1 Teaspoonful 1 gal. water	Apply when small miners appear in early and mid May. For Locust - early July.
Maple	1 Tablespoonful 1 gal. water	Make 2 applications at 30 day intervals. No Calif. - June and Mid July. So. Calif. - April and May.
Apple	1 pint 5 gals. water	Spray trunks thoroughly - wet trunks to run off.
Pine	1 Tablespoonful gal. water	Apply late April when buds begin to swell. Spray upper parts of trees thoroughly.
Hemlock	1 Tablespoonful 1 gal. water	Apply in May or early June to the trunks and around base of trees soaking the bark and wetting the soil surface.
Cherries, Apples	1 Tablespoonful 1 gal. water (3 pints 100 gals. water)	Apply to bark of tree trunk and large limbs in spring. Apply to trunk crotch to ground. Soak bark to run off. Do not apply to fruit or foliage. Do not apply within 60 days of harvest.
Aspen, Poplar, Willow, Elm	2 Tablespoonfuls 1 gal. water (3 pints 50 gals. water)	Apply in spring when buds begin to break. Repeat in 10-14 days. Elms - During summer repeat in fall - soak trunks to run off. Do not apply to foliage.
Apple	1 Tablespoonful gal. water (3 pints 100 gals. water)	Spray lower trunk and around base of tree soaking bark and wetting trunk from crotch to ground. Do not apply to fruit or foliage.
Apple, Rhododendron	1 Tablespoonful 1 gal. water	Make 2 to 3 applications 7 to 10 days apart in May and early June.
Apple	1 Teaspoonful 1 gal. water	In early spring destroy old leaves. Apply ORTHO Lindane Borer & Leaf Miner Spray during April and May.

Irritation: Do not get in eyes, on skin or on clothing. May be fatal if swallowed or absorbed through the skin. Do not wear gloves and face shield or goggles when handling concentrate. In case of contact immediately flush eyes or skin with water. Get medical attention. Do not use on humans or household pets. Keep children and animals away from treated areas until dry.

For more information - call (415) 233-3737

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. When container is empty immediately wash thoroughly.

Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when wind is blowing. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified.

Do not apply to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Office.

For safety and use not in accordance with directions.

Company


CA 948-4



ORTHO

Lindane Borer & Leaf Miner Spray

Contains 20% Lindane -
Kills Insects
Pine Bark Beetles, Flat
Headed Borers, Peach
Tree Borers, Twig Girdlers



Active Ingredients	By wt.
Lindane - Gamma Isomer of Benzene Hexachloride	20%
Aromatic Petroleum Derivative Solvent	59%
Inert Ingredients	21%

DANGER: Keep out of reach of children.
Read danger statements on back panel.

NET CONTENTS 1 PINT LIQUID



ORTHO Lindane Borer & Leaf Miner Spray

Directions: Apply to foliage of trees and shrubs. Spray thoroughly, covering all surfaces. Repeat applications as needed.

Use: Apply to foliage of trees and shrubs. Spray thoroughly, covering all surfaces. Repeat applications as needed.

Caution: Do not spray on windy days. Avoid contact with eyes, nose, and mouth. Do not use in enclosed spaces.

First Aid: If in eyes, flush with water. If on skin, wash with soap and water. If inhaled, move to fresh air.

Keep out of reach of children.

Net Contents: 1 Pint Liquid

Chemical Name: Lindane

Trade Name: ORTHO Lindane Borer & Leaf Miner Spray

Manufacturer: Chevron Chemical Company



ORTHO

Lindane Borer & Leaf Miner Spray

Contains 20% Lindane
Kills Insects
Pine Bark Beetles, Flat
Headed Borers, Peach
Tree Borers, Twig Girdlers



DANGER: Keep out of reach of children
Read danger statements on back panel

NET CONTENTS 1 PINT LIQUID

ACCEPTED

NOV 6 1975

Under the Federal Insecticide,
Fungicide and Rodenticide Act,
as amended, for the pesticide
reg. under
EPA Reg. No. 177-2