

301/85428
17/5

CRP
12/17/82

DEC 23 1982

Ms. Jackie DiMaggio
Chevron Chemical Company
Ortho Consumer Products Division
940 Hensley Street
Richmond, CA 94804-0036

Dear Ms. DiMaggio:

Subject: Revised Format and Precautions
Ortho Lindane Borer and Leaf Miner Spray
EPA Registration No. 239-1173
Your Application Dated November 23, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Herbicide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

George T. Daloz
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (1S-767C)

Enclosure

RD:GFLAROC:DCR-38855:WANG-1617C:nbd:Raven:479-2013:12/14/82

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage and skin irritation. May be fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear rubber gloves and goggles or face shield when handling concentrate. Avoid breathing vapors or spray mist. Wash thoroughly after handling. Do not use on humans or household pets. Keep children and animals away from treated areas until spray has dried. Avoid contamination of feed or foodstuffs. **STATEMENT OF PRACTICAL TREATMENT:** In case of eye contact, immediately wash eyes with fresh water for 15 minutes and see a doctor. For skin contact, wash immediately with soap and water. See a doctor if irritation occurs. If swallowed and the person is conscious, give a large amount of water to drink, make person vomit and call a doctor immediately. **Note to Physicians:** Emergency Information—call (415) 233-3737. This product contains light hydrocarbon liquid and an aspiration hazard may exist.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide maximum possible interval between treatment and the next period of bee activity. **PHYSICAL OR CHEMICAL HAZARDS:** Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

STORAGE AND DISPOSAL

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not store diluted spray. Avoid contamination of feed and foodstuffs. Do not reuse empty container. Wrap container and put in trash collection.

Chevron Chemical Company

Ortho Consumer Products Division
San Francisco CA 94120-7144
Richmond CA 94804-0036
Product 1127 Made in U.S.A.
Form 9640-D
EPA Reg. No. 239-1173 AA

EPA Est. 239-CA-1, 239-NJ-1, 239-MO-1
Superscript used as first letter of lot number

DIRECTIONS

Make new dilution for each use. 1 tsp 1 teaspoonful 1 TBS 1 Table
spoonful 2 TBS 1 fl oz

BORES & OTHER INSECTS	TREES OR SHRUBS	DOSAGE AND TIME TO APPLY
Leaf Miners	Elm, Birch Locust	1 Tsp/gal water For Elm, Birch Apply when small miners ap- pear in early and mid May. For Locust, early July. For Elm, in early spring, destroy old leaves. Apply in April and May.
Irish Borers	Irish	1 TBS/gal water For Jumpers Make two applications at 30 day intervals. So Calif April and May. No Calif June and mid-July. For Bor- ers, Make 2-3 applications 7- 10 days apart in May and early June.
Twig Girdler Borers (Dogwood Rhododendron Lilac)	Jumpers Dogwood Rhododendron Lilac	
Pine Bark Beetles	Pine	6 TBS/gal water. Spray trunks thoroughly - wet trunks to run off.
White Pine Weevil	Pine Spruce	1 TBS/gal water. Apply late April when buds begin to swell. Spray upper parts of trees thoroughly.
Texas Weevil Peach Tree Borer Fruit Tree Bark Beetles, Flat- Headed Borers, Round Headed Borers	Texas, Hemlock Peaches, Apples, Cherries	1 TBS/gal water. Apply in the spring to the lower trunks and around the base of trees soaking the bark and wetting the soil surface. Do not apply to fruit or foliage. Do not ap- ply within 60 days of harvest.
Bark Beetles Wood Boring Beetles	Maple, Aspen Poplar, Ash, Willows, Locust, Elms	2 TBS/gal water. Apply in the spring when buds begin to break. Repeat in 10-14 days. Elms: Apply during summer, repeat in fall. Soak trunks to run off. Do not apply to foliage.

NOTICE: Buyer assumes all responsibility for safety and use not in
accordance with directions.



ORTHO

Lindane Borer & Leaf Miner Spray

Contains 20% Lindane —
Kills Insects
Pine Bark Beetles, Flat
Headed Borers, Peach
Tree Borers, Twig Girdlers



Active Ingredients	By Wt.
Lindane —	
Gamma Isomer of Benzene	20%
Hexachloride	
Aromatic Petroleum	50%
Derivative Solvent	21%
Inert Ingredients	

Keep out of reach of children

DANGER

See side panel for additional precautionary statements.

NET CONTENTS 1 PT

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 23 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

239-1173

301/85428
17/5

CRP
12/17/82

DEC 23 1982

Ms. Jackie DiMaggio
Chevron Chemical Company
Ortho Consumer Products Division
940 Hensley Street
Richmond, CA 94804-0036

Dear Ms. DiMaggio:

Subject: Revised Format and Precautions
Ortho Lindane Boron and Leaf Miner Spray
EPA Registration No. 239-1173
Your Application Dated November 23, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

George T. Larocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

RD:GTLARocca:DCR-38855:WANG-1617C:mbd:Raven:479-2013:12/14/82