

239-1173 PM 15

172

ORTHO Lindane Borer & Leaf Miner Spray
EPA Reg. No. 239-1173
Submitted: June 14, 1985

COPY A

In case of eye contact, flush eyes with fresh water for at least 15 minutes and see a doctor. If on skin, remove contaminated clothing and wash affected areas with soap and water. If swallowed, DO NOT make person vomit. If person is conscious, give a large quantity of water or milk to drink and call a doctor or emergency hospital. If inhaled, move person to fresh air.

ACCEPTED
with COMMENTS
to EPA Letter Dated:

AUG 21 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

239-1173

CONFIDENTIAL

PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

239-1173

2072

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER: This product is extremely toxic to humans and domestic animals. It is a potent emetic and may cause severe irritation of the mouth, throat, and lungs. It is also a potent irritant to the eyes. Avoid contact with skin, eyes, and clothing. If contact occurs, wash immediately with soap and water. If swallowed, induce vomiting immediately. If inhaled, move to fresh air immediately. If symptoms persist, seek medical attention. **STATEMENT OF PRACTICAL TREATMENT:** Wash mouth with water. Do not induce vomiting. Do not use a doctor for first aid.

HAZARDS: This product is extremely toxic to humans and domestic animals. It is a potent emetic and may cause severe irritation of the mouth, throat, and lungs. It is also a potent irritant to the eyes. Avoid contact with skin, eyes, and clothing. If contact occurs, wash immediately with soap and water. If swallowed, induce vomiting immediately. If inhaled, move to fresh air immediately. If symptoms persist, seek medical attention. **PHYSICAL OR CHEMICAL HAZARDS:** Flammable. Keep away from heat and open flame.

STORAGE AND DISPOSAL: **STORAGE:** Keep pesticide in original container. Do not put in other container. Store in cool, dry place. **DISPOSAL:** Do not pour down drain. Do not burn. Do not bury. Do not use as fertilizer. Do not use as soil amendment. Do not use as animal feed. Do not use as plant food. Do not use as fertilizer. Do not use as soil amendment. Do not use as animal feed. Do not use as plant food.

Chevron Chemical Company

10000 Wilshire Blvd., Suite 1000
Los Angeles, CA 90048-1000
Phone: (213) 440-1000
Fax: (213) 440-1000



EPA Reg. No. 100-100000
Superior products for superior results

DIRECTIONS FOR USE: Read label on all Federal law to use this product. It is a potent emetic and may cause severe irritation of the mouth, throat, and lungs. It is also a potent irritant to the eyes. Avoid contact with skin, eyes, and clothing. If contact occurs, wash immediately with soap and water. If swallowed, induce vomiting immediately. If inhaled, move to fresh air immediately. If symptoms persist, seek medical attention.

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS

DIRECTIONS: Make new solution for each use. Use 1/2 tsp. of 1 TBS. 1/4 tsp. per 1/2 TBS. 1/8 tsp. per 1/4 TBS.

BORERS & OTHER INSECTS	TREES OR SHRUBS	DOSAGE AND TIME TO APPLY
Leaf Miners	Elm, Birch, Locust	1 tsp/gal water For Elm, Birch. Apply when small miners appear in early and mid May. For Locust, Early July. For Elm, In early spring, destroy old leaves. Apply in April and May.
Irish Borers	Irish	1 TBS/gal water For Junipers. Make two applications at 30 day intervals. For Elm, April and May. For Locust, June and mid July. For Borers, Make 2 applications 10 days apart in May and Early June.
Twig Borer	Junipers	1 TBS/gal water For Junipers. Make two applications at 30 day intervals. For Elm, April and May. For Locust, June and mid July. For Borers, Make 2 applications 10 days apart in May and Early June.
Borer (Dogwood)	Dogwood	1 TBS/gal water For Junipers. Make two applications at 30 day intervals. For Elm, April and May. For Locust, June and mid July. For Borers, Make 2 applications 10 days apart in May and Early June.
Rhododendron Borer	Rhododendron	1 TBS/gal water For Junipers. Make two applications at 30 day intervals. For Elm, April and May. For Locust, June and mid July. For Borers, Make 2 applications 10 days apart in May and Early June.
Pine Bark Beetles	Pine	6 TBS/gal water. Spray trunks thoroughly. Wet trunks to run off.
White Pine Weevil	Pine, Spruce	1 TBS/gal water. Apply late April when buds begin to swell. Spray upper parts of trees thoroughly.
Taxus Weevil	Taxus, Hemlock	1 TBS/gal water. Apply in the spring to the lower trunks and around the base of trees, shaking the bark and wetting the soil surface. Do not apply to foliage. Do not apply within 60 days of harvest.
Peach Tree Borer	Peaches, Apples, Cherries	2 TBS/gal water. Apply in the spring when buds begin to swell. Repeat in 10-14 days. For Elm, Apply during summer repeat until bark begins to run off. Do not apply in fall.
Black Beetles	Maple, Ash, Poplar, Birch, Willow, Elm, Pine	2 TBS/gal water. Apply in the spring when buds begin to swell. Repeat in 10-14 days. For Elm, Apply during summer repeat until bark begins to run off. Do not apply in fall.

NOTICE: Read label on all Federal law to use this product. It is a potent emetic and may cause severe irritation of the mouth, throat, and lungs. It is also a potent irritant to the eyes. Avoid contact with skin, eyes, and clothing. If contact occurs, wash immediately with soap and water. If swallowed, induce vomiting immediately. If inhaled, move to fresh air immediately. If symptoms persist, seek medical attention.

Chevron



Line Leaf

**KILLS IN
Borers, F**

