

ORTHO Lindane Borer & Leaf Miner Spray

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage and skin irritation. May be fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear rubber gloves and goggles or face shield when handling concentrate. When applying product, wear long-sleeved shirt, long pants, water proof gloves, shoes and a head covering. Avoid exposure to children. Do not allow children to handle or apply this pesticide product. Avoid breathing vapors or spray mist. Wash thoroughly after handling. Do not use on humans or household pets. Do not allow children or pets in treated areas until surfaces are dry. Avoid contamination of feed or foodstuffs. Symptoms of poisoning: headache, nausea, dizziness, loss of equilibrium, muscle spasms, difficulty in breathing, hyperexcitability and convulsions. **STATEMENT OF PRACTICAL TREATMENT:** In case of eye contact, flush eyes with fresh water for at least 15 minutes and see a doctor. If on skin, remove contaminated clothing and wash affected areas with soap and water. If swallowed, give water or milk to drink and telephone for medical advice. **DO NOT** make person vomit unless directed to do so by medical personnel. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. If inhaled, move person to fresh air. **Note to Physicians:** Emergency Information—call 1-800-457-2022. This product contains light hydrocarbon liquid and an aspiration hazard may exist. Gastric lavage is indicated if material is taken internally. **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to fish in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity usually between late evening and early morning. **PHYSICAL OR CHEMICAL HAZARDS:** Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS: Make new dilution for each use. 1 tsp. = 1 teaspoonful, 1 TBS = 1 Tablespoonful, 2 TBS = 1 fl. oz.

For homeowner ornamental and fruit tree use only

BORERS & OTHER INSECTS	TREES OR SHRUBS	DOSSAGE AND TIME TO APPLY
Leaf Miners	Elm, Birch, Locust	1 tsp./gal. water. For Elm, Birch: Apply when small miners appear in early and mid-May. For Locust: Early July. For Iris: In early spring, destroy old leaves. Apply in April and May.
Iris Borers	Iris	1 TBS./gal. water. For Junipers: Make two applications at 30 day intervals—So. Calif., April and May. No. Calif., June and mid-July. For Borers: Make 2-3 applications 7-10 days apart in May and early June.
Twig Girdler Borers (Dogwood, Rhododendron, Lilac)	Junipers, Dogwood, Rhododendron, Lilac	6 TBS./gal. water. Spray trunks thoroughly—wet trunks to run off.
Pine Bark Beetles	Pine	1 TBS./gal. water. Apply late April when buds begin to swell. Spray upper parts of trees thoroughly.
White Pine Weevil	Pine, Spruce	1 TBS./gal. water. Apply in the spring to the lower trunks and around the base of trees soaking the bark and wetting the soil surface. Do not apply to fruit or foliage. Do not apply within 60 days of harvest.
Taxus Weevil	Taxus, Hemlock, Peaches, Apples, Cherries	2 TBS./gal. water. Apply in the spring when buds begin to break. Repeat in 10-14 days. Elms: Apply during summer, repeat in fall. Soak trunks to run off. Do not apply to foliage.
Peach Tree Borer		
Fruit Tree Bark Beetles, Flat-Headed Borers, Round-Headed Borers		
Bark Beetles	Maple, Aspen, Poplar, Ash, Willows, Locust, Elms	
Wood Boring Beetles		

Chevron Chemical Company © 1985


Ortho Consumer Products Division
P.O. Box 5047
San Ramon, CA 94583-0947
Product 1127
Form 10574 D
EPA Reg. No. 239-1173 AA
EPA Est. 239-WO-1



STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool dry place, preferably in a locked storage area. Do not store diluted spray. **DISPOSAL:** Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER:** Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.



ACCEPTED

APR 16 1972

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 239-1423