

DIBROM 4 Dust



ORTHO

Naled Insecticide

Active Ingredient **Naled** 4%
Inert Ingredients 96%
*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate
U.S. Pat. No. 2,971,882

Use within 90 days of manufacture only, as this product decomposes.

Date of Manufacture
READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER. STORE IN COOL, DRY PLACE, OUT OF DIRECT SUNLIGHT.

Not for use on storage in unopened containers.

ORTHO DIBROM 4 Dust is a contact insecticide containing an organic phosphate with excellent residual activity. Use 40 to 50 pounds per acre, unless otherwise directed. This product is formulated for application by ground or air equipment. For Airplane Application, use heavier dosages. Begin applications at first sign of infestation. Repeat as necessary. Apply from ground and maintain coverage for total control of insect.

ADULT MOSQUITO CONTROL: Crop and Residential Areas, Tidal Marshes, Swamps, Woodlands, Feed Lots and Pastures—4 to 10 lbs. per acre. Avoid farms, dairies and dairy barns. Make applications during peak of infestation and repeat as necessary. Do not pasture animals on treated areas within 4 days after application. Do not apply to crop areas within 4 days of harvest of any crop, or as indicated. Swamp and crop may be killed at application rates recommended on this label. Do not apply where there are important resources.

BEANS (Dry or Field): Aphids, Mites, Lygus Bugs, Thrips, Leafhoppers, Leaf Miners, Loopers. Do not apply within 4 days of harvest.

NET WEIGHT 50 LBS.

Chevron Chemical Company
Ortho Division, San Francisco, CA 94119 Richmond, CA 94804
Product 2758 Made in U.S.A.
Form 5566-N2
EPA Reg. No. 239-1280

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CUCUMBERS, BEANS, SALSIFIES, SPROUTS, KALE: Cabbage Looper, Imported Cabbageworm, Diamond-Back Caterpillar, Aphids. May be used 1 day before harvest in the case of cabbage. Do not use on Brussels Sprouts. Do not apply to plants and foliage within 4 days of harvest.
CITRUS: Oranges, Lemons, Grapefruit: Aphids, Red Spider Mite, Citrus Cutworms, Thrips. Do not apply within 1 day before harvest.
COTTON: Lygus, Leafhopper, Leaf-Feeder, Armyworms, Looper, Fleahoppers. Do not apply within 1 day before harvest.
CUCUMBERS, SUMMER SQUASH: Cucumber Beetles, Aphids, Leaf Miners, Fleahoppers, Armyworms, Loopers, Leafhoppers. Do not apply within 1 day before harvest.
GRAPES: Leafhoppers, Fleahoppers, Thrips.

LETTUCE: Aphids, Fleahoppers, Thrips. Do not apply within 1 day before harvest.
MELONS (Cantaloupes, Honeydew, Muskmelons, Watermelons), PUMPKINS, WINTER SQUASH: Loopers, Armyworms, Leafhoppers, Aphids, Lygus Bugs. May be used 1 day before harvest.
PEACHES, Western States Only: Aphids, Fruit Flies, Drosophila, Red Spider Mites, Peach Twig Borer, Lygus Bugs, Thrips. Do not apply within 4 days before harvest.
ROSES (Field Grown): Aphids, Mites, Tent Caterpillars, Thrips, Leaf Rollers. Do not apply within 4 days before harvest.
STRAWBERRIES: Spider Mites, Aphids. Do not apply within 4 days before harvest.

LETTUCE, SPINACH, CELERY, CHARD, TURNIP GREENS: Loopers, Aphids. Do not apply within 1 day before harvest. Do not apply to Turnip Greens and Chard within 4 days of harvest.

MELONS (Cantaloupes, Honeydew, Muskmelons, Watermelons), PUMPKINS, WINTER SQUASH: Loopers, Armyworms, Leafhoppers, Aphids, Lygus Bugs. May be used 1 day before harvest.

PEACHES, Western States Only: Aphids, Fruit Flies, Drosophila, Red Spider Mites, Peach Twig Borer, Lygus Bugs, Thrips. Do not apply within 4 days before harvest.

ROSES (Field Grown): Aphids, Mites, Tent Caterpillars, Thrips, Leaf Rollers. Do not apply within 4 days before harvest.

STRAWBERRIES: Spider Mites, Aphids. Do not apply within 4 days before harvest.

TOMATOES (field): Fruit Flies, Drosophila sp., Two Spotted Mites, Aphids, Leafminers, Tomato Fruitworms, Hornworms. Do not apply within 1 day before harvest. Do not apply at 5 to 7 days before harvest, and continue at 5 to 7-day intervals. Do not apply 1 day before harvest.

CONDITIONS OF SALE: Chevron Chemical Company warrants that this material conforms to the chemical analysis on the label and is reasonably fit for use as directed. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty, representation, liability, guarantee or representation, expressed or implied, concerning this material. Do not use this material for purposes beyond those stated on the label. Risks in connection with the use of this material include, but are not limited to, crop loss, pest resistance, and damage to crops. Such risks occur when the uses stated on the label are followed. Buyer assumes all risks and liability for any damage or loss resulting from the use of this material.

CAUTION READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION Do not swallow. May cause irritation of eyes, nose and throat. Avoid breathing dust.

DO NOT RE-ENTER TREATED AREAS

DO NOT FEED TO LIVESTOCK

DO NOT APPLY TO CROPS WITHIN 4 DAYS OF HARVEST

239-1280