

rate of application will kill shrimp. Do not apply to tidal or marsh waters which are important shrimp producing areas. **AIRCRAFT: East**—Apply 0.8 to 4 fl. oz. per acre diluted with water. Apply 2 to 8 qts. of diluted spray per acre. **West**—Apply 1.6 to 4 fl. oz. per acre diluted with water. Apply 2 to 8 qts. of diluted spray per acre. **MIST OR COLD FOG:** Use 3 to 5 qts. per 100 gals. water. Calibrate equipment (rate of travel and output) to apply 0.1 to 0.25 lb. technical naled per acre.

ADULT MOSQUITO CONTROL—RESIDENTIAL AREAS, CROPS LISTED ON LABEL, SWAMPS, WOODLAND, LIVESTOCK PASTURES, FEED LOTS AND PASTURES INCLUDING DAIRY CATTLE: Consult your State Fish and Game Agency before applying this product. Make applications during peak of infestation and repeat as necessary. See crop recommendations for use limitations near harvest. Treat shrubbery and vegetation where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and shore lines may be treated. Direct application to water is prohibited. This rate of application will kill shrimp. Do not apply to tidal or marsh waters which are important shrimp producing areas. **AIRCRAFT: East**—Apply 0.8 to 1.6 fl. oz. per acre diluted with water. Apply 2 to 8 qts. of diluted spray per acre. **West**—Apply 1.6 fl. oz. per acre diluted with water. Apply 2 to 8 qts. of diluted spray per acre. **MIST OR COLD FOG:** Use 3 to 5 qts. per 100 gals. water. Calibrate equipment (rate of travel and output) to apply 0.1 lb. technical naled per acre. Do not make more than one application every 10 days to pastures or other areas where lactating dairy animals are being held.

CORRALS, ADJACENT RANGELAND, HOLDING PENS (Dairy and Beef Cattle, Hogs, Sheep, Horses); House Flies, Stable Flies—Airplane Application—Use 1.6 to 4 fl. oz. per acre. Dilute 1 to 2 1/2 pts. in 10 gals. water. Apply 1 gal. diluted spray per acre. Apply over areas with animals present.

CLOVER MITES, ROACHES, EARWIGS AND LEAFHOPPERS Outside Dwellings and In Lawns: Use 1 fl. oz. in 3 gals. water. Apply to turf and to soil surfaces around flowers, shrubs, and trees for general pest cleanup. **GRASSHOPPERS, RANGE CATERPILLARS: Rangeland—**1/2 to 3/4 pt. per acre by air or ground. Young Grasshoppers—1/2 pt. per acre by air or ground. **Armyworms—**1 pt. per acre by air or ground. **By Air—**Use in 1 to 5 gals. water per acre. Apply when hoppers hatch is completed. Repeat as necessary. Animals may be present during treatment. Do not graze lactating dairy animals on treated areas.

DANGER: Concentrate causes eye and skin damage. Do not get in eyes, on skin or on clothing. May be fatal if swallowed or absorbed through skin. Do not breathe spray mist. Use waterproof gloves and face shield or goggles when handling concentrate. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water. For eyes, get medical attention.

Note to Physicians: Emergency Information - call (415) 233-3737. Naled is a cholinesterase inhibitor. Atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine. Mucosal damage may occur, and if gastric lavage is indicated it should be performed cautiously.

Avoid contamination of feed, foodstuffs and drinking water. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Keep children and animals off treated areas. Do not spray on Nectarines, ornamental Cherries, Liquidambar or Chrysanthemums as injury may occur. Do not store diluted spray. Make new dilution for each use. Wash metal equipment thoroughly after use to avoid corrosion.

This product is toxic to fish, shrimp, crab, birds and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DESTROY CONTAINER WHEN EMPTY. NEVER REUSE.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

Chevron Chemical Company

Ortho Division/San Francisco CA 94119
Product 2738 Made in U.S.A.
R Form 9219-A

Richmond CA 94804
EPA Reg. No. 239-1281-AA



ORTHO

DIBROM® 8 Emulsive

Naled Insecticide

Active Ingredients	By Wt.
*Naled	58%
Xylene	20%
Inert Ingredients	22%

*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate

Contains 8 pounds technical naled per gallon equivalent to 7.2 pounds naled.

U.S. Pat. No. 2,971,882



READ THE LABEL

DO NOT TAKE INTERNALLY
DO NOT GET IN EYES
DO NOT GET ON SKIN

DANGER: KEEP OUT OF REACH OF CHILDREN.

SEE BACK PANEL FOR ADDITIONAL
DANGER STATEMENTS.

NET CONTENTS 1 GALLON LIQUID

registered under
EPA Reg. No. 239-1281

ACCEPTED
MAY 20 1976
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 239-1281

239-1281

5-20-76

1 of 2

