

25 JAN 1988

$\frac{300}{17}$ $\frac{211,952}{1}$
 $\frac{385}{37}$ $\frac{211,959}{1}$

Chevron Chemical Company
 Ortho Agricultural Chemicals Division
 P.O. Box 4010
 Richmond, CA 94804-0010

Gentlemen:

Subject: Ortho Fly Killer D
 EPA Registration No. 239-1466
 Your Amended Applications Dated October 2 and November 5, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below.

1. Add the following second paragraph to your "Environmental Hazards" section, as required by page 17 of the Naled Registration Standard:

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

15184:I:Peacock:M-3:KENCO:01/14/88:01/26/88:aw:lf:EK:aw

CONCURRENCES

SYMBOL	ORIGINATOR						
.....
SURNAME							
DATE							

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

ACCEPTED
with COMMENTS
in EPA Letter Dated:

3/7

25 JAN 1988

Under the Federal Insecticide,
Fungicide, and Plant Fungicide Act
as amended, for use pesticide
registered under EPA Reg. No.

ORTHO Fly Killer D
EPA Reg. No. 239-1446
Submitted: October 5, 1987

COPY A

239-1446

CORROSIVE. Causes irreversible eye damage. May be fatal if swallowed, inhaled or absorbed through the skin. Causes skin irritation. May cause allergic skin reaction. Do not get in eyes, on skin, or on clothing. When handling this material wear impervious protective clothing including gloves, apron, overshoes, chemical goggles and face shield. Do not breathe vapor or spray mist. Wear a MSHA/NIOSH approved pesticide respirator. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not use this product on livestock or domestic animals other than indicated on the label. For indoor uses, do not enter treated area until spray has dried.

COPY B

If in eyes, hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention immediately.

If swallowed, drink 1 or 2 glasses of water (or milk) and induce vomiting by touching the back of the throat with finger. If possible contact a physician, Poison Control Center or emergency center before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest medical emergency treatment center.

If inhaled, remove victim to fresh air. If not breathing, give artificial respiration and get medical attention immediately.

If on skin, wash with plenty of soap and water. Get medical attention immediately.

Note to Physicians: Emergency Information - call (415) 233-3737. Naled is a cholinesterase inhibitor. Measurement of blood cholinesterase activity may be useful in monitoring exposure. If signs of cholinesterase inhibition appear, atropine sulfate is antidotal. 2-PAM (Protopam) is also antidotal and may be used in conjunction with atropine but should not be used alone.

COPY C

This pesticide is toxic to birds, fish and aquatic invertebrates, and wildlife. Do not apply directly to water or wetlands. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

COPY D

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

areas, patios and where flies congregate. In food processing areas, use only when the facility is not in operation and food is not exposed. Use only in bait boxes where bait in each box can be accounted for. Remove and account for all bait boxes prior to resuming food processing. Repeat as necessary. Unused bait will remain effective for two or three weeks. Keep in closed container. As a Wet Bait — Dissolve 1 lb. of sugar or 1/2 pt. Kero syrup or molasses in 2 1/2 gals. water in a sprinkling can. Add 2 Tablespoons ORTHO Fly Killer D, stir and sprinkle on entry ways, window sills, landing docks and walkways in stock barns, food processing plants, kennels, poultry houses, and refuse areas where flies congregate and feed. Repeat as necessary. Prepare new bait with time.

ROACHES (All species of Resistant and Nonresistant Cockroaches, including German, Brownbanded, Oriental and American Roaches). Inside and Outside of Houses, Apartments, Hotels, Motels, Restaurants, Institutions and Other Buildings: FOR USE BY PEST CONTROL OPERATORS ONLY — Use 3 fl. oz. in 1 gal. water. Apply as a fine stream or coarse spray into cracks, crevices and where insects can be contacted.

BROWN DOG TICK ON DOGS — Prepare a dip using 1 oz. to 2 gals. water. Water dogs before dipping to prevent drinking of dip. Do not allow dip to contact eyes of dog. One drop of glycerine in each eye will prevent irritation from splashing. Wear rubber gloves and work dip well into hair of dog. Use a syringe to wash inside of ears with dip. Do not allow dog to remain in dip for more than 30 seconds. Dry immediately out of draft. Do not use on cats.

In Kennels — Do not use this dilution on animals — Use 3 oz. to 2 gals. water. Apply as a directed coarse, wet spray, being especially careful to hit all cracks and crevices in floor, walls, and ceiling. Also spray outside runways. Repeat treatment in 7 days if continual tick activity is observed.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE: Keep pesticide in original container. Do not put emulsions or dilute into food or drink containers. Do not store diluted spray. Make new dilution for each use. Store in cool, dry place. For help with any spill, leak, fire, or exposure involving this material, call day or night (415) 233-3731.

PESTICIDE DISPOSAL: This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Do not reuse container. Dispose of in a sanitary landfill or by other procedures allowed by State and local authorities.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Certain and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage from application, lack of complete control, and damage caused by drift. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

Chevron Chemical Company © 1984
Ortho Agricultural Chemicals Division/San Francisco CA 94120-7144
Form 6022 DZ Product 3021 Made in U.S.A.
EPA Reg. No. 239-1466-ZA EPA Est. 239-MO-1



ORTHO

Fly Killer D



Contains DIBROM® Naled Insecticide
Controls Flies, Mosquitoes, Gnats, Brown Dog Ticks,
and Drosophila

Active Ingredients	By Wt
Naled	36%
Aromatic Petroleum Derivative Solvent	49%
Inert Ingredients	15%
*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
Contains 4 pounds technical naled per gallon, equivalent to 3.6 pounds naled.	

**KEEP OUT OF REACH OF CHILDREN
DANGER**
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET CONTENTS 1 GALLON

47

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: May be fatal if swallowed, inhaled or absorbed through the skin. Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Avoid breathing vapors or spray mist. Wear goggles or face shield and rubber gloves when handling. Do not use in edible products, areas of food processing plants, restaurants or other areas where food is customarily prepared or processed. Do not use in spraying areas while food is exposed. Do not use the product on livestock or domestic animals other than indicated on the label. For indoor uses, do not enter treated area until spray has dried.

STATEMENT OF PRACTICAL TREATMENT: Do not swallow, give water or milk to drink and telephone for medical advice. DO NOT make person vomit unless directed to do so by medical personnel. If medical advice cannot be obtained, then take person and product container to nearest medical emergency treatment center or hospital. In case of eye contact, flush eyes with fresh water for 15 minutes and get medical attention immediately. In case of skin contact, immediately remove contaminated clothing and flush skin with plenty of water. If inhaled, remove victim to fresh air. If not breathing, give artificial respiration. Get medical attention immediately. Note to Physicians: Emergency information, call (415) 233-3737. This product contains a light petroleum solvent and may present an aspiration problem. Naled is an organophosphatase cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine is antidotal. 2-PAM may also be given in conjunction with atropine, but should never be used alone.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, shrimp, crab, birds and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Slugs and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

PHYSICAL OR CHEMICAL HAZARDS
COMBUSTIBLE. KEEP OUT OF REACH OF CHILDREN. DO NOT USE OR STORE near heat, open flame, sparks or hot surfaces. **USE ONLY IN WELL VENTILATED AREA.** Keep container closed. Clean up spills immediately. Liquid evaporates and forms vapor (fumes) which can catch fire and burn with explosive violence. Invisible vapor spreads easily and can be set on fire by many sources such as pilot lights, welding equipment and electrical motors and switches. Fire hazard is greater as liquid temperature rises above 85° F. **DO NOT** heat this container. Replace cap or bung. Emptied container still contains hazardous or explosive vapor or liquid. May corrode metal spray equipment. Wash equipment thoroughly after use.

ENDANGERED SPECIES RESTRICTIONS

The following restrictions apply to use of this product after February 1, 1988. Before using this pesticide on range and/or pastureland in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

ALABAMA (Culbert, Greene, Jackson, Jefferson, Lamar, Lauderdale, Limestone, Madison, Marshall, Morgan, Pickens, and Sumter)
ARIZONA (Apache, Graham, Greenlee, Maricopa, Mohave, Pima, Pinal, Santa Cruz and Yavapai)
ARKANSAS (Benton, Clark, Clay, Cross, Lawrence, Lee, Poinsette, Polk, Randolph, Sharp and St. Francis)
CALIFORNIA (Alpine, Butte, Colusa, Glenn, Imperial, Inyo, Kern, Los Angeles, Madera, Merced, Modoc, Mono, Monterey, Riverside, San Bernardino, Santa Barbara, Santa Cruz, Selma, Sutter, Tehama, Tulare and Yolo)
COLORADO (Boulder, Delta, Larimer, Mesa, Moffat, Park and Rio Blanco)
FLORIDA (Calhoun and Walton)
GEORGIA (Catoosa and Walton)
ILLINOIS (Gallatin, Henderson, Jo Daviess, Massac, Mercer, Pike, Putaski, Rock Island and White)
INDIANA (DeKalb and Posey)
IOWA (Allamakee, Clayton, Clinton, Dec Moines, Dubuque, Jaycock, Jackson, Linn, Muscatine and Scott)
KENTUCKY (Ballard, Butler, Edmonson, Green Hart, Jackson, Laurel, Livingston, Marshall, Mc Cracken, McCreary, Putaski, Rockcastle, Taylor, Warren and Wayne)
MARYLAND (Harford)

MINNESOTA (Houston and Washington)
MISSISSIPPI (Claiborne, Copiah, Hinds, Itawamba, Lowndes, Monroe and Neshoba)
MISSOURI (Barry, Benton, Bollinger, Butler, Camden, Cedar, Christian, Cole, Dallas, Franklin, Gasconade, Greene, Hickory, Jasper, Jefferson, Lawrence, Massack, Miller, Newton, Osage, Polk, Ralls, Ripley, St. Clair, St. Louis, Stone, Wayne and Webster)
NEVADA (Clark, Lincoln, Nye, Washoe and White Pine)
NEW MEXICO (Catron, Chaves, DeBaca, Eddy, Grant and Socorro)
NORTH CAROLINA (Edgecombe, Macon, Nash, Pitt and Swain)
OHIO (Pickaway, Williams and Washington)
OKLAHOMA (Delaware, McCurtain and Poshmatah)
OREGON (Harney and Lake)
TENNESSEE (Bedford, Blount, Bradley, Claiborne, Cumberland, Decatur, Franklin, Hamilton, Hancock, Hardin, Hawkins, Hickman, Knox, Lawrence, Lincoln, Loudon, Marion, Marshall, Maury, Meigs, Monroe, Morgan, Polk, Rhea, Roane, Scott, Sequatchie, Smith, Sullivan, Trousdale and Wayne)
TEXAS (Bastrop, Burleson, Comal, Harris, Hays, Jeff Davis, Menard, Pecos and Reeves)
UTAH (Carbon, Emery, Garfield, Grand, San Juan, Uintah, Utah, Washington and Wayne)
VIRGINIA (Lee, Russell, Scott, Smyth, Izewell, Washington and Wise)
WISCONSIN (Crawford, Grant, Iowa, Pierce, Polk, Richland, St. Croix and Vernon)
WYOMING (Albany and Sublette)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

DIRECTIONS

AS A SPACE SPRAY for Control of Resistant and Nonresistant House Flies, Little House Flies, Mosquitoes, Gnats and Fruit Flies (Drosophila species) in and around Dairy Barns, Livestock Barns, Pig Pens, Poultry Houses, Feed Lots, Cattle Pens, Garbage Dumps, Outside Meat Packing Establishments (including Federally Inspected) pens, docks, ramps, disposal areas and Cider Mills: Use 5 teaspoonfuls of DITHO Fly Killer D in 1 gal. water (2 oz. in 2 1/2 gals. or 2 pts. to 40 gals.) and direct the spray throughout the fly infested area such as dairy and stock barns, spraying around and above animals but not directly at animals. Repeat as necessary. Do not use inside dwellings or in milk processing rooms. For increased residual control, concentrate spray application to walls, beams, rafters and around windows, doorways and other fly resting areas. Add 1/2 lb. sugar or 1/2 pt. Karo syrup when 40 gals. water is used for best results. Fruit Flies (Drosophila sp.) in and around Food Processing Plants, Loading Docks, Cull Piles and Refuse Areas and Cider Mills — Use 4 oz. in 2 1/2 gals. water (10 pts. to 100 gals.). Apply as a coarse spray to walls, floors, doorways, windows, refuse and cull piles. Apply every 5 to 7 days as long as necessary to maintain control. Do not apply to cull fruit or refuse piles to be fed to livestock. Avoid contamination of feeds, loadstuffs and food processing machinery. Do not apply when plants are in operation or when foods are present or exposed. Do not spray surfaces which will come into contact with foods. Cover food containers during spraying periods.

ADULT MOSQUITO, GNAT, AND HOUSE FLY CONTROL RESIDENTIAL AREAS, FEED LOTS AND PASTURES INCLUDING DAIRY CATTLE, WOODLANDS, SWAMPS: It is not necessary to avoid farm buildings, and dairy barns. Time application for peak infestation and repeat as necessary. Do not apply to crop areas within 4 days of harvest. Do not spray over acreage containing Bulb Vegetables, Fruiting Vegetables, Carrot Vegetables, Pome Fruits, Stone Fruits, Cereal Grains, Herbs or Spices. **AIRCRAFT APPLICATIONS:** 1.6 to 8 fl. oz. per acre (0.05 to .25 lb. technical material per acre). Apply in water to give 1/2 to 2 gals. diluted spray per acre. **MIST BLOWER APPLICATION:** 1% to 2% a.i. in 100 gals. water. Calibrate equipment (rate of travel and output) to apply 1 to 25 lb. technical material per acre. Treat shrubbery and vegetation where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and share lines may be treated. Direct application to water is prohibited.

AS A BAIT for Control of Resistant or Nonresistant House Flies in and around Dairy Barns, Livestock Barns, Stables, Pig Pens, Poultry Houses, Outside Meat Packing Establishments (including Federally inspected) pens, docks, ramps, disposal areas: Animal Hospitals, Dog Kennels, Open Air Theatres, Food Processing Plants, Restaurants, Drive Ins, and Where Flies Breed and Congregate: As a Dry Bait — Put 1 lb. granulated sugar into a 1 qt. jar, add 1 teaspoonful DITHO Fly Killer D. Lighten bait and shake vigorously with rotating motion for two minutes. Scatter resulting bait on floors, window sills and loading docks in barns, kennels around garbage cans, refuse

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS & DOMESTIC ANIMALS****DANGER**

Causes irreversible eye damage. Causes skin damage. May be fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapors or get in eyes, on skin or on clothing. Wear rubber gloves and goggles when handling.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately wash eyes with fresh water for 15 minutes and see a doctor. For skin contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. See a doctor if irritation occurs. If swallowed, give a large amount of water to drink, make person vomit and call a doctor.

Note to Physicians: Emergency Information - call (415) 233-3737. Naled is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine sulfate is antidotal. 2-PAM may also be given in conjunction with atropine, but should not be used alone.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates and wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of the Environmental Protection Agency.

INSTRUCTIONS FOR FORMULATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

STORAGE AND DISPOSAL**PROHIBITIONS**

Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container. Do not put concentrate into food or drink containers. Store in cool, dry place out of direct sunlight. Do not store or transport near feed or food. For help with any spill, leak, fire, or exposure involving this material, call day or night (415) 233-3737.

PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Do not reuse container. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**ORTHO**
CHEVRON[®]
Naled
Technical

Active Ingredient	By Wt.
*Naled	90%
Inert Ingredients	10%
*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	

KEEP OUT OF REACH OF CHILDREN

DANGERSEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

Manufactured for

Chevron Chemical Company © 1984

Ortho Agricultural Chemicals Division

San Francisco CA 94120-7144

Product 2737 Made in U.S.A.

Form 10195-E

EPA Est. 239-MO-1

EPA Reg. No. 239-1633-AA

NET CONTENTS 30
GALLONS

FOR FORMULATION OF NALED INSECTICIDE PRODUCTS ONLY.

This product is intended only for use in the formulation of other naled insecticide products. Refer to the CHEVRON Naled Formulator's Manual for formulating directions, chemical and physical properties. Products formulated using CHEVRON Naled Technical will require registration with the Environmental Protection Agency.

Concentrate may corrode metal spray or mixing equipment. Flush all equipment thoroughly with aromatic solvent after use.

Manufacturing use products containing Naled may be labeled for formulation only into end-use products for:

Liquid Formulations -

Terrestrial, Food Uses On: Alfalfa (Forage, Seed), Almonds, Beans (Dry, Succulent), Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cotton, Grapefruit, Grapes (Ground use only), Kale, Lemons, Lettuce, Oranges, Pastures (Forage Grasses and Legumes) (Including Those For Livestock and Dairy Cattle), Peas, (Succulent), Rangeland, Safflower (Seed), Strawberries (Ground use only), Sugar Beets, Tangerines, Walnuts.

Terrestrial, Non-Food Uses On: Athletic Fields, Camp Sites, Cull Piles, Dwelling (Including Campers, Hotels, Motels, Tourist Courts, Patios and Yards, Fence Rows, Municipalities, Ornamental Conifers (Including Arborviate, Douglas Fir, Hemlock Juniper, Pine and Spruce), Ornamental Deciduous Trees (Including Ash, Birch, Black Walnut, Boxelder, Crabapple, Dogwood, Elm, Evergreen Pear, Flowering Plum, Flowering/Ornamental Quince, Locust, Magnolia, Maple, Oak, Sycamore, Walnut and Willow), Ornamental Grasses (Including Dichondra), Ornamental Herbaceous Plants (Including Aster, Canterbury Bells, Carnations, Dahlias, Daisies, Gladiolus, Iris, Marigold, Nursery Stock, Stock and Zinnia), Ornamental Lawns, Ornamental Plants, (Including Nursery Stock), Ornamental Turf, Ornamental Woody Shrubs, (Including Aucuba, Azalea, Hibiscus, Holly, Juniper, Nursery Stock, Pittosporum, Privet and Snowball), Residential Areas, Roses (Including Nursery Stock), Sewage Plants, Swimming Pool Areas, Theaters (Open Air) and Tobacco.

Aquatic, Non-Food Uses On: Marinas, Swamps, Swimming Pool Areas and Tidal Marshes.

Greenhouse, Non-Food Uses On: Ornamental Plants (Including Carnations, Chrysanthemum, Poinsettias, Roses and Snapdragons).

Forestry Uses On: Forest Trees - Conifers (Including Arborviate, Douglas Fir, Fir, Hemlock, Juniper, Pine and Spruce), Forest Trees - Deciduous (Including Ash, Birch, Black Walnut, Boxelder, Dogwood, Elm, Locust, Magnolia, Maple, Oak, Sycamore, Walnut and Willow) and Woodlands.

Domestic, Outdoor Uses On: Dog Houses, Kennels and Dwellings (Including Campers, Hotels, Motels, Tourist Courts, Patios and Yards).

Indoor Uses On: Animal Building (For Other Than Dairy Cattle, Poultry and Pets) (Including Barns, Feeding Areas, Shelters and Stables) (Including Cattle, Goats, Hogs, Horses and Sheep), Animal Hospitals (For Pets and Other Animals), Calf Barns, Canneries, Cats, Cider Mills, Corrals, Dairy Barns (Including Milk Rooms, Equipment and Barnyards), Dogs, Dog Houses, Domestic Dwelling (Including Campers, Hotels, Motels and Tourist Courts), Drive-Ins, Factories, Feedlots, Garbage Containers, Garbage Dumps, Kennels (Dog), Livestock Feeding Areas, Loading Docks, Meat Packing Establishments, Pens, Poultry Droppings, Poultry Houses (Equipment and Yards), Poultry Packing/Processing Plants, Restaurants, Warehouses and Wineries.

Dry Formulations -

Terrestrial, Food Uses On: Grapes.

Terrestrial, Non-Food Uses On: Roses; Residential Areas for Mosquito Control.

Aquatic, Non-Food Uses On: Tidal Marshes, Swamps, for Mosquito Control.

Forestry: Woodlands for Mosquito Control.

CONDITIONS OF SALE: Chevron Chemical Company warrants that this material conforms to the chemical description on the label. Chevron Chemical Company neither makes nor authorizes any agent or representative to make any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

RQ Hazardous substance, liquid, N.O.S., NA 9188, (Naled)

