

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Causes reversible eye damage. May cause allergic skin reactions. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Avoid breathing of dust or vapor. Wash hands after use. Remove and launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. For skin contact, wash with plenty of soap and water. See a doctor if irritation occurs or rash develops. **Note to Physicians:** Emergency Information—call (415) 233-3737.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container. Store in cool, dry place. Protect from excessive heat. Do not store or transport near feed or food.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary land fill or by incineration if allowed by State and local authorities.

DIRECTIONS

This product is formulated for application by ground or air equipment.

Some fruits and other plants are susceptible to injury from sulfur under certain climatic conditions. The user is advised not to use sulfur on any crop unless local use has proved that sulfur does not damage crops in that locality.

Chevron

ORTHO

ORTHOCIDE Sulfur 10-50 Dust

ACCEPTED

MAY 3 1982

U.S. Dept. of Agriculture
Agricultural Research Service
ARS-157
Beltsville, MD 20715

(FUNGICIDE-MITICIDE)

Active Ingredients

*Captan
Related Derivatives
Sulfur

Inert Ingredients

*N-[trichloromethylthio]-4-cyclohexene-1,2-dicarboximide.

By Wt.

9.5%
0.5%
50.0%
40.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

FOR AGRICULTURAL USE ONLY. DO NOT
STORE IN AREAS ACCESSIBLE TO
CHILDREN.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

Chevron Chemical Company

Ortho Agricultural Chemicals Division

San Francisco CA 94120 7144

Richmond CA 94804 0036

Product 2130

Made in USA

Form 4294 H2

EPA Est. 239-CA-11

EPA Reg. No. 239-1470-AA

NET WEIGHT 50 POUNDS

CELERY: Pink Rot, Damp-Off—Field—10 lbs. per acre. (Seed Bed)—15 to 20 lbs. per acre. Apply when all seeds have germinated.

GRAPES: Botrytis Rot, Bunch Rot, Powdery Mildew, Silver Mite, Storage Rot—10 to 15 lbs. per acre. Make 2 applications before harvest, one before and one after bloom. Repeat periodically before and after harvest.

PEACHES: Brown Rot, Storage Rot, Powdery Mildew, Silver Mite, Peach Scab—10 lbs. per acre. Make 2 to 3 prebloom applications before bloom, and 3 to 4 covers as necessary. Make prebloom applications where necessary.

PLUMS: Brown Rot, Storage Rot, Powdery Mildew, Silver Mite—10 to 15 lbs. per acre. Make 2 to 3 prebloom applications before bloom, and 3 to 4 covers as necessary. Make prebloom applications where necessary.

POTATOES: Early and Late Blight—Seed applications when planting, 2 to 4 times high and repeat at 7 to 10 day intervals as needed to control blight. Apply 25 to 30 lbs. per acre.

ROSES: Field: Rust, Powdery Mildew—35 to 40 lbs. per acre. Apply to give even coverage of upper and lower leaf surfaces throughout season. Repeat at regular intervals as necessary for control.

SOIL TREATMENT: Preplanting for Pink Rot, Damp-Off on Vegetable Field Crops—33 lbs. per acre. Dust or broadcast then work into soil.

SPINACH: Seedling only: Downy Mildew, Powdery Mildew—35 to 40 lbs. per acre. Apply when all seeds have germinated. Repeat at 7 to 10 day intervals as long as a disease is active.

SQUASH: California Only: Powdery Mildew, Downy Mildew, Angular Leaf Spot, Anthracnose—Apply 30 lbs. per acre on young plants increasing to 35 lbs. per acre on mature plants. Apply at first sign of disease. Repeat at 5 to 10 day intervals if disease is active. Do not apply to squash varieties susceptible to blight.

STRAWBERRIES: Botrytis Rot, Powdery Mildew—10 to 15 lbs. per acre. Apply after picking. Repeat applications as needed.

TOMATOES: Established Plants: Early Blight, Late Blight, Anthracnose, Russet Mite—On young plants, 10 to 15 lbs. per acre increasing to 35 to 40 lbs. per acre on mature plants. Apply at first sign of insects and diseases. Repeat at 5 to 7 day intervals as necessary for control. Because of the sulfur content of this dust, first obtain permits on from your carrier or distributor before using it on tomatoes intended for sale to such carrier or distributor.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

COMPATIBILITY: Do not use this product on foliage closely related to grapes.

CONDITIONS OF SALE: 1. Chevron Chemical Company, Chevron warrants that this material conforms to the chemical description on the label and is suitable for use as directed thereon. 2. Chevron makes no other warranty, express or implied, and does not warrant the fitness of this material for any particular use.

3. Chevron disclaims any liability for and Chevron's control over the use of this material in connection with the use of elements. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume the responsibility for the use of this material by Chevron under the conditions of sale and for the use of this material.

NOTE: This product is sold by weight and package is full when packed, but due to fluffy nature this material is inclined to settle.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. May cause allergic skin reactions. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles when handling. Avoid contact with skin and clothing. Avoid breathing of dust or vapor. If conditions or frequency of use increase the potential of exposure, inhalation can best be avoided by wearing a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Wash hands after use. Remove and launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. For skin contact, wash with plenty of soap and water. See a doctor if irritation occurs or rash develops.

Note to Physicians: Emergency Information — call (415) 233-3737

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.
Open dumping is prohibited.
Do not reuse empty container.

STORAGE

Keep pesticide in original container.
Store in cool, dry place.
Protect from excessive heat.
Do not store or transport near feed or food.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if permitted by state and local authorities.