



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

Frank Kamienski
The Solaris Group of Monsanto
P.O. Box 5006
San Ramon, CA 94583-0906

FEB 12 1998

Subject: Ortho Sevin 10 Dust
EPA Registration No. 239-1513
Amendment dated December 30, 1997
Amendment labeling-PR Notice 96-6 Pet Labeling

Dear Mr. Kamienski:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling change indicated below before you release the product for shipment bearing the amended labeling:

1. In the third sentence of the heading
"PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: add the word eye so that it reads "Avoid
contact with eyes or clothing".

Submit two copies of your final printed labeling before you release the product for shipment. A copy of your labeling stamped "Accepted with Comments" is enclosed for your records.

Sincerely,

A handwritten signature in cursive script that reads "George Tompkins".

George Tompkins, Ph.D., Entomologist
Insecticide-Rodenticide Branch
Registration Division (7505C)

240

TO OPEN-CUT HERE
[ICOM] OUTDOOR USE ONLY

ORTHO® SEVIN® 10 DUST, EPA Reg. No. 239-1513

[ABN: ORTHO® SEVIN® brand carbaryl insecticide 10 Dust]

Kills: Beetles, Bugs, Leafhoppers and Worms as Listed On Vegetables.

May be Used up to Harvest Unless Otherwise Noted.

KILLS FLEAS & TICKS ON DOGS AND CATS, AND IN DOGHOUSES

KILLS GARDEN PESTS: Armyworms, Cutworms, Squash Bugs, Tomato
Hornworms, Certain Beetles And Other Garden Pests As Listed.

Active Ingredient	
Carbaryl	10%
Other Ingredients.....	90%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary statements on back of bag.

Specially formulated for residential use.

NET WT 4 LBS / 1.81 kg

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB 12 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
239-1513



396

TO OPEN-CUT HERE
READ ENTIRE LABEL BEFORE EACH USE. FOR FLEA CONTROL, USE ONLY ON
DOGS AND CATS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

VEGETABLES & FRUITS

PLANTS	INSECTS/PESTS	WHEN TO HARVEST
BEANS	Mexican Bean Beetles, Leafhoppers, Bean Leaf Beetles, Cucumber Beetles, Western Bean Cutworms, Velvet Bean Caterpillars, Flea Beetles, Japanese Beetles, Corn Earworms, Armyworms, Tarnished Plant Bugs, Stink Bugs	May be applied up to day of harvest.
BLUEBERRIES	Blueberry Maggots, Cherry and Cranberry Fruitworms-	May be applied up to day of harvest.
CABBAGE, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER KOHLRABI	Flea Beetles, Harlequin Bugs, Armyworms, Imported Cabbageworms, Corn Earworms	Do not apply within 3 days of harvest.
CORN	Corn Earworms, Corn Rootworm Adults, European Corn Borers, Fall Armyworms, Sap Beetles, Japanese Beetles, Leafhoppers, Flea Beetles	May be applied up to day of harvest.
CUCUMBERS MELONS, PUMPKINS, SQUASH Do not use this product on watermelons in Florida.	Pickleworms, Melonworms, Cucumber Beetles, Flea Beetles, Leafhoppers, Squash Bugs	May be applied up to day of harvest.
LETTUCE, CARROTS	Flea Beetles, Harlequin Bugs, Leafhoppers, Sixspotted Leafhoppers, Armyworms, Imported Cabbageworms, Corn Earworms, Spittlebugs, Tarnished Plant Bugs, Lygus Bugs, Stink Bugs	May be applied up to day of harvest to carrots. Do not apply to head lettuce within 3 days of harvest or to leaf lettuce within 14 days of harvest.



4 7 6

POTATOES, EGGPLANT, PEPPERS	Colorado Potato Beetles, Flea Beetles, Leafhoppers, Tomato Fruitworms, Fall Armyworms, Tomato Hornworms, European Corn Borers, Lygus Bugs, Stink Bugs, Lace Bugs, Tarnished Plant Bugs	May be applied up to day of harvest.
STRAWBERRIES	Meadow Spittlebugs, Strawberry Leafrollers, Strawberry Weevils	Do not apply within 1 day of harvest.
TOMATOES	Flea Beetles, Leafhoppers, Tomato Fruitworms, Fall Armyworms, Tomato Hornworms, European Corn Borers	May be applied up to day of harvest.

HOW TO APPLY


- Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, bulbous duster, or rotary duster. [Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust.
- Apply when air is calm to avoid drift and contact with eyes and skin.
- Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.
- For plants above chest height, consider using a liquid carbaryl product.

WHEN TO APPLY

- Apply dust at first signs of insects/pests.
- Dust in early morning or late evening when temperature is low.
- Repeat/Reapply as necessary, but not more often than once weekly.
- **BLUEBERRIES:** Apply 3 weeks before harvest and repeat/reapply 10 days later or as necessary.
- **CORN:** For insects attacking silks and ears apply when first silks appear and continue until silks begin to dry. Three or more applications may be required depending on severity of infestation.
- **CUCUMBERS, MELONS, PUMPKINS, SQUASH:** Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of prolonged high humidity.

DOGS AND CATS

To control Ticks and Fleas: Use product only outside or in a well ventilated area. Wearing household latex or rubber gloves, lightly dust entire animal, avoiding pet's



eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. This product should not be applied by children. Repeat/Reapply as necessary to dogs and cats but not more often than once a month. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing dogs or cats. Do not use on animals under 12 weeks of age.

Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

NOTE: Do not allow treated pets back on carpets or rugs in the house as this product may stain or discolor rugs and wall-to-wall carpets. Dust bedding and doghouse lightly using a shaker can or other dust applicator. Force dust into cracks and crevices. Repeat/Reapply as necessary, but not more often than once weekly. **DO NOT USE IN THE HOME: DO NOT APPLY TO RUGS AND CARPETS AS STAINING MAY OCCUR.**

STORAGE AND DISPOSAL

STORAGE: Store in original container in a safe place.

DISPOSAL: Do not reuse container. Securely wrap partially filled or empty container in newspaper and discard in trash.


PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes eye irritation. Avoid contact with or clothing. Avoid breathing dust.

USER SAFETY REQUIREMENTS
<ul style="list-style-type: none"> • Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. • Change clothing as soon as possible after use. • Wash the outside of gloves before removing. As with any pesticide product, wash thoroughly immediately after handling and before eating, smoking or using the toilet. <p>(reentry icon) Do not allow children or pets to contact treated area until dust has settled.</p>

FIRST AID: IF SWALLOWED: immediately telephone a poison control center, emergency treatment center or a physician for advice. **DO NOT** make person



676

vomit unless directed to do so by medical personnel. If medical advice cannot be obtained, then immediately take person and product container to an emergency treatment center or hospital. IF IN EYES: flush eyes with plenty of water. Call a physician if irritation persists. IF INHALED: remove person from exposure area. Note to Physicians & Veterinarians: Emergency Information call 1-800-225-2883. Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

[or]

Questions, Comments, or Medical Information ?
Call 1-800-225-2883 <http://www.ortho.com>

ORTHO® SOLARIS® Trademarks of Monsanto Company
SEVIN® is the registered trademark of Rhone-Poulenc for carbaryl insecticide.

©Monsanto Company 1998

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form _____
EPA Reg. No. 239-1513
EPA Est. 58996-MO-1^A, 769-GA-1^G
Superscript is first letter of lot number
Made in USA

