

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

##### DANGER

Causes irreversible eye damage. May cause allergic skin reactions. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Avoid breathing of dust or vapor. Wash hands after use. Remove and launder clothing before reuse.

##### STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. For skin contact, wash with plenty of soap and water. See a doctor if irritation occurs or rash develops.

**Note to Physicians:** Emergency Information - call (415) 233-3737.

##### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

##### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

#### STORAGE AND DISPOSAL

##### PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

##### STORAGE

Keep pesticide in original container. Store in cool, dry place. Protect from excessive heat. Do not store or transport near feed or food.

##### PESTICIDE DISPOSAL

Pesticide spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

##### CONTAINER DISPOSAL

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dump all bags in a sanitary landfill or by incineration if allowed by state and local authorities.

CHE

# ORTHO

## ORTHO<sup>®</sup> Sulfur 15-40 Dust

### (FUNGICIDE)

Active Ingredients	By Wt.
*Captan	14.2%
Related Derivatives	0.8%
Sulfur	40.0%
Inert Ingredients	45.0%
*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide.	

KEEP OUT OF REACH OF CHILDREN

### DANGER

FOR AGRICULTURAL USE ONLY. DO NOT STORE IN AREAS ACCESSIBLE TO CHILDREN.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

#### Chevron Chemical Company

Ortho Agricultural Chemicals Division  
San Francisco CA 94120 7144 Richmond CA 94804-0036  
Product 3225 Made in U.S.A.  
Form 6380 N EPA Est. 239-CA-2  
EPA Reg. No. 239-1678-AA

## NET WEIGHT 50 POUNDS

##### DIRECTIONS

This product is formulated for application by ground or air equipment.

Some fruits and other plants are susceptible to injury from sulfur under certain climatic conditions. The user is advised not to use sulfur on any crop unless local use has proved that sulfur does not damage crops in that locality.

**CELERY:** Pink Rot, Damp-Off—(Field)—13 lbs per acre (Seed Bed)—25 to 30 lbs per acre. Apply when all seeds have germinated. Repeat as necessary.

**GRAPES:** Botrytis Rot (Bunch Rot), Powdery Mildew, Silver Mite, Storage Rots—33 lbs. per acre. Make 2 applications before bloom and 1 application just after bloom. Repeat periodically making up to 3 cover applications before bunches close.

**PEACHES:** Brown Rot, Storage Rots, Powdery Mildew, Silver Mite, Peach Scab—33 lbs per acre. Make 2 to 3 prebloom applications. Repeat at petal fall and 3 to 4 covers as necessary. Make preharvest application where necessary.

**PLUMS:** Brown Rot, Storage Rots, Powdery Mildew, Silver Mite—33 lbs per acre. Make 2 to 3 prebloom applications. Repeat at petal fall and 3 to 4 covers as necessary. Make preharvest application where necessary.

**ROSES (Field):** Rust, Powdery Mildew—35 to 40 lbs. per acre. Apply to give even coverage of upper and lower leaf surfaces at first sign of disease. Repeat at regular intervals as necessary to maintain control.

**STRAWBERRIES:** Botrytis Rot, Powdery Mildew—20 lbs. per acre immediately after picking. Repeat applications after picking as necessary.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

**COMPATIBILITY:** Do not use this product on foliage closely following oil sprays.

ACCEPTED

MAY 7 1982

Federal Insecticide,  
Fungicide and Rodenticide Act

239-1678

**CONDITIONS OF SALE:** 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Certain unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

