

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
DANGER**

Causes irreversible eye damage. May cause allergic skin reactions. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Avoid breathing of dust or vapor. Wash hands after use. Remove and launder clothing before reuse.

**STATEMENT OF PRACTICAL TREATMENT**

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. For skin contact, wash with plenty of soap and water. See a doctor if irritation occurs or rash develops.

**Note to Physicians:** Emergency Information - call (415) 233-3737.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

**REENTRY STATEMENT**

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift.

Do not enter treated areas without protective clothing until dusts have settled.

Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information. Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

**STORAGE AND DISPOSAL  
PROHIBITIONS**

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

**STORAGE**

Keep pesticide in original container. Store in cool, dry place. Protect from excessive heat.

Do not store or transport near feed or food.

For help with any spill, leak, fire or exposure involving this material, call day or night (415) 233-3737.

**PESTICIDE DISPOSAL**

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

Completely empty bag into application equipment. Do not reuse container. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**ORTHO**

**ORTHOCIDE<sup>®</sup>  
Sulfur 15-40  
Dust**

**(FUNGICIDE)**

Active Ingredients	By Wt.
*Captan .....	14.2%
Related Derivatives .....	0.8%
Sulfur .....	40.0%
Inert Ingredients .....	45.0%
*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide.	

**KEEP OUT OF REACH OF CHILDREN  
DANGER-PELIGRO  
FOR AGRICULTURAL USE ONLY. DO NOT  
STORE IN AREAS ACCESSIBLE TO  
CHILDREN.  
PRECAUCION AL USUARIO: Si usted no lee  
ingles, no use este producto hasta que la etiqueta  
le haya sido explicada ampliamente.  
SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.**

**Chevron Chemical Company © 1984**  
Ortho Agricultural Chemicals Division  
San Francisco CA 94120-7144 Richmond CA 94804-0036  
Product 3225 Made in U.S.A.  
Form 6380-0 EPA Est. 239-CA-4  
EPA Reg. No. 239-1678-AA

**NET WEIGHT 50 POUNDS**

**DIRECTIONS**

This product is formulated for application by ground or air equipment.

Some fruits and other plants are susceptible to injury from sulfur under certain climatic conditions. The user is advised not to use sulfur on any crop unless local use has proved that sulfur does not damage crops in that locality.

**CELERY:** Pink Rot, Damp-Off-(Field)—13 lbs. per acre. (Seed Bed)—25 to 30 lbs. per acre. Apply when all seeds have germinated. Repeat as necessary.

**GRAPES:** Botrytis Rot (Bunch Rot), Powdery Mildew, Silver Mite, Storage Rot—33 lbs. per acre. Make 2 applications before bloom and 1 application just after bloom. Repeat periodically making up to 3 cover applications before bunches close.

**PEACHES:** Brown Rot, Storage Rot, Powdery Mildew, Silver Mite, Peach Scab—33 lbs. per acre. Make 2 to 3 prebloom applications. Repeat at petal fall and 3 to 4 covers as necessary. Make preharvest application where necessary.

**PLUMS:** Brown Rot, Storage Rot, Powdery Mildew, Silver Mite—33 lbs. per acre. Make 2 to 3 prebloom applications. Repeat at petal fall and 3 to 4 covers as necessary. Make preharvest application where necessary.

**ROSES (Field):** Rust, Powdery Mildew—35 to 40 lbs. per acre. Apply to give even coverage of upper and lower leaf surfaces at first sign of disease. Repeat at regular intervals as necessary to maintain control.

**STRAWBERRIES:** Botrytis Rot, Powdery Mildew—20 lbs. per acre immediately after picking. Repeat applications after picking as necessary.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

**COMPATIBILITY:** Do not use this product on foliage closely following oil sprays.

**ACCEPTED**  
APR 30 1984  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 239-1678.

**CONDITIONS OF SALE:** 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.