


COPY A

12 pt. DANGER

Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes.
Wear goggles or face shield when handling. Wash thoroughly after handling.



COPY B

18 pt. DANGER

CONFIDENTIAL

PROPERTY OF

CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA



ORTHO

KLING-TITE® 800 Spray

(PLANT REGULATOR)


Active Ingredient	Potassium 1-naphthaleneacetate	By Wt.
Inert Ingredients		24.5%
Contains 800 grams of alpha naphthaleneacetic acid equivalent per gallon.		75.5%

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET CONTENTS 1 GALLON



1 sprayer and
apple thinning.
with proper

NOTE: Foliage should be dry at time of application. Do not delay harvest, as fruit condition and keeping qualities will be impaired if it is left on trees beyond its normal maturity. Apply as a fine mist spray. Thoroughly clean spray equipment before using for any other purposes.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

ster (1/4 pt. to
apply maximum
1/2 pt. (33
ster: 1/2 pt. in
7 to 14 days
of harvest.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. 2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

ster (1/2 pt. to
of active per
t) in sufficient
in all of the
more than 2

3 gals. water.
(35 grams of
in about 5
to Agricultural
varieties in

Chevron Chemical Company

Ortho Agricultural Chemicals Division

San Francisco CA 94120-7144 Richmond CA 94804-0036

Product 1386 Made in U.S.A.

Form 9079-F

EPA Est. 239-CA-1

EPA Reg. No. 239-1839-AA

ed due to ex-

encies.

ake 150 ppm.
6 inch in cross
between May 27
fruiting area.


COPY A

12 pt. DANGER

Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes. Wear goggles or face shield when handling. Wash thoroughly after handling.

COPY B

18 pt. DANGER



CONFIDENTIAL

PROPERTY OF

CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA

COPY C

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING-**

Causes reversible eye damage. Harmful if swallowed. Do not get in eyes. Wear goggles or face shield when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If swallowed, induce vomiting. If inhaled, remove to fresh air. For more information, call 1-800-451-4151.

ENVIRONMENTAL HAZARDS

Do not apply to water.

DIRECTIONS FOR USE

Read and follow all directions on the label. Do not use if the label is missing or illegible. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not mix with other pesticides. Do not use in or near water. Do not use in or near food. Do not use in or near children. Do not use in or near pets.

STORAGE

Keep in original container. Do not use if the container is damaged. Do not use if the container is empty. Do not use if the container is leaking.


PESTICIDE DISPOSAL

Do not mix with other pesticides. Do not use in or near water. Do not use in or near food. Do not use in or near children. Do not use in or near pets.

CONTAINER DISPOSAL

Do not mix with other pesticides. Do not use in or near water. Do not use in or near food. Do not use in or near children. Do not use in or near pets.

irreversible eye damage. Harmful if swallowed. Do not get in eyes. Goggles or face shield when handling. Wash thoroughly after handling.



CONFIDENTIAL

PROPERTY OF
CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

Causes reversible eye damage. Harmful if swallowed. Do not get in eyes. Wear goggles or face shield when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and seek a doctor. If swallowed, give a large amount of water to drink, make person vomit by placing fingers in back of throat and call a doctor.

Note to Physicians: Emergency Information - call 1-815-233-3737

ENVIRONMENTAL HAZARDS

Do not apply directly to water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of containers. Open dumping is prohibited. Do not reuse empty containers.

STORAGE

Keep pesticide in original container. Do not put concentrate or dilute into food or feed containers. Protect from freezing.

PESTICIDE DISPOSAL

Pesticide spray mixture or residue that cannot be used according to label directions must be disposed of according to applicable Federal, State or local regulations.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then recycle or dispose of container as follows: Do not reuse and follow procedures.

KLING-TITE 800 Spray is ~~used~~ for apple thinning by airplane, concentrate ground sprayer and conventional ground sprayer. It is also used for primary or drop of apple and pear, and for apple thinning. It contains 800 grams of active ingredient per gallon and is equivalent per gallon and with proper dilution to the following:

DIRECTIONS

APPLES: Premixes Drop-Conventional Full-volume Sprayers-1 oz. per 100 gals. water (1/4 pt. to 400 gal. tank). Use 50 to 500 gals. per acre. Use complete thinning spray. Apply maximum of 1.5 gals. of active ingredient per acre. Concentrate and Semi-concentrate Sprayers-1/2 pt. (33 grams of active ingredient) per acre. Apply to fruit 7 to 14 days before harvest. In all of the above listed applications, Apply to fruit 7 to 14 days before harvest. Do not apply within 2 days of harvest.

PEARS: Premixes Drop-Conventional Full-volume Sprayers-1 oz. per 100 gals. water (1/4 pt. to 400 gal. tank). Use 50 to 500 gals. per acre. Apply maximum of 25 grams of active ingredient per acre. Concentrate and Semi-concentrate Sprayers-1/2 pt. (33 grams of active ingredient) in sufficient water to cover acre. Airplane or Helicopter-1/2 pt. in about 5 gals. water per acre. In all of the above listed applications, Apply to fruit 5 to 7 days before harvest and do not make more than 2 applications. Do not apply within 2 days of harvest.

APPLES: Chemical Thinning-Conventional Full-volume Sprayers-1.2 fluid oz. per 100 gals. water. Use up to 425 gals. spray per acre. Concentrate and Semi-concentrate Sprayers-1/2 pt. (33 grams of active ingredient) in sufficient water to cover acre. Airplane or Helicopter-1/2 pt. in about 5 gals. water per acre. Apply from 14 to 21 days after full bloom. Consult your State Agricultural Experiment Station for information on dosage, timing and application on specific varieties in your locality.

NOTE: Foliar spray may be used on apple wilted or injured. Crop may be overthinned due to excessive application, excessive concentration and unfavorable weather or other contingencies.

OLIVE THINNING: (California Use Only) Use 2 oz. (266 cc.) in 100 gals. water to make 150 ppm. Apply no more than 200 gals. of spray per acre. Apply when fruit are 1/8 to 3/16 inch in cross diameter. Do not apply more than 1 time per week after full bloom. This usually occurs between May 27 and June 5 depending on location and year. Trees should receive full coverage on the fruiting area.