



DIBROM[®]

SEVIN[®]*

Sulfur 4-5-40 Dust

[INSECTICIDE-FUNGICIDE]
NET WEIGHT 50 LBS.

Active Ingredients:	By Wt
**Naied	4%
Carbaryl 1-naphthyl N-methylcarbamate	5%
Sulfur	40%
Inert Ingredients	51%
**1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
U. S. Pat. Nos. 2,971,882—2,903,478—3,009,855	

Use within _____ days of manufacture only, as this product decomposes

Date of Manufacture _____

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP OUT OF REACH OF CHILDREN

STORE IN COOL, DRY PLACE. OUT OF DIRECT SUNLIGHT.

DIRECTIONS

BEANS: Lygus Bugs, Stink Bugs, Mexican Bean Beetle, Powdery Mildew. Apply to leaves and stems of plants. Repeat applications as needed. Do not apply to beans in flower.



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION:

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. Do not store or transport in or near food. AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES. Do not use on cherries, as injury to fruit may occur. Do not use on equipment, clean equipment after use. Some fruit and other plants are susceptible to injury from sulfur. In certain climatic conditions, the use of sulfur may cause injury to crops. Do not use on crops unless local use is approved. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

ACCEPTED

Oct. 27, 1969

CHEVRON CHEMICAL COMPANY

ORTHO DIVISION

FORM 4-97 J

REVISED 10-29-1964

RICHMOND, CALIFORNIA

PORTLAND, OREGON

HONOLULU, HAWAII

FRE[®] CALIFORNIA

DES MOIS IOWA

CHERRY HILL, NEW JERSEY

ORLANDO, FLORIDA

MEMPHIS, TENN.

DALLAS, TEXAS



DIBROM[®] SEVIN[®] Sulfur 4-5-40 Dust

[INSECTICIDE-FUNGICIDE]

NET WEIGHT 50 LBS.

Active Ingredient By Wt.
**Naled 4%
Carbaryl 1-naphthyl N-methylcarbamate 5%
Sulfur 40%
Inert Ingredients 51%
**1,2-dibromo-2,2-dichloroethyl dimethyl phosphate
U.S. Pat. Nos. 2,971,882-2,903,478-3,009,855
Use within 60 days of manufacture only, as this product decomposes.

Date of Manufacture
READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP IN ORIGINAL CONTAINER

STORE IN COOL, DRY PLACE, OUT OF DIRECT SUNLIGHT.

DIRECTIONS

Use product as formulated for application by ground or aerial application.

BEANS: Lygus Bugs, Stink Bugs, Mexican Bean Beetle, **Powdery Mildew** 40 lbs. per acre. Apply thoroughly when insects and diseases appear and repeat at 7 to 10 day intervals.



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN.

CAUTION: HAZARDOUS TO MAN. IRRITANT. Avoid contact with skin, eyes, nose, mouth, and clothing. Wash hands and face before eating, drinking, or smoking. Do not apply under conditions involving possible drift to food, forage or other planting that might be damaged or the crops thereof rendered unfit for sale, use or consumption. Do not apply under conditions involving possible drift to food, forage or other planting that might be damaged or the crops thereof rendered unfit for sale, use or consumption. Do not apply under conditions involving possible drift to food, forage or other planting that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

ACCEPTED

Oct. 27, 1969

COTTON: Salt Marsh Caterpillars, Bollworms, Armyworms, **Loops**, Fleahoppers, **Aphids**, Cotton Leaf **Perforator** 35 lbs. per acre. Apply as insects appear. Repeat at 7 to 10-day intervals. Do not apply within 4 days of hand-picking.

GRAPES: Leafhoppers, Leafrollers, **Trips**, **Powdery Mildew** 40 lbs. per acre. Apply when insects appear and repeat at 7 to 10-day intervals. Do not apply within 4 days of harvest.

PEACHES: Oriental Fruit Moth, Red Spider Mites, **Powdery Mildew** 40 lbs. per acre. Apply when insects appear and repeat at 7 to 10-day intervals. Do not apply within 4 days of harvest.

TOMATOES: Tomato Fruitworm, Tomato Hornworm, Armyworms, Russet Mites, Leafminers, Stink Bugs 25 lbs. per acre. Apply thoroughly at first sign of insect infestation. Repeat as necessary. Do not apply within 1 day of harvest.

CONDITIONS OF SALE: 1. Chevron Chemical Company warrants that this material conforms to the description on the label and is reasonably fit for the intended use. Chevron neither makes nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guaranteed or otherwise, express or implied, concerning this material.

2. Chevron disclaims any liability beyond Chevron's responsibility for the material, including all risks in connection with the use of the material, including but not limited to the use of the material on plants and crops to which the material is applied. Lack of adequate control and damage caused by drift to other plants or crops are risks assumed by the user. Chevron is not responsible for the use of this material in violation of label directions or for the use of this material in violation of applicable laws and regulations.

3. The user must acknowledge and assume all risks and liability, except those assumed by Chevron under 1 above, resulting from handling, storage, and use of this material.

CHEVRON CHEMICAL COMPANY

ORTHO DIVISION

OPW 6997

UNDA 40 40 219 1954

Pat. N. 1975

Made in U.S.A.

RICHMOND, CALIFORNIA

PORTLAND, OREGON

FRE

CALIFORNIA

DES MOIS

IOWA

CHERRY HILL, NEW JERSEY

DALLAS, TEXAS

HONOLULU, HAWAII

ORLANDO, FLORIDA