


DIBROM Sulfur 4-40 Dust



ORTHO



(INSECTICIDE-FUNGICIDE)

Active Ingredients	By Wt.
*Naled	4%
Sulfur	40%
Inert Ingredients	56%
1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
U. S. Pat. No. 2,971,882	

Use within _____ days of manufacture only, as this product decomposes.

Date of Manufacture _____

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

STORE IN COOL, DRY PLACE. OUT OF DIRECT SUNLIGHT.

DO NOT MIX WITH WATER OR OTHER LIQUIDS. DO NOT MIX WITH WATER OR OTHER LIQUIDS. DO NOT MIX WITH WATER OR OTHER LIQUIDS.

DIRECTIONS

Use 40 to 60 pounds per acre unless otherwise specified. This product is formulated for application by ground or air equipment. Begin applications at first sign of insects or diseases. Repeat as necessary. Apply for contact and thorough coverage. Do not apply to food crops.

BEANS: Aphids, Mites, Lygus Bugs, Thrips, Leafhoppers, Leafminers, Loopers - 50 lbs. per acre by ground or air. Do not apply within 4 days of harvest.

BROCCOLI, CABBAGE, CAULIFLOWER, COLLARDS, BRUSSELS SPROUTS, KALE: Cabbage Looper, Imported Cabbageworm, Diamond-Back Caterpillar, Aphids. May be used 1 day before harvest on Broccoli, Cabbage, Cauliflower and Brussels Sprouts. Do not apply to Collards and Kale within 4 days of harvest.

NET WEIGHT 50 LBS.

Chevron Chemical Company

Ortho Division/San Francisco, California 94119

Richmond, California Fresno, California

Des Moines, Iowa Perth Amboy, New Jersey Orlando, Florida

Form 6345 T Product 3971 Made in U.S.A

EPA Reg. No. 239-1934-AA

bageworm, Diamond-Back Caterpillar, Aphids. May be used 1 day before harvest on Broccoli, Cabbage, Cauliflower and Brussels Sprouts. Do not apply to Collards and Kale within 4 days of harvest.

CITRUS (Oranges, Lemons, Grapefruit): Aphids, Red Spider Mites, Citrus Cutworms, Thrips—Do not apply within 7 days of harvest. California and Arizona—do not apply within 1 day of harvest.



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly with soap and water after use. Do not eat or drink or use tobacco while using this product.

Note to Physicians: Atropine and 1,2-Piclorol are not to be used in conjunction with this product.

This product is highly toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

COTTON: Lygus, Cotton Leaf Perforator, Armyworms, Loopers, Fleahoppers - 35 lbs. per acre. Apply at 7 to 10-day intervals while pests persist. Do not apply within 4 days of hand-picking.

GRAPES: Leafhoppers, Powdery Mildew - 40 to 50 lbs. per acre. Thrips - 20 to 25 lbs. per acre. Do not apply within 4 days of harvest.

LETTUCE, SPINACH, CELERY, CHARD, TURNIP GREENS: Loopers, Aphids - 37 lbs. per acre. May be used 1 day before harvest on Lettuce, Spinach, Turnip Greens and Chard. Do not apply to Celery within 4 days of harvest.

PEACHES: Western States Only—Fruit Flies (Drosophila), Red Spider Mites, Peach Twig Borer, Lygus Bugs; Thrips (Calif. Only); Powdery Mildew - 50 lbs. per acre. Do not apply within 4 days of harvest.

STRAWBERRIES: Spider Mites, Aphids, Powdery Mildew - 50 lbs. per acre. Do not apply within 4 days of harvest.

TOMATOES (Field): Two-Spotted Mites, Aphids, Leaf Miners, Tomato Fruitworms, Hornworms, Tomato Russet Mites - 25 lbs. per acre. Make first application at 5 to 7 days before first picking and continue at 5 to 7-day intervals until harvest is complete. Do not apply within 1 day of harvest. Because of the sulfur content of this dust, first obtain approval from your canner or processor before using this material. Do not use for sale to such canner or processor.

CONDITIONS OF SALE: 1. Chevron Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for use as described herein. Chevron neither makes nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. 2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated herein and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

1974
30
1984