

MITICIDE)

CONFIDENTIAL

PROPERTY OF

CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA

By Wt.
.... 99%
... 1%

Residue	92%
	Medium

OF CHILDREN

DN - 18pt

ADDITIONAL
STATEMENTS.

TS

17 CA 94804

PA Est 37662-CA-01

100 gals of diluted away. Apply in September and up to October 15th on Oranges. On Lemons, apply in September, October, November or December, after the Scale have hatched.

Red Scale and Yellow Scale on Oranges: Use 1½ to 2 gals. to make 100 gals. of diluted spray. Apply during August, September, and up to October 15th.

Red Scale on Lemons: Use 1½ to 2½ gals. to make 100 gals. of diluted spray. ORTHOL-K Ready-Mix Medium can be used any month of the year on Lemons. It is suggested that this spray be used during the winter and spring months when the Red Scale are more easily killed and the trees generally less reactive to Oil Sprays.

Citrus Red Spider Mites and Six-Spotted Mites on Oranges and Lemons: Regular spraying with ORTHOL-K Ready-Mix Medium against Scale ordinarily holds Citrus Red Spider Mites and Six-Spotted Mites under control. For special treatment use 1½ gals to make 100 gals. of diluted spray. Apply during August, September and up to October 15th on Oranges (Navel Oranges may be sprayed in winter after the fruit is picked and before trees blossom) and whenever necessary on Lemons.

As Citrus Frogs are usually infested with more than one of the mentioned pests at the same time or during the year, it is recommended that the user consult his State Agricultural Experiment Station or State Extension Service Specialist relative to a control program that will take all of the ordinary pests into consideration and possibly result in a reduction in pest control operations for the year.

ORTHOL-K Ready-Mix Medium is poured into the spray tank at the bottom of the tank and forced through the pump under pressure when the tank is being filled. A part of the medium is forced out of the spray nozzle as the tank is filled. It is stopped for any cause, such as a clogged nozzle, before the spray is started.

Check this product for proper emulsification by mixing a small quantity of it with water in a small container before filling the entire spray tank. Correct emulsification is indicated when a uniform milk-white spray mixture results while shaking. If the spray mixture is not milk white after shaking, do not use the remainder of product.

[illegible][illegible][illegible]

OCT 12 1984

234-2156

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION - 12 pt

Harmful or fatal if swallowed. Avoid breathing vapor. Avoid contact with eyes or skin.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, DO NOT MAKE PERSON VOMIT. CALL A DOCTOR IMMEDIATELY. Ingestion of this product or subsequent vomiting can result in aspiration of light hydrocarbon liquid which can cause pneumonitis. Note to Physicians: Emergency information - call (415) 233-3737.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARD

Do not weld, heat or drill container. Residue may ignite with explosive violence if heated sufficiently.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift.

Do not enter treated areas without protective clothing until sprays have dried. Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information.

Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

STORAGE AND DISPOSAL

2 pt

PROHIBITIONS

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Protect from freezing. Keep this drum in the shade.

For help with any spill, leak, fire, or exposure involving this material, call day or night: 415-233-3737.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

This container and its contents are not for recycling or reconditioning, nor puncture and reuse as a container for other liquids or gases. Other procedures allowed by state and federal regulations.



ORTHO ORTHOL-K® Ready-Mix Medium

(INSECTICIDE-MITICIDE)

CONFIDENTIAL

PROPERTY OF

CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA

Active Ingredient	By Wt.
Petroleum Oil	99%
Inert Ingredients	1%
Petroleum Oil Min. Unsulfonated Residue	92%
Petroleum Oil Classification	Medium

KEEP OUT OF REACH OF CHILDREN

CAUTION - 18 pt

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

- 12 pt

NET CONTENTS

Chevron Chemical Company

Ortho Agricultural Chemicals Division
San Francisco CA 94119 Richmond CA 94804

Product 22 Made in U.S.A.

Form 212 N2

EPA Est. 37462 CA 01

EPA Reg. No. 239-2156-AA

ORTHOL-K Ready-Mix Medium is an emulsive Summer Oil Spray for use against certain pests on Citrus and Deciduous Fruit Trees.

Consult the Local Experiment Station about time of application. Do not apply Summer Oil Sprays within 30 days after applying sulfur. Do not apply any Oil Spray when temperature exceeds 90 degrees. Do not apply Oil Sprays during periods of excessively low humidity caused by dry wind.

DIRECTIONS

Black Scale and Citricola Scale on Citrus Trees: Use 1 1/2 to 1 3/4 quarts to make 100 quarts of diluted spray. Apply in July and August as soon as the Scale have started to hatch. Oranges may be sprayed in winter after the first fruit has been picked and before the trees bloom, using 2 quarts to make 100 quarts of diluted spray.