

9824-01165
CRAB GRASS Control
PLUS INSECTICIDE-FERTILIZER
ORTHO

PUSH IN FOR HAND LILE

\$7.95



ACCEPTED
Dec 8, 1969
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON CONTROL
FOR NO
FINISHED COMMENT

CRAB GRASS Control

PLUS INSECTICIDE-FERTILIZER

PREVENTS CRAB GRASS
PREVENTS POA ANNUA
and Certain Other Weeds
CONTROLS LAWN INSECTS
Such as Japanese Beetle Grubs, White Grubs, Ants
FEEDS GRASS ONLY

9824-01165



CRAB GRASS Control
PLUS INSECTICIDE-FERTILIZER



Ingredient Statement as an Insecticide-Fertilizer
Active Ingredients: 15.0% (0.0% phosphorus) of 15.0%
N-Guanidyl phosphate (15.0%) 4.38%
**Triphenyl Chloride 1.70%
Inert Ingredients 83.92%
**Equivalent to 1.00% Octachloro-4,7-methano-
tricyclohexene and 0.60% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE BACK PANEL FOR COMPLETE CAUTION.



NET WEIGHT 16 POUNDS 8 OUNCES

9824-01165



100-RECEIVED ONLY OF LICENSED TARIFF 100-100
239-2226

KEEP CONTAINER CLOSED WHEN NOT IN USE -- STORE IN A DRY PLACE

NET WEIGHT 16 POUNDS 8 OUNCES



GUARANTEED FERTILIZER ANALYSIS MIN

15.0% Nitrogen (N)
15.0% Phosphorus (P)
15.0% Potassium (K)
15.0% Sulfur (S)
15.0% Calcium (Ca)
15.0% Magnesium (Mg)
15.0% Iron (Fe)
15.0% Zinc (Zn)
15.0% Manganese (Mn)
15.0% Boron (B)
15.0% Copper (Cu)
15.0% Molybdenum (Mo)
15.0% Chlorine (Cl)
15.0% Fluorine (F)
15.0% Iodine (I)
15.0% Selenium (Se)
15.0% Vanadium (V)
15.0% Nickel (Ni)
15.0% Silicon (Si)
15.0% Aluminum (Al)
15.0% Carbon (C)
15.0% Hydrogen (H)
15.0% Oxygen (O)

MINOR ELEMENT GUARANTEE

15.0% Nitrogen (N)
15.0% Phosphorus (P)
15.0% Potassium (K)
15.0% Sulfur (S)
15.0% Calcium (Ca)
15.0% Magnesium (Mg)
15.0% Iron (Fe)
15.0% Zinc (Zn)
15.0% Manganese (Mn)
15.0% Boron (B)
15.0% Copper (Cu)
15.0% Molybdenum (Mo)
15.0% Chlorine (Cl)
15.0% Fluorine (F)
15.0% Iodine (I)
15.0% Selenium (Se)
15.0% Vanadium (V)
15.0% Nickel (Ni)
15.0% Silicon (Si)
15.0% Aluminum (Al)
15.0% Carbon (C)
15.0% Hydrogen (H)
15.0% Oxygen (O)

CRAB GRASS Control


PLUS INSECTICIDE-FERTILIZER
19-3-3

Ingredient Statement as an Insecticide-Fertilizer
15.0% Nitrogen (N)
15.0% Phosphorus (P)
15.0% Potassium (K)
15.0% Sulfur (S)
15.0% Calcium (Ca)
15.0% Magnesium (Mg)
15.0% Iron (Fe)
15.0% Zinc (Zn)
15.0% Manganese (Mn)
15.0% Boron (B)
15.0% Copper (Cu)
15.0% Molybdenum (Mo)
15.0% Chlorine (Cl)
15.0% Fluorine (F)
15.0% Iodine (I)
15.0% Selenium (Se)
15.0% Vanadium (V)
15.0% Nickel (Ni)
15.0% Silicon (Si)
15.0% Aluminum (Al)
15.0% Carbon (C)
15.0% Hydrogen (H)
15.0% Oxygen (O)

CHEVRON CHEMICAL COMPANY

ORTHO DIVISION
NEW BRUNSWICK, N.J. 07040
MADE IN U.S.A.

WHEN TO APPLY
To Prevent Crab Grass in Cool Season Grasses: Bluegrass
Fescue, Bentgrass, etc. Apply in late August or early September.
To Prevent Crab Grass in Warm Season Grasses: Bermuda, St. Augustine,
etc. Apply in late May or early June.




2 WHEEL SPREADER SETTINGS

IMPORTANT APPLICATION TIPS
1. Apply evenly across the lawn.
2. Do not apply to wet lawns.
3. Do not apply to lawns with active diseases or insects.

CAUTION: Do not apply to lawns with active diseases or insects.

NOTICE: Do not apply to lawns with active diseases or insects.

AMMONIUM NITRATE - PHOSPHATE



9824-01165

"A"	"B"
4	4 1/2

ORTHO-GRO[®] LAWN FOOD PLUS INSECTICIDE

FOR EXCLUSIVE USE ON LAWN AREAS

1. CONTROLS LAWN INSECTS

such as Sod Webworms, Japanese Beetle Grubs, White Grubs

2. FEEDS AND BUILDS BEAUTIFUL THICK GREEN LAWNS

ORTHO-GRO[®]
LAWN FOOD PLUS
INSECTICIDE

CONCENTRATED PELLETS • COVERS 5,000 SQ. FT.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

DIRECTIONS

ORTHO-GRO LAWN FOOD PLUS INSECTICIDE performs two very important functions:

1. Supplies a balanced fast-acting fertilizer that will give you a greener lawn. A healthy vigorous lawn crowds out unwanted weeds.
2. Prevents and controls lawn insects such as Japanese Beetle Grubs, White Grubs, Sod Webworms (Lawn Moths), Armyworms, (Insects), Billbugs, Aths, Fleas, Beetles, Grubs, Caterpillars, and other insects.

WHEN TO APPLY

ORTHO-GRO LAWN FOOD PLUS INSECTICIDE may be applied any time of year for seasonal control of most of the listed insects.

For control of surface feeding insects, such as Sod Webworms (Lawn Moths) and Armyworms which have several generations per season, monthly applications should be made during the summer or when adult moths are noticed emerging from the lawn on summer evenings.

To prevent Cutworm damage, monthly applications should be made during summer and fall.


For heavy infestation of White Grubs use ORTHO-FLOR 74 Chlor丹 Spray at recommended rates.

HOW TO APPLY

For best results, the grass should be dry and mowed before application. If lawn is dry, water thoroughly the day before treatment. To control Cutworms, Grubs and Aths, water the lawn thoroughly after application. For control of surface feeding insects such as Sod Webworms (Lawn Moths) on grass lawns, apply late in the evening and do not water the grass for 24 hours after application.

DISCLAIMER: Disclaimers should be dry before application. Water thoroughly immediately after application to dissolve pellets and wash nutrients and insecticides from leaf tops into root zone.

FAST, EASY APPLICATION



ORTHO Lawn Spreader

Use setting No. 4½. Apply 27½ lbs. to cover 5,000 sq. ft. (100' x 50'). Cover lawn in one direction. Do not use criss-cross pattern.



ORTHO WHIRLYBIRD Spreader

Use setting No. 3. Apply 2 WHIRLYBIRDS full (5½ lbs.) to 1,000 sq. ft. (50' x 20'). Start cranking the WHIRLYBIRD handle before depressing thumb lever. To insure complete coverage, spread in criss-cross pattern by applying the second WHIRLYBIRD full at right angles to the first. For application in confined areas and along border plantings, control of swath width can be obtained by holding the WHIRLYBIRD closer to the ground.



2-WHEEL SPREADER SETTINGS

Spreader settings below are for covering lawns in one direction. Do not use criss-cross pattern. To insure complete coverage, overlap wheel tracks of all spreaders except the Cyclone Spreader and ORTHO Lawn Spreader. Variables inherent in equipment, as well as accuracy of machine adjustment, may cause actual application rates to deviate slightly. Therefore, Chevron makes no warranty as to the uniformity of coverage obtained from the settings listed below.

Spreader	Setting
Cyclone 2-Wheel Spreader	4½
Scotts	5
Scars 24"	5
Jackson 20"	5
Central Imperial 20"	5½
Wards 24"	8
Greenfield No. 105	6