

[239-2278]

DIBROM[®] BTB 4-225 Dust



ORTHO

(INSECTICIDE)

Active Ingredients	By Wt.
Naled	4.00%
Bacillus thuringiensis Berliner, Potency of 225 International Units per mg. (at least 360 thousand viable spores per mg.)	0.045%
Inert Ingredients	95.955%
1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
Equivalent to potency of 102 million International Units per pound of this product.	
U. S. Pat. No. 2,971,882	

Use within 3 days of manufacture only, as this product decomposes.

Date of Manufacture _____

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

STORE IN COOL, DRY PLACE,
OUT OF DIRECT SUNLIGHT.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE.

DIRECTIONS

This product is formulated for application by ground or air equipment. Begin applications at

first sign of insects. Repeat as necessary. Apply for contact and thorough coverage to obtain control of insects.



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using. Do not store or transport near feed or food.

Note to Physicians: Atropine is antidotal. 2-PAVA is also antidotal and may be administered in conjunction with atropine. Do not use on cherries as injury may result. May corrode metal dust equipment, clean equipment after use. **Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.**

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not apply when weather conditions favor drift from areas treated.

BROCCOLI, CABBAGE, CAULIFLOWER: Cabbage Looper, Imported Cabbage worm, Diamond-back Caterpillar, Aphid—40 to 50 lbs. per acre. Do not apply within 1 day of harvest.

CELERY: Looper, Aphid—40 to 50 lbs. per acre. Do not apply within 4 days of harvest.

LETTUCE: Looper, Imported Cabbageworm, Aphid—40 lbs. per acre. Do not apply within 1 day of harvest.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage and use of this material.

NET WEIGHT 50 LBS.

Chevron Chemical Company

Ortho Division San Francisco, Calif. 94119
Richmond, California Fresno, California
Des Moines, Iowa Perth Amboy, New Jersey Orlando, Florida

Form 7/06-1 Product 3942 Made in U.S.A.

EPA Reg. No. 239-2278-ZA

[239-2277]

DIBROM[®] BTB 4-225 Dust

ORTHO

ACCEPTED

FEB 12 1974

(INSECTICIDE)

Active Ingredients	By Wt.
*Naled	4.000%
**Bacillus thuringiensis Berliner, Potency of 225 International Units per mg. at least 360 thousand viable spores per mg.	0.045%
Inert Ingredients	95.955%
**1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
***Equivalent to potency of 102 million International Units per pound of this product	
U. S. Pat. No. 2,971,802	

Use within 3 days of manufacture only, as this product decomposes

Date of Manufacture _____

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

STORE IN COOL, DRY PLACE.
OUT OF DIRECT SUNLIGHT.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE

DIRECTIONS

This product is formulated for application by ground or air equipment. Begin applications at

NET WEIGHT 50 LBS.

Chevron Chemical Company

Ortho Division, San Francisco, Calif. 94119
Richmond, California Fresno, California
Des Moines, Iowa Perth Amboy, New Jersey Orlando, Florida

Form 7706-1 Product 3942 Made in U.S.A.

EPA Reg. No. 239-2278-ZA

first sign of insects. Repeat as necessary. Apply for contact and thorough coverage to obtain control of insects.

CAUTION **READ THE LABEL**

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using. Do not store or transport near feed or food.

Note to Physicians: Atropine is antidotal. 2-PAA is also antidotal and may be administered in conjunction with atropine. Do not use an emesis as injury may result. May corrode metal dust equipment. Clean equipment after use. **Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.**

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply when drift is likely to occur. Do not apply in windy conditions favoring drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product as directed on this label.

This product is highly toxic to bees exposed to it. Do not apply to bees on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not apply when weather conditions favor drift from treated areas.

BROCCOLI, CABBAGE, CAULIFLOWER: Cabbage Looper, Imported Cabbage worm, Diamond-back Caterpillar, Aphid—40 to 50 lbs. per acre. Do not apply within 1 day of harvest.

CELERY: Looper, Aphid—40 to 50 lbs. per acre. Do not apply within 4 days of harvest.

LETTUCE: Looper, Imported Cabbageworm, Aphid—40 lbs. per acre. Do not apply within 1 day of harvest.

CONDITIONS OF SALE: 1. Chevron Chemical Company, Chevron warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage and use of this material.

[239-2278]

DIBROM[®] BTB 4-225 Dust



ACCEPTED
FEB 12 1974

(INSECTICIDE)

Active Ingredients	By Wt
*Neled	4.000%
** <i>Bacillus thuringiensis</i> Berliner, Potency of 225 International Units per mg. at least 360 thousand viable spores per mg.)	0.045%
Inert Ingredients	95.955%
*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
**Equivalent to potency of 102 million International Units per pound of this product	
U. S. Pat. No. 2,971,882	

Use within 3 days of manufacture only, as this product decomposes.

Date of Manufacture _____

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

STORE IN COOL, DRY PLACE, OUT OF DIRECT SUNLIGHT.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE

DIRECTIONS

This product is formulated for application by ground or air equipment. Begin applications at

first sign of insects. Repeat as necessary. Apply for contact and thorough coverage to obtain control of insects

CAUTION READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using. Do not store or transport near food or feed.

Note to Physicians: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. Do not use on cherries as injury may result. May corrode metal dust equipment. Clean equipment after use. **Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.**

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not apply when weather conditions favor drift from areas treated.

BROCCOLI, CABBAGE, CAULIFLOWER: Cabbage Looper, Imported Cabbage worm, Diamond-back Caterpillar, Aphid—40 to 50 lbs. per acre. Do not apply within 1 day of harvest.

CELERY: Looper, Aphid—40 to 50 lbs. per acre. Do not apply within 4 days of harvest.

LETTUCE: Looper, Imported Cabbageworm, Aphid—40 lbs. per acre. Do not apply within 1 day of harvest.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage and use of this material.

NET WEIGHT 50 LBS.

Chevron Chemical Company
 Ortho Division San Francisco, Calif. 94119
 Richmond, California Fresno, California
 Des Moines, Iowa Perth Amboy, New Jersey Orlando, Florida
 Form 7706-1 Product 3942 Made in U.S.A.
 EPA Reg. No. 239-2278-ZA