

ORTHO[®] DIBROM[®] 10-4 Dust



ORTHO

EPA Est. 239-CA-5 No. 001101 FB

ACCEPTED

JAN 16 1976

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 239-2291

(INSECTICIDE-FUNGICIDE)

Active Ingredients	By Wt.
*Captan	10%
**Naled	4%
Inert Ingredients	86%
*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide.	
**1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
U. S. Pat. No. 2,971,882	

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Use within _____ days of manufacture only, as this product decomposes.

Date of Manufacture _____

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

STORE IN COOL, DRY PLACE,
OUT OF DIRECT SUNSHINE.

PROTECT FROM EXCESSIVE HEAT.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE.

DIRECTIONS

This product is formulated for application by ground or air equipment.

NET WEIGHT 50 LBS.

Chevron Chemical Company

Ortho Division/San Francisco CA 94119 Richmond CA 94804

Product 3918 Made in U.S.A.

Form 7628-K

EPA Reg. No. 239-2291-AA

GRAPES: Leafhoppers, Bunch Rot—40 lbs. per acre. Make 2 applications before bloom and 1 application just after bloom. Repeat periodically up to 3 applications before bunches close. Do not use within 4 days of harvest.

MELONS (Cantaloupes, Honeydews, Watermelons), Cucumbers, Summer Squash, Winter Squash: Downy Mildew, Anthracnose, Cucumber Beetles, Aphids, Leafminers, Pickleworms, Armyworms, Loopers, Leafhoppers—35 lbs. per acre. Begin application at the first sign of disease and repeat at 5 to 7 day intervals.



READ THE LABEL

CAUTION: Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using.

Note to Physicians: Emergency Information - call (415) 233-3737.

Do not store or transport near feed or food. May corrode metal dust equipment, clean equipment after use. **Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.**

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not apply within 1 day of harvest on Melons (Cantaloupes, Honeydews, Watermelons), Winter Squash. Do not apply within 4 days of harvest on Cucumbers and Summer Squash.

STRAWBERRIES: Red Spider Mites, Spittle Bug, Leafhopper, Aphids, Botrytis Rot—40 lbs. per acre. Make first application when new growth starts in spring before fruit starts to form. Repeat application weekly. Do not apply within 4 days of harvest.

TOMATOES: Early Blight, Late Blight, Anthracnose, Septoria Leaf Spot, Fruit Flies (*Drosophila* sp.), Twospotted Mites, Aphids, Leafminers, Tomato Fruitworms, Hornworms—25 lbs. per acre. Begin applications at first sign of diseases or insects. Repeat at 7 to 10 day intervals. Do not apply within 1 day of harvest.

COMPATIBILITY: Do not use this product on foliage closely following oil sprays.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material. In no case shall Chevron be liable for consequential, special or indirect damages resulting from the handling of this product.